




FLORIDA STATEWIDE REGIONAL EVACUATION STUDY PROGRAM



DIRECTIONAL ATLAS

BROWARD COUNTY

VOLUME 10-11
BOOK 1B
NE-E DIRECTIONAL STORMS
**FLORIDA DIVISION OF
EMERGENCY MANAGEMENT**
**SOUTH FLORIDA
REGIONAL COUNCIL**



INCLUDES HURRICANE EVACUATION STUDY



**SOUTH FLORIDA
REGION**

2015



**STATEWIDE
REGIONAL
EVACUATION
STUDY PROGRAM**



SOUTH FLORIDA STORM TIDE DIRECTIONAL ATLAS

Volume 10-11 Book 1B - Broward County *NE-E Direction*

This Atlas is part of Volume 10 of the *Statewide Regional Evacuation Study Program* (SRESP), and one of three sets of county books in the *South Florida Storm Tide Directional Atlas* series. Book 1 covers Broward County; Book 2 covers Miami-Dade County; and Book 3 covers Monroe County. In each county, the primary volume presents an overview of the study and the methodology, while the Appendices, numbered from A to E, include the surge inundation maps for each of five directional storm clusters. The Atlas maps identify those areas subject to potential storm tide flooding from the five categories of hurricane on the Saffir-Simpson Hurricane Wind Scale, as determined by the National Oceanic and Atmospheric Administration (NOAA) numerical storm surge model, Sea, Lake and Overland Surges from Hurricanes (SLOSH). Volume 10 is unique in that it is based on the direction the storm is heading and depicts the resulting surge of storms approaching from that specific directional angle.

The *Storm Tide Directional Atlas* series supplements the original hazards analysis for storm tides (Volume 7-11) and depth (Volume 9-11), and enhances a key component of the SRESP. The *Technical Data Report* (Volume 1-11) was built upon the original storm tide analysis and includes the evacuation zones and population estimates, results of the evacuation behavioral data, shelter analysis and evacuation transportation analysis. The study, which provides vital information to state and local emergency management, forms the basis for county evacuation plans. The final study documents are available on the Internet at <http://www.sfregionalcouncil.org/sresp.htm>.

This Atlas series was produced by the South Florida Regional Council with funding from the Federal Emergency Management Agency, through the Florida Division of Emergency Management.



South Florida Regional Council
3440 Hollywood Boulevard, Suite 140, Hollywood, FL 33021
Telephone: (954) 985-4416, Fax: (954) 985-4417
Email: sfadmin@sfregionalcouncil.org, Website: www.sfregionalcouncil.org

CREDITS AND ACKNOWLEDGEMENTS



Funding was provided by the Florida Legislature with funds from the Federal Emergency Management Agency (FEMA), through the Florida Division of Emergency Management (FDEM), 2555 Shumard Oak Boulevard, Tallahassee, 32399, www.floridadisaster.org. Local match was provided by the counties of Broward, Miami-Dade and Monroe.

The Council acknowledges and extends its appreciation to the following agencies and people for their cooperation and assistance in the development of this Atlas:

National Oceanic and Atmospheric Administration (NOAA/TPC-NHC) for the SLOSH numerical storm surge model developed by the late Chester L. Jelesnianski, the development of the 2009 Biscayne Bay and Florida Bay Basins under the management of Jamie Rhome, and for the storm tide computation and interpretation provided by the NOAA Storm Surge Modeling team.

Florida Division of Emergency Management

Bryan Koon, Director
Andrew Sussman, Hurricane Program Manager
Richard Butgereit, GIS Manager

Northeast Florida Regional Council

Elizabeth Payne, Project Manager

Florida Emergency Preparedness Association

For their support in this statewide effort

County Emergency Management Agencies

Miguel Ascarrunz, Director, Broward County Emergency Management Division
Curtis Sommerhoff, Director, Miami-Dade County Department of Emergency Management and Homeland Security
Irene Toner, Director, Monroe County Emergency Management Department



A. Storm Tide Directional Atlas

The surge inundation limits (directional maximum surge heights minus the ground elevations) are provided as GIS shape files and graphically displayed on maps in the *Directional Storm Tide Atlas for the South Florida Region*. The *Atlas* was prepared by the South Florida Regional Council under contract to the State of Florida, Division of Emergency Management, as part of this study effort. The maps prepared for the *Atlas* consist of base maps (1:24000) including topographic, hydrographic and highway files (updated using 2008 county and state highway data). Detailed shoreline and storm tide limits for each category of storm were determined using the region's geographic information system (GIS).

The purpose of the maps contained in this *Atlas* is to reflect a worst probable scenario of the hurricane storm tide inundation for a given cluster of compass directions that a storm would be heading and to provide a basis for the hurricane evacuation zones and study analyses. While the storm tide delineations include the addition of an astronomical mean high tide and tidal anomaly, it should be noted that the data reflects only stillwater saltwater flooding. **Local processes such as waves, rainfall and flooding from overflowing rivers, are usually included in observations of storm tide height, but are not surge and are not calculated by the SLOSH model. It is incumbent upon local emergency management officials and planners to estimate the degree and extent of freshwater flooding as well as to determine the magnitude of the waves that will accompany the surge.**

Although the methodology used for surge determination in this *Atlas* does the most to reduce inconsistencies and human subjectivity, factors remain in the data itself that could show variations from previous efforts and results. Whenever a SLOSH basin is changed in any way, results can vary. Using MEOW (Maximum Envelope of Water) data as we do in this directional atlas, instead of the MOM (Maximum of Maximums) data, and choosing directional subsets of the maximums (MOMs) will indeed produce different results than other atlases – and this was expected. Other factors can include different elevation model data, as well as number and scope of selected SLOSH basin grid cells. Also, any data that is beyond the original extent or boundary of the basin is interpolation influenced by the modeling trend up to that location, and hand adaptation of basin extensions.

Figure 1 shows the projected surge inundation for each category of storm for storms moving in a NE-E direction. Figure 2 provides an index of the NE-E directional map series for Broward County.

B. Points of Reference

County emergency management agencies selected reference points, which include key facilities or locations critical for emergency operations. The Table 1 includes the map identification number, descriptions of the selected points, and the elevation of the site. The elevation is based on the digital elevation data provided by LiDAR. It should be noted that if the site is large, elevations may vary significantly. Table 1 also provides the storm tide value from the SLOSH value and the depth of inundation (storm tide value minus the ground elevation) at the site.


Figure 1 Directional NE-E Storm Surge for Broward County

Table 1 Selected Points of Reference, NE-E Direction – Broward County


Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
1	Hollywood Blvd & A1A	3.459	0.00	0.00	0.00	0.50	0.92	1.70	2.40	3.10	4.10	4.50
2	Young Circle	7.954	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.97	3.33
3	Hollywood Blvd & I-95	7.598	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
4	Johnson St & I-95	5.348	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
5	Johnson St & US 1	9.932	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.70	3.02
	Johnson St & Intracoastal Waterway &											
6	Westlake	5.288	0.00	0.00	0.00	0.00	0.00	1.70	2.30	3.10	4.00	4.50
7	Sheridan St & Intracoastal Waterway	0.000	0.00	0.00	0.00	0.00	0.00	1.70	2.50	3.20	4.00	4.50
8	Sheridan St & US 1	10.064	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
9	Sheridan St & I-95	6.772	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
10	Stirling Rd & I-95	7.646	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
11	Stirling Rd & US 1	9.069	0.00	0.00	0.00	0.00	0.00	1.06	1.80	2.54	3.16	3.56
12	Westlake	0.000	0.00	0.00	0.00	0.00	0.00	1.70	2.50	3.20	4.00	4.50
13	Dania Cutoff & Intracoastal Waterway	0.000	0.00	0.00	0.00	0.00	0.00	1.70	2.50	3.10	4.00	5.00
14	Dania Cutoff & Griffin Rd & US 1	-0.830	2.53	3.38	3.98	4.84	5.38	1.70	2.60	3.20	4.10	4.60
15	Griffin & I-95	8.789	0.00	0.00	0.00	0.00	0.00	1.70	2.50	3.20	4.10	4.60
16	Fort Lauderdale Airport	6.315	0.00	0.00	0.00	0.00	0.00	1.38	2.06	2.69	3.37	3.78
17	South Andrews Ave & US 1	4.609	0.00	0.00	0.00	0.00	0.00	1.24	1.82	2.38	3.06	3.44
18	Port Expansion	9.788	0.00	0.00	0.00	0.00	0.00	1.45	2.18	2.87	3.54	4.08
19	Port & Stranahan River	0.000	0.00	0.00	0.00	0.00	0.00	1.70	2.50	3.40	4.10	4.70
20	Port & US 1 & SR 84	8.349	0.00	0.00	0.00	0.00	0.00	1.13	1.65	2.16	2.74	3.05
21	I-95 & New River	-0.350	1.85	2.53	3.27	3.89	4.21	1.50	2.20	2.90	3.50	3.80
22	US 441 & SR 84	25.312	0.00	0.00	0.00	0.00	0.00	1.40	2.10	2.90	3.60	4.00
23	Davie Blvd & US 1 (SE 3 Ave & 17 St)	7.306	0.00	0.00	0.00	0.00	0.00	1.14	1.67	2.20	2.74	3.03
24	Las Olas Blvd & New River	0.000	0.00	0.00	0.00	0.00	0.00	1.80	2.70	3.50	3.70	4.70
25	Victoria Park Rd	7.353	0.00	0.00	0.00	0.00	0.00	1.61	2.47	3.27	3.68	4.32
26	Broward Blvd & US 1	4.738	0.00	0.00	0.00	0.00	0.00	1.61	2.46	3.24	3.62	4.15
27	S Andrews Ave & New River Canal	0.269	1.61	2.61	3.51	3.81	4.01	1.90	2.90	3.80	4.10	4.30
28	Broward Blvd & I-95	7.760	0.00	0.00	0.00	0.00	0.00	2.00	3.10	4.00	4.10	4.10

¹ Depth refers to the depth of inundation at the site (storm surge value minus the ground elevation)² Surge refers to the storm surge value from the SLOSH Model


Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
29	Sunrise Blvd & Powerline Rd	5.873	0.00	0.00	0.00	0.00	0.00	1.37	2.10	2.80	3.30	3.65
30	Sunrise Blvd & Andrews Ave	6.120	0.00	0.00	0.00	0.00	0.00	1.35	2.07	2.76	3.26	3.60
31	Sunrise Blvd & Intracoastal Waterway	0.000	0.00	0.00	0.00	0.00	0.00	1.70	2.50	3.50	4.00	4.80
32	NE 19 th St & US 1	2.810	0.00	0.00	0.00	0.29	0.75	1.24	1.90	2.55	3.01	3.38
33	Middle River & Railroad Tracks	-1.046	2.19	2.80	3.37	3.77	4.02	1.18	1.80	2.39	2.82	3.11
34	Middle River & Powerline Rd	-1.256	2.41	3.03	3.60	3.98	4.21	1.07	1.65	2.19	2.57	2.81
35	Oakland Park Blvd & Powerline Rd	5.112	0.00	0.00	0.00	0.00	0.00	0.99	1.52	2.04	2.47	2.78
36	Oakland Park Blvd & Dixie Hwy	7.245	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
	Oakland Park Blvd & Intracoastal											
37	Waterway	0.000	0.00	0.00	0.00	0.00	0.00	1.70	2.60	3.60	4.00	4.70
	Commercial Blvd & Intracoastal											
38	Waterway	0.000	0.00	0.00	0.00	0.00	0.00	1.70	2.70	3.80	4.10	4.60
39	Floranada Rd & NE 45 th @ US 1	12.397	0.00	0.00	0.00	0.00	0.00	1.15	1.78	2.41	2.83	3.15
40	Dixie Hwy & NW 44 ST.	5.900	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
41	Dixie Hwy & NW 62ND ST.	7.346	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
42	Imperial Point & US 1	5.501	0.00	0.00	0.00	0.00	0.00	1.38	2.15	2.93	3.40	3.70
43	Cypress Rd & Atlantic Blvd	11.403	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.48	2.78
44	US 1 & Pompano Canal	-0.236	1.77	2.62	3.46	4.32	4.55	1.40	2.16	2.92	4.00	4.20
45	Intracoastal Waterway & Atlantic Blvd	0.000	0.00	0.00	0.00	0.00	0.00	1.70	2.70	3.60	3.90	4.20
46	Intracoastal Waterway & NE 14 th St	0.000	0.00	0.00	0.00	0.00	0.00	1.70	2.70	3.60	4.10	4.40
47	US 1 & Copans Rd	10.688	0.00	0.00	0.00	0.00	0.00	1.15	1.79	2.43	2.88	3.23
48	Hillsboro Bridge	0.000	0.00	0.00	0.00	0.00	0.00	1.60	2.50	3.30	4.00	4.60
49	Lighthouse Point @ US 1	10.734	0.00	0.00	0.00	0.00	0.00	1.14	1.76	2.37	2.82	3.26
50	Town of Hillsboro Beach @ A1A	5.454	0.00	0.00	0.00	0.00	0.00	1.60	2.40	3.30	3.70	4.50
51	A1A & Hillsboro	9.540	0.00	0.00	0.00	0.00	0.00	1.60	2.50	3.50	4.00	4.90
52	Hillsboro Canal & PB County Line	0.482	0.62	1.22	1.84	2.30	2.74	1.10	1.69	2.30	2.77	3.20
53	Gulfstream Park (Miami-Dade Line)	1.943	0.00	0.00	0.00	0.49	1.42	0.97	1.50	2.03	2.58	3.65
	Hallandale Beach Blvd & Intracoastal											
54	Waterway	0.000	0.00	0.00	0.00	0.00	0.00	1.70	2.50	3.40	4.20	5.20
55	Hallandale Beach Blvd & US 1.	5.442	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	3.40
56	Hallandale Beach Blvd & I-95.	7.449	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
57	Pembroke Rd & I-95	9.156	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
58	Pembroke Rd & US 1	9.273	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	3.02
59	Griffin Rd & US 441	6.938	0.00	0.00	0.00	0.00	0.00	1.15	1.82	2.48	3.02	3.75
60	University Drive & SR 84	29.323	0.00	0.00	0.00	0.00	0.00	1.50	2.20	3.00	3.60	4.00

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
61	US 1 & Green Rd (NE 48 St), Pompano Beach	8.300	0.00	0.00	0.00	0.00	0.00	1.11	1.72	2.34	2.78	3.23
62	US 1 & NE 10 St, Pompano Beach	8.667	0.00	0.00	0.00	0.00	0.00	1.70	2.70	3.60	4.20	4.50
63	N Dixie Hwy & Atlantic Blvd, Pompano Beach	12.318	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.48	2.78
64	N Dixie Hwy & McNab Rd, Pompano Beach	5.995	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
65	Andrews Ave & Prospect Rd, Oakland Park	5.921	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
66	NE 6 Ave & 56 St, Oakland Park	4.712	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
67	Broward Blvd & SW 4 Av, Fort Lauderdale	4.996	0.00	0.00	0.00	0.00	0.00	1.65	2.55	3.37	3.75	4.00
68	NE 15 Ave & 13 St, Fort Lauderdale	8.544	0.00	0.00	0.00	0.00	0.00	1.30	1.98	2.65	3.11	3.46
69	Oakland Park Blvd & NW 27 Av, Oakland Park	4.075	0.00	0.00	0.00	0.00	0.00	0.97	1.50	2.03	2.47	2.78
70	NW 27 Ave & 6 St, Fort Lauderdale	5.813	0.00	0.00	0.00	0.00	0.00	1.50	2.33	3.07	3.88	4.02
71	SW 17 St & 9 Ave, Fort Lauderdale	4.121	0.00	0.00	0.00	0.00	0.00	1.36	2.05	2.75	3.18	3.47
72	NW 1 St & Bryan Rd, Dania Beach	3.514	0.00	0.00	0.00	0.00	0.04	1.05	1.60	2.15	2.63	2.96
73	Tyler St & 9 Ave, Hollywood	0.576	1.09	1.82	2.45	3.33	3.82	1.70	2.50	3.10	4.00	4.50
74	Moffett St & NE 14 Ave, Hallandale Beach	1.113	0.15	0.72	1.37	2.84	3.38	1.33	1.88	2.55	4.00	4.50
75	NE 6 St & 8 Ave, Hallandale Beach	3.579	0.00	0.00	0.00	0.00	0.75	0.97	1.50	2.03	3.09	4.40

This page intentionally left blank.

Figure 2 NE-E Atlas Map Index

This page intentionally left blank.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

GN

Notes:

- Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
- Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**


Storm Tide

Category	Level 1
	Level 2
	Level 3
	Level 4
	Level 5

NE-E Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet


Map Plate 19



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow




US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

NE-E
Storm Tide
Broward, 2015
 Scale 1:24,000



Map Plate 20



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow




US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide
Category
Level 1
Level 2
Level 3
Level 4
Level 5


Map Plate 32



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

Notes:

- Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
- Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000


0 2,000 Feet

Map Plate 33



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide Category
■ Level 1
■ Level 2
■ Level 3
■ Level 4
■ Level 5

NE-E Storm Tide
Broward, 2015
 Scale 1:24,000

0 2,000 Feet


Map Plate 38



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide
Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG


Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide levels were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000


0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide Broward, 2015

Scale 1:24,000


0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Notes:

- Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
- Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**

Storm Tide Category


- Level 1**
- Level 2**
- Level 3**
- Level 4**
- Level 5**

NE-E Storm Tide

Broward, 2015

Scale 1:24,000





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Broward, 2015
Scale 1:24,000
0 2,000 Feet


Map Plate 54



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide Category
■ Level 1
■ Level 2
■ Level 3
■ Level 4
■ Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet


Map Plate 55



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Broward, 2015
Scale 1:24,000


Map Plate 56



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide
Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5


Map Plate 57



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet


Map Plate 58



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- H** HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide
Category

■	Level 1
■	Level 2
■	Level 3
■	Level 4
■	Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet


Map Plate 59



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:

- Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
- Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
- Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- Storm Tide Category**
- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet

Map Plate 60



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG


Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
 3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide Category
■ Level 1
■ Level 2
■ Level 3
■ Level 4
■ Level 5

NE-E
Storm Tide
Broward, 2015
 Scale 1:24,000
 0 2,000 Feet


Map Plate 73



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG


Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide
Category
■ Level 1
■ Level 2
■ Level 3
■ Level 4
■ Level 5

NE-E Storm Tide
Broward, 2015
 Scale 1:24,000


Map Plate 74



This map is for emergency planning purposes only.
 Hurricane evacuation decision-making and growth
 management implementation are local responsibilities.
 Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012



Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:

- Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
- Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**


Storm Tide
Category

Red	Level 1
Orange	Level 2
Yellow	Level 3
Green	Level 4
Blue	Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000


0 2,000 Feet

Map Plate 76



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG


Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide
Category
■ Level 1
■ Level 2
■ Level 3
■ Level 4
■ Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000
0 2,000 Feet


Map Plate 77



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

Notes:

- Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
- Total Storm Tide limits were derived from Maximum of Maximums surge peak heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Broward, 2015

Scale 1:24,000

0 2,000 Feet





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide Category
■ Level 1
■ Level 2
■ Level 3
■ Level 4
■ Level 5

NE-E Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet


Map Plate 79



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:


- Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
- Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000


0 2,000 Feet



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. All Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide
Category

Level 1
Level 2
Level 3
Level 4
Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet


Map Plate 91



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide
Category


Red	Level 1
Orange	Level 2
Yellow	Level 3
Green	Level 4
Blue	Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet

Map Plate 92






NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet


Map Plate 93



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Notes:

- Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
- Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**


Storm Tide Category

■	Level 1
■	Level 2
■	Level 3
■	Level 4
■	Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet


Map Plate 94



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- H** HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide
Category

Level 1
Level 2
Level 3
Level 4
Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000


0 2,000
Feet

Map Plate 95



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide Category
■ Level 1
■ Level 2
■ Level 3
■ Level 4
■ Level 5

NE-E Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet


Map Plate 96



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**


Storm Tide
Category

■	Level 1
■	Level 2
■	Level 3
■	Level 4
■	Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet


Map Plate 97



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012


Printed Pages in Yellow



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012






This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**

Storm Tide


Category	Level 1	Level 2	Level 3	Level 4	Level 5
Hospital	Red	Orange	Yellow	Light Green	Dark Blue
Points of Reference	Blue circle	-	-	-	-
City Limits	-	-	Purple dashed line	-	-
Evacuation Route	-	-	-	Red line	-
NHD Lakes	-	-	-	-	Light Blue

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet



Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- H** HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

Red	Level 1
Orange	Level 2
Yellow	Level 3
Light Green	Level 4
Light Blue	Level 5

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide Category
■ Level 1
■ Level 2
■ Level 3
■ Level 4
■ Level 5

NE-E Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet


Map Plate 117



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:

- Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
- Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**

Storm Tide Category

Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Broward, 2015
Scale 1:24,000


0 2,000 Feet



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG


Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide
Category
■ Level 1
■ Level 2
■ Level 3
■ Level 4
■ Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

Map Plate 119



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- H** HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

Level 1
Level 2
Level 3
Level 4
Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000


0 2,000 Feet

Map Plate 120




This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012




This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012



Printed Pages in Yellow




US National Grid
100,000-m Square ID
NK
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
 3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide Category
■ Level 1
■ Level 2
■ Level 3
■ Level 4
■ Level 5

NE-E Storm Tide
Broward, 2015
 Scale 1:24,000
 0 2,000 Feet




Map Plate 140

This map is for emergency planning purposes only.
 Hurricane evacuation decision-making and growth
 management implementation are local responsibilities.
 Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NK
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
 3. Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide Category
■ Level 1
■ Level 2
■ Level 3
■ Level 4
■ Level 5

NE-E
Storm Tide
Broward, 2015
 Scale 1:24,000


0 2,000 Feet

Map Plate 141



This map is for emergency planning purposes only.
 Hurricane evacuation decision-making and growth
 management implementation are local responsibilities.
 Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012



US National Grid
100,000-m Square ID
NK
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

GN

Notes:

- Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
- Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**


Storm Tide
Category

Level 1
Level 2
Level 3
Level 4
Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet


Map Plate 163



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow




US National Grid
100,000-m Square ID
NK
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
H HOSPITAL
● Points of Reference
■ City Limits
— Evacuation Route
■ NHD Lakes

Storm Tide Category
■ Level 1
■ Level 2
■ Level 3
■ Level 4
■ Level 5

NE-E Storm Tide
Broward, 2015
 Scale 1:24,000

Map Plate 164

This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**


Storm Tide Category

Red	Level 1
Orange	Level 2
Yellow	Level 3
Green	Level 4
Blue	Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet


Map Plate 184



This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.


Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012

Printed Pages in Yellow




This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012



Printed Pages in Yellow



US National Grid
100,000-m Square ID
NK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

Notes:

- Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
- Total Storm Tide limits were derived from Maximum of Maximums surge heights over LiDAR based digital elevation models.
3. Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL**
- Points of Reference**
- City Limits**
- Evacuation Route**
- NHD Lakes**


Storm Tide Category

Level 1
Level 2
Level 3
Level 4
Level 5

NE-E
Storm Tide
Broward, 2015
Scale 1:24,000

0 2,000 Feet

Map Plate 186



Printed Pages in Yellow

This map is for emergency planning purposes only.
Hurricane evacuation decision-making and growth
management implementation are local responsibilities.
Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2011-2012



Funding was provided by the Florida Legislature with funding from the Federal Emergency Management Agency (FEMA) through the Florida Division of Emergency Management. Local match was provided by the South Florida Regional Council and the counties of Broward, Miami-Dade and Monroe.

Florida Division of Emergency Management
Bryan Koon, Director
2255 Shumard Oak Boulevard
Tallahassee, Florida 32399



Prepared and published by the
South Florida Regional Council, 3440 Hollywood Boulevard, Suite 140
Hollywood, Florida 33021
Tel: (954) 985-4416, Fax: (954) 985-4417, Website: www.sfregionalcouncil.org
Study Manager: Richard F. Ogburn; GIS: Manny Cela
Statewide Program Manager: Elizabeth Payne, Northeast Florida Regional Council