



FLORIDA STATEWIDE REGIONAL EVACUATION STUDY PROGRAM



**DIRECTIONAL
ATLAS**

MIAMI-DADE COUNTY

VOLUME 10-11

BOOK 2A

N-NE DIRECTIONAL STORMS

**FLORIDA DIVISION OF
EMERGENCY MANAGEMENT**

**SOUTH FLORIDA
REGIONAL COUNCIL**




SOUTH FLORIDA REGION



INCLUDES HURRICANE EVACUATION STUDY



2015





SOUTH FLORIDA STORM TIDE DIRECTIONAL ATLAS

Volume 10-11 Book 2A – Miami-Dade County *N-NE Direction*

This Atlas is part of Volume 10 of the *Statewide Regional Evacuation Study Program* (SRESP), and one of three sets of county books in the *South Florida Storm Tide Directional Atlas* series. Book 1 covers Broward County; Book 2 covers Miami-Dade County; and Book 3 covers Monroe County. In each county, the primary volume presents an overview of the study and the methodology, while the Appendices, numbered from A to E, include the surge inundation maps for each of five directional storm clusters. The Atlas maps identify those areas subject to potential storm tide flooding from the five categories of hurricane on the Saffir-Simpson Hurricane Wind Scale, as determined by the National Oceanic and Atmospheric Administration (NOAA) numerical storm surge model, Sea, Lake and Overland Surges from Hurricanes (SLOSH). Volume 10 is unique in that it is based on the direction the storm is heading and depicts the resulting surge of storms approaching from that specific directional angle.

The *Storm Tide Directional Atlas* series supplements the original hazards analysis for storm tides (Volume 7-11) and depth (Volume 9-11), and enhances a key component of the SRESP. The *Technical Data Report* (Volume 1-11) was built upon the original storm tide analysis and includes the evacuation zones and population estimates, results of the evacuation behavioral data, shelter analysis and evacuation transportation analysis. The study, which provides vital information to state and local emergency management, forms the basis for county evacuation plans. The final study documents are available on the Internet at <http://www.sfregionalcouncil.org/sresp.htm>.

This Atlas series was produced by the South Florida Regional Council with funding from the Federal Emergency Management Agency, through the Florida Division of Emergency Management.



South Florida Regional Council
3440 Hollywood Boulevard, Suite 140, Hollywood, FL 33021
Telephone: (954) 985-4416, Fax: (954) 985-4417
Email: sfadmin@sfregionalcouncil.org, Website: www.sfregionalcouncil.org

CREDITS AND ACKNOWLEDGEMENTS



Funding was provided by the Florida Legislature with funds from the Federal Emergency Management Agency (FEMA), through the Florida Division of Emergency Management (FDEM), 2555 Shumard Oak Boulevard, Tallahassee, 32399, www.floridadisaster.org. Local match was provided by the counties of Broward, Miami-Dade and Monroe.

The Council acknowledges and extends its appreciation to the following agencies and people for their cooperation and assistance in the development of this Atlas:

National Oceanic and Atmospheric Administration (NOAA/TPC-NHC) for the SLOSH numerical storm surge model developed by the late Chester L. Jelesnianski, the development of the 2009 Biscayne Bay and Florida Bay Basins under the management of Jamie Rhome, and for the storm tide computation and interpretation provided by the NOAA Storm Surge Modeling team.

Florida Division of Emergency Management

Bryan Koon, Director
 Andrew Sussman, Hurricane Program Manager
 Richard Butgereit, GIS Manager

Northeast Florida Regional Council

Elizabeth Payne, Project Manager

Florida Emergency Preparedness Association

For their support in this statewide effort

County Emergency Management Agencies

Miguel Ascarrunz, Director, Broward County
 Emergency Management Division
 Curtis Sommerhoff, Director, Miami-Dade County
 Department of Emergency Management and
 Homeland Security
 Irene Toner, Director, Monroe County Emergency
 Management Department



A. Storm Tide Directional Atlas

The surge inundation limits (directional maximum surge heights minus the ground elevations) are provided as GIS shape files and graphically displayed on maps in the *Directional Storm Tide Atlas for the South Florida Region*. The *Atlas* was prepared by the South Florida Regional Council under contract to the State of Florida, Division of Emergency Management, as part of this study effort. The maps prepared for the *Atlas* consist of base maps (1:24000) including topographic, hydrographic and highway files (updated using 2008 county and state highway data). Detailed shoreline and storm tide limits for each category of storm were determined using the region's geographic information system (GIS).

The purpose of the maps contained in this Atlas is to reflect a worst probable scenario of the hurricane storm tide inundation for a given cluster of compass directions that a storm would be heading and to provide a basis for the hurricane evacuation zones and study analyses. While the storm tide delineations include the addition of an astronomical mean high tide and tidal anomaly, it should be noted that the data reflects only stillwater saltwater flooding. **Local processes such as waves, rainfall and flooding from overflowing rivers, are usually included in observations of storm tide height, but are not surge and are not calculated by the SLOSH model. It is incumbent upon local emergency management officials and planners to estimate the degree and extent of freshwater flooding as well as to determine the magnitude of the waves that will accompany the surge.**

Although the methodology used for surge determination in this Atlas does the most to reduce inconsistencies and human subjectivity, factors remain in the data itself that could show variations from previous efforts and results. Whenever a SLOSH basin is changed in any way, results can vary. Using MEOW (Maximum Envelope of Water) data as we do in this directional atlas, instead of the MOM (Maximum of Maximums) data, and choosing directional subsets of the maximums (MOMs) will indeed produce different results than other atlases – and this was expected. Other factors can include different elevation model data, as well as number and scope of selected SLOSH basin grid cells. Also, any data that is beyond the original extent or boundary of the basin is interpolation influenced by the modeling trend up to that location, and hand adaptation of basin extensions.

Figure 1 shows the projected surge inundation for each category of storm for storms moving in a N-NE direction. Figure 2 provides an index of the N-NE directional map series for Miami-Dade County.

B. Points of Reference

County emergency management agencies selected reference points, which include key facilities or locations critical for emergency operations. The Table 1 includes the map identification number, descriptions of the selected points, and the elevation of the site. The elevation is based on the digital elevation data provided by LiDAR. It should be noted that if the site is large, elevations may vary significantly. Table 1 also provides the storm tide value from the SLOSH value and the depth of inundation (storm tide value minus the ground elevation) at the site.

Figure 1 Directional N-NE Storm Surge for Miami-Dade County




Table 1 Selected Points of Reference, N-NE Direction – Miami-Dade County

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
1	Homestead General Airport	4.782	0.00	0.00	0.00	1.00	3.00	0.95	0.95	2.80	6.00	8.00
2	Camp Owaissa Bauer	16.142	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	4.83	10.40
3	American Medical Plaza	9.422	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	7.50
4	Ron Ehman Park	12.027	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	5.91	6.81
5	Miller Drive Park	7.653	0.00	0.00	0.00	0.00	0.51	0.95	0.95	2.80	3.27	8.20
6	Doral Country Club	5.473										
7	Black Point Marina	-2.277	0.00	0.00	0.00	0.00	0.00	3.90	6.50	9.70	11.80	13.90
8	Greenery Mall	6.410	0.00	0.00	0.00	1.13	2.44	0.95	0.95	2.80	7.00	8.80
9	Ad Barnes Park	6.620	0.00	0.00	0.00	0.73	0.92	0.95	0.98	4.45	7.20	7.40
10	South Miami Hospital	11.149	0.00	0.00	0.00	0.00	0.09	0.95	0.95	2.80	6.88	11.30
11	South Miami Station	10.968	0.00	0.00	0.00	0.00	0.28	0.97	0.99	2.84	6.39	11.20
12	Hialeah Station	7.417	0.00	0.00	0.00	0.00	0.00	0.95	0.96	2.80	3.38	3.73
13	Hialeah Race Track	6.646	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.29	3.66
14	Opa-locka Airport	5.672	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
15	Martin Luther King Park	8.111	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
16	Dade County Auditorium	12.338	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.68
17	Juvenile Assessment Center	8.705	0.00	0.00	0.00	0.00	0.00	0.98	1.04	2.85	3.31	3.87
18	Martin L King Station	11.529	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
19	Gwen Cherry Park	8.022	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
20	Miami Central High School	4.679	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.69
21	Vizcaya Station	12.549	0.00	0.00	0.00	0.00	0.00	0.95	1.58	3.51	4.14	4.66
22	Vizcaya	15.616	0.00	0.00	0.00	0.00	0.00	2.09	7.20	9.90	11.90	13.30
23	Downtown Government Ctr	8.242	0.00	0.00	0.00	0.00	0.00	1.70	2.62	4.16	5.56	8.00
24	Government Center Mover Station	8.543	0.00	0.00	0.00	0.00	0.00	1.70	2.62	4.16	5.56	8.00
25	Arena/State Plaza Mover Station	10.495	0.00	0.00	0.00	0.00	0.00	1.70	2.62	4.16	5.56	8.00
26	Park West Mover Station	8.392	0.00	0.00	0.00	0.00	0.00	1.19	1.57	3.27	4.77	6.85
27	Bicentennial Park Mover Station	6.599	0.00	0.00	0.00	0.00	0.64	1.21	1.62	3.60	4.70	7.50
28	N Miami Beach High School	5.996	0.00	0.00	0.00	0.00	0.00	1.14	1.37	2.90	3.38	3.97

¹ Depth refers to the depth of inundation at the site (storm surge value minus the ground elevation)

² Surge refers to the storm surge value from the SLOSH Model

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
29	Key Biscayne Station	3.659	0.00	2.53	4.46	5.62	6.65	1.88	6.00	8.00	9.00	10.10
30	Skylake Mall	7.014	0.00	0.00	0.00	0.00	0.00	1.01	1.12	2.84	3.51	3.96
31	Lipton Tennis Center	3.309	0.02	2.75	4.28	5.02	6.21	3.10	6.10	7.80	8.60	9.80
32	Aventura Mall	7.666	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	6.00
33	Federal Corrections Institute	11.010	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	5.36	10.60
34	Tamiami Park	4.614	0.00	0.00	0.00	0.00	2.73	0.95	0.95	2.80	3.27	7.40
35	Golf Club of Miami	6.775										
36	Miami International Airport	7.663	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
37	Douglas Road Station	11.839	0.00	0.00	0.00	0.00	0.00	1.12	1.84	9.30	9.70	10.10
38	Pro Player Stadium	8.638	0.00	0.00	0.00	0.00	0.00	2.00	3.20	3.70	4.10	4.40
39	Dinner Key Auditorium	4.503	0.00	1.58	4.41	6.51	8.11	4.60	7.40	10.20	12.70	14.40
40	Orange Bowl	3.961	0.00	0.00	0.53	0.67	3.30	1.54	2.40	3.64	3.97	7.30
41	Norland High School	12.154	0.00	0.00	0.00	0.00	0.00	1.14	1.36	2.96	3.44	3.82
42	Allapattah Station	9.868	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
43	Brickell Station	4.344	0.00	0.00	0.96	1.37	2.33	1.69	2.71	4.46	4.85	5.70
44	Eleventh Street Mover Station	6.095	0.00	0.00	0.00	0.00	1.55	1.21	1.62	3.60	4.70	7.50
45	Bayside	16.152	0.00	0.00	0.00	0.00	0.00	3.30	6.40	8.00	8.40	10.60
46	College Bayside Mover Station	10.028	0.00	0.00	0.00	0.00	0.00	1.84	3.04	4.80	8.00	9.70
47	Jockey Club	6.340	0.00	0.00	0.00	0.52	1.80	1.16	1.88	4.30	5.40	6.70
48	Dade Correctional Institute	4.133	0.00	0.00	0.67	2.82	4.73	0.95	0.99	5.30	7.50	9.50
49	Tamiami Airport	7.374	0.00	0.00	0.00	0.00	1.18	0.95	0.95	2.80	7.00	8.50
50	Sgt. Joe Delancy Park	8.716	0.00	0.00	0.00	0.00	1.75	0.95	0.95	2.80	7.36	10.30
51	MDCC South Campus	9.858	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	5.68	8.90
52	FIU South Campus	7.334	0.00	0.00	0.00	0.00	0.11	0.95	0.95	2.80	3.27	7.30
53	Cutler Ridge Station	6.011	0.00	0.00	3.01	5.41	7.65	0.95	1.39	8.50	11.40	13.50
54	International Mall	8.216										
55	The Falls	8.664	0.00	0.00	0.00	0.02	1.95	0.95	0.95	2.80	8.90	10.40
56	Amelia Earhart Park	-0.230	1.18	1.18	3.03	3.50	3.89	0.95	0.95	2.80	3.27	3.66
57	Tri Rail Miami Airport Station	5.483	0.00	0.00	0.00	0.00	0.00	2.20	3.80	4.70	5.00	5.30
58	Miami Jai Alai	4.326	0.00	0.00	0.01	0.40	0.84	2.20	3.90	4.60	4.90	5.20
59	MDCC North Campus	-0.360	1.31	1.31	3.16	3.63	4.02	0.95	0.95	2.80	3.27	3.66
60	Brownsville Station	7.039	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
61	Dolphin Stadium	8.638	0.00	0.00	0.00	0.00	0.00	2.00	3.20	3.70	4.10	4.40


Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
62	Calder Track	6.966	0.00	0.00	0.00	0.00	0.00	1.00	1.07	2.84	3.39	3.74
63	North Shore Hospital	6.962	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.86
64	South Dade Government Ctr	9.276	0.00	0.00	0.00	0.00	0.00	1.70	2.62	4.16	5.56	8.00
65	Miami Avenue Mover Station	5.025	0.00	0.00	0.91	3.06	5.01	2.24	3.88	5.63	9.00	10.70
66	Bayfront Park Mover Station	4.785	0.00	0.61	2.40	4.37	6.18	3.40	6.40	8.30	9.00	10.70
67	The Mall at 163rd Street	19.719	0.00	0.00	0.00	0.00	0.00	1.70	2.50	3.20	3.80	5.10
68	Fisher Island	4.848	0.00	0.00	0.78	0.97	2.16	2.18	3.80	5.90	6.10	7.30
69	University Country Club	6.011	0.00	0.00	0.00	1.37	2.30	0.95	0.95	2.80	7.50	8.40
70	Town and Country Mall	6.342	0.00	0.00	0.00	0.00	2.48	0.95	0.95	2.80	3.31	8.30
71	Columbia Kendall Medical Ctr	8.764	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	7.50
72	Concord Shopping Center	6.623	0.00	0.00	0.00	0.00	1.18	0.95	0.95	2.80	3.27	7.40
73	Kendall Mall	7.150	0.00	0.00	0.00	0.00	1.75	0.95	0.95	2.80	7.20	9.00
74	MDPD Headquarters	5.493	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
75	Coral Reef Park	7.485	0.00	0.00	1.19	2.50	5.49	0.95	1.40	8.70	10.00	13.00
76	Merchandise Mart	6.245	0.00	0.00	0.00	0.00	0.00	1.31	1.76	3.49	4.10	4.41
77	Charles Deering Estate	2.177	0.00	2.23	5.59	8.53	12.69	1.91	3.47	6.54	9.31	14.70
78	Matheson Hammock Park	0.358	5.22	7.87	11.07	13.61	15.72	4.10	6.90	10.00	12.50	14.70
79	Carol City Station	8.742	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
80	Earlington Heights Station	7.725	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
81	Museum of Science	15.616	0.00	0.00	0.00	0.00	0.00	2.09	7.20	9.90	11.90	13.30
82	Vizcaya Museum	18.407	0.00	0.00	0.00	0.00	0.00	2.09	7.20	9.90	11.90	13.30
83	Dade County Jail	5.100	0.00	0.00	0.00	0.00	1.51	1.61	4.80	5.00	5.10	6.70
84	Civic Center Station	6.740	0.00	0.00	0.00	0.00	0.00	1.05	1.77	3.29	3.84	4.95
85	Jackson Memorial Hospital	14.411	0.00	0.00	0.00	0.00	0.00	1.06	1.74	3.27	3.87	4.74
86	Culmer Station	9.533	0.00	0.00	0.00	0.00	0.00	1.64	2.74	3.83	5.10	7.00
87	Parkway Regional Medical Ctr	9.571	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
88	Financial Dist Mover Station	5.641	0.00	0.00	0.00	0.58	1.41	2.29	3.91	5.85	6.62	7.55
89	College North Mover Station	10.227	0.00	0.00	0.00	0.00	0.00	1.19	1.57	3.27	4.77	6.85
90	N Miami High School	9.906	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	4.19
91	Miami Seaquarium	3.079	0.00	0.00	0.00	0.00	0.00	4.10	6.20	8.40	8.70	9.80
92	Dodge Island	8.094	0.00	0.00	0.00	0.35	1.29	2.88	5.30	8.40	9.20	10.20
93	Port of Miami	8.094	0.00	0.00	0.00	0.35	1.29	2.88	5.30	8.40	9.20	10.20
94	Seaport	8.094	0.00	0.00	0.00	0.35	1.29	2.88	5.30	8.40	9.20	10.20

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
95	Intracoastal Station	5.744	0.00	0.00	0.00	0.00	0.30	1.18	1.46	2.93	3.84	6.20
96	Homestead Airport	4.782	0.00	0.00	0.00	1.00	3.00	0.95	0.95	2.80	6.00	8.00
97	Fruit & Spice Park	7.540	0.00	0.00	0.00	0.00	1.61	0.95	0.95	2.80	3.56	9.10
98	Krome Detention Center	8.222	0.00	0.00	0.00	0.00	0.00	0.94	0.94	2.79	3.26	3.98
99	Homestead Hospital	7.870	0.00	0.00	0.00	1.18	2.11	0.95	0.95	2.80	8.70	9.80
100	Braddock High School	5.775	0.00	0.00	0.00	0.00	1.26	0.95	0.95	2.80	3.27	6.90
101	Hammocks Station	6.016	0.00	0.00	0.00	1.35	2.16	0.95	0.95	2.80	7.40	8.30
102	Country Walk Plaza	7.623	0.00	0.00	0.00	0.00	2.22	0.95	0.95	2.80	4.78	9.90
103	Kendall Gate Mall	7.294	0.00	0.00	0.00	0.00	1.13	0.95	0.95	2.80	4.24	8.40
104	MDCC Kendall Campus	9.858	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	5.68	8.90
105	Loehmanns In Kendall	7.047	0.00	0.00	0.00	0.00	1.13	0.95	0.95	2.80	3.94	8.00
106	Cutler Ridge Center	8.475	0.00	0.00	0.12	2.75	4.96	0.95	1.42	9.30	11.40	13.80
107	Youth Fair	6.112	0.00	0.00	0.00	0.00	1.20	0.95	0.95	2.80	3.27	7.30
108	Homestead Bayfront Park	-0.244	3.91	6.00	8.19	10.22	12.02	3.90	5.80	7.90	9.90	11.70
109	Deering Hospital	13.190	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	8.80	12.40
110	Continental Park	10.611	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	9.40	10.60
111	TGK	7.170	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
112	Shops at Sunset Place	7.022	0.00	0.00	0.00	1.92	4.27	1.57	2.05	3.98	10.00	10.90
113	Matheson Marina	0.358	5.22	7.87	11.07	13.61	15.72	4.10	6.90	10.00	12.50	14.70
114	Wyndham Gateway Hotel	5.827	0.00	0.00	0.00	0.00	0.00	2.20	3.80	4.70	5.00	5.30
115	Northside Shopping Center	8.867	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
116	Third Street Mover Station	7.364	0.00	0.00	0.00	1.25	3.30	2.24	3.88	5.63	9.00	10.70
117	Knight Center Mover Station	7.131	0.00	0.00	0.13	2.33	4.23	2.24	3.88	5.63	9.00	10.70
118	School Board Mover Station	9.396	0.00	0.00	0.00	0.00	0.00	0.96	1.02	2.97	3.56	4.52
119	Boystown	7.509	0.00	0.00	0.00	0.08	0.96	0.95	0.95	2.80	7.40	8.40
120	Kendale Lakes Mall	6.896	0.00	0.00	0.00	0.00	1.73	0.95	0.95	2.80	4.48	8.20
121	Kendall Village West	6.557	0.00	0.00	0.00	0.00	1.80	0.95	0.95	2.80	5.02	8.30
122	Kendall Indian Hammocks Park	7.639	0.00	0.00	0.00	0.00	1.14	0.95	0.95	2.80	3.72	8.40
123	Tropical Estates Park	6.839	0.00	0.00	0.00	0.00	1.20	0.95	0.95	2.80	3.98	7.90
124	Tropical Park	10.059	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.39	3.99
125	Dadeland Mall	9.357	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	4.87	7.12
126	Florida Memorial College	7.365	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
127	Tri Rail Station	9.159	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66


Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
128	183rd Street Flea Market	6.390	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
129	William Turner Tech School	4.679	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.69
130	Arcola Lake Park	4.594	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.81
131	North Dade Detention Center	-0.540	1.49	1.49	3.34	3.81	4.20	0.95	0.95	2.80	3.27	3.66
132	Santa Clara Station	8.618	0.00	0.00	0.00	0.00	0.00	0.96	1.06	2.86	3.34	4.01
133	Fifth Street Mover Station	4.461	0.00	1.91	3.77	4.43	6.60	3.40	6.50	8.30	8.40	10.70
134	Freedom Tower Mover Station	7.614	0.00	0.00	0.00	0.00	0.64	1.84	3.04	4.80	8.00	9.70
135	Barry University	13.232	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.42	4.05
136	Bay Front Park	16.152	0.00	0.00	0.00	0.00	0.00	3.30	6.40	8.00	8.40	10.60
137	California Club Mall	5.748	0.00	0.00	0.00	0.00	0.00	1.07	1.25	2.94	3.38	3.74
138	Cape Florida (Bill Baggs)	0.788	1.35	4.26	6.42	7.72	8.83	2.27	5.30	7.30	8.60	9.80
139	Crandon Park	3.289	0.00	0.28	2.52	4.09	5.06	2.30	3.60	5.70	7.50	8.50
140	FIU North Campus	4.490	0.00	0.00	0.00	0.00	1.64	1.33	1.74	3.40	4.60	6.30
141	Miami Beach Convention Ctr	6.157	0.00	0.00	0.00	0.00	0.41	1.56	2.73	4.40	5.70	6.60
142	Haulover Park	3.802	0.00	0.00	0.40	1.49	2.78	2.00	3.10	4.20	5.40	6.60
143	Everglades Correctional Ctr	4.230	0.00	0.00	0.00	0.00	0.65	0.95	0.95	2.80	3.27	5.00
144	Miccosukee Indian Village	0.000										
145	Homestead City Hall	6.291	0.00	0.00	0.00	2.38	3.84	0.95	0.95	2.81	8.70	10.10
146	South Dade High School	7.765	0.00	0.00	0.00	0.02	2.53	0.95	0.95	2.80	8.20	10.70
147	Homestead Motorsports	4.828	0.00	0.00	2.41	4.40	6.11	0.95	4.56	7.10	9.20	10.90
148	Shops of Kendall	6.825	0.00	0.00	0.00	0.84	1.72	0.95	0.95	2.80	7.50	8.40
149	Baptist Hospital	11.916	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.99	5.48
150	Mall of the Americas	5.500	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.71
151	Dadeland South Station	12.162	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	9.30	10.90
152	Stockade	5.897	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
153	Dadeland North Station	-0.364	1.31	1.31	3.16	4.93	9.27	0.95	0.95	2.80	4.16	6.87
154	Okeechobee Station	6.345	0.00	0.00	0.00	0.00	0.00	1.58	2.38	3.64	5.20	5.30
155	Pan American Hospital	5.359	0.00	0.00	0.00	0.00	0.05	2.20	3.80	4.90	5.30	5.50
156	Fairchild Gardens	14.644	0.00	0.00	0.00	0.00	0.00	1.52	2.60	8.61	11.80	14.70
157	University Station	11.071	0.00	0.00	0.00	0.00	0.00	4.20	6.50	8.70	10.00	10.90
158	Jones Boat Yard	4.297	0.00	0.00	0.26	0.56	1.04	2.30	3.90	4.60	4.90	5.30
159	Northside Station	6.482	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66
160	Joseph Caleb Center	10.708	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	3.27	3.66

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
161	Tenth St Mover Station	4.946	0.00	0.00	1.21	1.75	2.94	2.29	3.91	5.85	6.62	7.55
162	Overtown Station	12.349	0.00	0.00	0.00	0.00	0.00	1.19	1.57	3.27	4.77	6.85
163	Miami Arena	13.207	0.00	0.00	0.00	0.00	0.00	1.19	1.57	3.27	4.77	6.85
164	Miami Design District	11.180	0.00	0.00	0.00	0.00	0.00	1.05	1.14	2.93	3.49	4.64
165	Gusman Cultural Center	10.180	0.00	0.00	0.00	0.00	0.67	2.24	3.88	5.63	9.00	10.70
166	Dade County Seaport	8.094	0.00	0.00	0.00	0.35	1.29	2.88	5.30	8.40	9.20	10.20
167	Greynolds Park	8.157	0.00	0.00	0.00	0.00	0.00	1.04	1.16	2.90	3.56	6.00
168	Miller Square Shoppes	7.390	0.00	0.00	0.00	0.00	0.35	0.95	0.95	2.80	3.27	7.70
169	Larry & Penny Thompson Park	7.197	0.00	0.00	0.00	2.07	3.59	0.95	0.95	2.80	9.10	11.00
170	Metro Zoo	9.893	0.00	0.00	0.00	0.00	1.01	0.95	0.95	2.80	9.10	10.90
171	Homestead Air Reserve Base	7.422	0.00	0.00	1.15	3.37	5.18	0.95	2.99	8.60	10.80	12.60
172	Cutler Ridge Mall	6.556	0.00	0.00	2.19	5.09	7.23	0.95	0.95	8.30	11.40	13.50
173	Biscayne National Park	1.112	3.21	5.16	7.43	9.56	11.38	4.00	6.10	8.40	10.50	12.30
174	Shops at Dadeland	12.635	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.80	4.87	7.12
175	Miami Childrens Hospital	7.379	0.00	0.00	0.58	1.39	1.35	1.23	6.30	8.30	9.00	9.10
176	University of Miami	12.224	0.00	0.00	0.00	0.00	0.00	4.30	6.60	8.70	10.00	11.10
177	Coconut Grove Station	11.412	0.00	0.00	0.00	0.00	0.00	0.95	0.95	4.09	4.43	7.20
178	Mercy Hospital	4.148	0.00	3.74	6.47	8.61	10.02	2.86	7.20	9.90	12.00	13.40
179	Brickell Mover Station	11.212	0.00	0.00	0.00	0.00	0.00	1.69	2.71	4.46	4.85	5.70
180	Eighth Street Mover Station	6.070	0.00	0.00	1.86	2.25	4.05	3.40	6.50	8.30	8.40	10.70
181	Government Center Station	8.887	0.00	0.00	0.00	0.00	0.00	1.70	2.62	4.16	5.56	8.00
182	Riverwalk Mover Station	4.787	0.00	0.78	2.57	3.98	6.09	3.40	6.50	8.30	8.40	10.70
183	First St Mover Station	10.761	0.00	0.00	0.00	0.00	0.00	2.24	3.88	5.63	9.00	10.70
184	American Airlines Arena	4.796	0.00	0.00	0.04	2.28	3.82	1.84	3.04	4.80	8.00	9.70
185	OMNI Mover Station	3.821	0.00	0.00	0.96	2.16	3.90	1.45	2.07	4.60	6.10	7.50
186	Loehmanns Fashion Island	6.121	0.00	0.00	0.00	0.00	0.02	0.95	0.96	2.80	3.29	6.06

Figure 2 N-NE Atlas Map Index



This page intentionally left blank.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 1





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 2



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



UNINCORPORATED
MIAMI-DADE
MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 3





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 5



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 6





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 7





MIAMI-DADE COUNTY

MONROE COUNTY

UNINCORPORATED MIAMI-DADE

West Lake

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 8





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 9





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 10



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 11





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 12



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 13





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 14



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 15





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 16





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 17



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes


- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 18



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 19



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 20



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 21



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes


- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 22



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 23





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 24



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 25





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 26





**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NH

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5


N-NE Storm Tide
Miami-Dade, 2015

Scale 1:24,000

0 2,000 Feet

Map Plate 27





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 28





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 29



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5


N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000



Map Plate 30



Printed Pages in Yellow



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 31





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 32





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 33



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 34



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 35





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 36





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 37



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 38





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 39



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 40



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 41





**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

US National Grid
100,000-m Square ID
NH

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015


Scale 1:24,000

0 2,000 Feet

Map Plate 42



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 43



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 44





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 45





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 46





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 47



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 48



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 49





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 50



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 51





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 52



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 53



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 54



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 55



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 56



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes


- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 57



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 58



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- - - City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 59





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 60





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 61





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 62





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 63





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 64





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 65





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 66





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 67





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 68





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 69



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 70





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 71





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 72



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 73



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 74





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 75



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 76





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 77





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 78





MIAMI-DADE COUNTY

UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000


Map Plate 79



Printed Pages on Yellow

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by the South Florida Regional Planning Council for the Florida Division of Emergency Management, 2015



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 80



Printed Pages in Yellow



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 81





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 82





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 83





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 84





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 85





MIAMI-DADE COUNTY

UNINCORPORATED MIAMI-DADE

INGRAHAM HWY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 86



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 87

292295	70298	207	299	300	301	302	303	304	305	306	307	308	309	310	311
273274	275272	277270	279268	281266	283264	285262	287260	289258	291256	293254	295252	297250	299248	301246	303244
253254	255252	257250	259248	261246	263244	265242	267240	269238	271236	273234	275232	277230	279228	281226	283224
233234	235232	237230	239228	241226	243224	245222	247220	249218	251216	253214	255212	257210	259208	261206	263204
213214	215212	217210	219208	221206	223204	225202	227200	229198	231196	233194	235192	237190	239188	241186	243184
193194	195192	197190	199188	201186	203184	205182	207180	209178	211176	213174	215172	217170	219168	221166	223164
173174	175172	177170	179168	181166	183164	185162	187160	189158	191156	193154	195152	197150	199148	201146	203144
153154	155152	157150	159148	161146	163144	165142	167140	169138	171136	173134	175132	177130	179128	181126	183124
133134	135132	137130	139128	141126	143124	145122	147120	149118	151116	153114	155112	157110	159108	161106	163104
113114	115112	117110	119108	121106	123104	125102	127100	129998	131996	133994	135992	137990	139988	141986	143984
93994	95992	97990	99988	101986	103984	105982	107980	109978	111976	113974	115972	117970	119968	121966	123964
73974	75972	77970	79968	81966	83964	85962	87960	89958	91956	93954	95952	97950	99948	101946	103944
53954	55952	57950	59948	61946	63944	65942	67940	69938	71936	73934	75932	77930	79928	81926	83924
33934	35932	37930	39928	41926	43924	45922	47920	49918	51916	53914	55912	57910	59908	61906	63904
13914	15912	17910	19908	21906	23904	25902	27900	29898	31896	33894	35892	37890	39888	41886	43884
11912	13910	15908	17906	19904	21902	23900	25898	27896	29894	31892	33890	35888	37886	39884	41882



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 88



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 89





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 90



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 91



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 92





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 93





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 94



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 95





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 96





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 97





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 98





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 99



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 100



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 101



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

SW 228TH AVE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 102



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 103





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 104





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 105





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 106





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 107

294	298	302	306	310
292295	292296	292297	292298	292299
273274	273275	273276	273277	273278
253254	253255	253256	253257	253258
233234	233235	233236	233237	233238
213	214	215	216	217
193197	193198	193199	193200	193201
173177	173178	173179	173180	173181
153157	153158	153159	153160	153161
133137	133138	133139	133140	133141
113117	113118	113119	113120	113121
9397	9398	9399	9400	9401
7373	7374	7375	7376	7377
5353	5354	5355	5356	5357
3333	3334	3335	3336	3337
1313	1314	1315	1316	1317
112	113	114	115	116



MIAMI-DADE COUNTY

UNINCORPORATED MIAMI-DADE

UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 108





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 109



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 110





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 111





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 112





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 113





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 114





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 115





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 116



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 [Blue square] HOSPITAL
 [Blue circle with dot] Points of Reference
 [Purple outline] City Limits
 [Red line] Evacuation Route
 [Blue square] NHD Lakes

Storm Tide Category
 [Red square] Level 1
 [Orange square] Level 2
 [Light Green square] Level 3
 [Dark Green square] Level 4
 [Blue square] Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 117





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 118





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 119



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 120



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 121





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 122



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 123





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 124



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 125





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 126





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 127



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 128





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 129





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 130





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 131





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 132





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 133





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 134





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 135





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 136





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 137





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 138





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 139



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 140





**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5


N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000



Map Plate 141



Printed Pages in Yellow



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 142



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 143





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 144



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 145



Printed Pages on Yellow



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 146





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 147





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 148





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 149





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 150



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 151





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.


Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 152





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 153





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000



Map Plate 154





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- H HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - L NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 155



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 156



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 157





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 158



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 159



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 160





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 161





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 162





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 163





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 164





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 165





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 166





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 167





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 168





**UNINCORPORATED
MIAMI-DADE**

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 169





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 170





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 171





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 172





UNINCORPORATED
MIAMI-DADE

MIAMI-DADE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 174





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 175





**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 176





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 177





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000



Map Plate 178





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 179





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 180





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 181





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 182





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 183





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 184





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 185



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 186





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
Map Plate 187





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 188





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm surge height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 189





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- H HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 190



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 191





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 193





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 194



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 195





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 196





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 197



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 198





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 199





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 200



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 201



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 202





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 203





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 204





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 205



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 206





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- H HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 207





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 208





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 209





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- H HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 210





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 [Blue square] HOSPITAL
 [Blue circle with dot] Points of Reference
 [Purple outline] City Limits
 [Red line] Evacuation Route
 [Blue square] NHD Lakes

Storm Tide Category
 [Red square] Level 1
 [Orange square] Level 2
 [Yellow square] Level 3
 [Light Green square] Level 4
 [Light Blue square] Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 211





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 212



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 213





**UNINCORPORATED
MIAMI-DADE**



MIAMI-DADE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 214





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 215



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 216



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 217





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 218





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 219





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 220





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 221



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



836-TOLL

**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 225





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 226





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 227





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 228



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 229





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 230





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 231





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 232





**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

COLLIER COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 233



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 234





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 235





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 236



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 237





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 246



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 247





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 248





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 249





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 Map Plate 250



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 251





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 252



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



UNINCORPORATED
MIAMI-DADE

MIAMI-DADE COUNTY

COLLIER COUNTY

Dade-Collier
Training and
Transition

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5


N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000



Map Plate 253



Printed Pages in Yellow



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 254



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 265





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 266



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 267



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5


N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000



Map Plate 268



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 [HOSPITAL] HOSPITAL
 [POINT] Points of Reference
 [DASHED LINE] City Limits
 [THICK RED LINE] Evacuation Route
 [WAVE] NHD Lakes

Storm Tide Category
 [RED] Level 1
 [ORANGE] Level 2
 [YELLOW] Level 3
 [LIGHT GREEN] Level 4
 [LIGHT BLUE] Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 269





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 [H] HOSPITAL
 [●] Points of Reference
 [---] City Limits
 [---] Evacuation Route
 [■] NHD Lakes

Storm Tide Category
 [Red] Level 1
 [Orange] Level 2
 [Yellow] Level 3
 [Light Green] Level 4
 [Light Blue] Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 270





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 271

282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000



MIAMI-DADE COUNTY

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 272



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 285





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 [Blue Square] HOSPITAL
 [Blue Circle with Dot] Points of Reference
 [Dashed Purple Line] City Limits
 [Red Line] Evacuation Route
 [Blue Square] NHD Lakes

Storm Tide Category
 [Red Square] Level 1
 [Orange Square] Level 2
 [Yellow Square] Level 3
 [Light Green Square] Level 4
 [Light Blue Square] Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 286



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 288



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 289



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 290



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 291

2865	2866	2867	2868	2869	2870
291	292	293	294	295	296
297	298	299	300	301	302
303	304	305	306	307	308
309	310	311	312	313	314
315	316	317	318	319	320
321	322	323	324	325	326
327	328	329	330	331	332
333	334	335	336	337	338
339	340	341	342	343	344
345	346	347	348	349	350
351	352	353	354	355	356
357	358	359	360	361	362
363	364	365	366	367	368
369	370	371	372	373	374
375	376	377	378	379	380
381	382	383	384	385	386
387	388	389	390	391	392
393	394	395	396	397	398
399	400	401	402	403	404
405	406	407	408	409	410
411	412	413	414	415	416
417	418	419	420	421	422
423	424	425	426	427	428
429	430	431	432	433	434
435	436	437	438	439	440
441	442	443	444	445	446
447	448	449	450	451	452
453	454	455	456	457	458
459	460	461	462	463	464
465	466	467	468	469	470
471	472	473	474	475	476
477	478	479	480	481	482
483	484	485	486	487	488
489	490	491	492	493	494
495	496	497	498	499	500



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 303





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

N-NE Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 304





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 305



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 306



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
Map Plate 307





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 308





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 309



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 310





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

N-NE Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 311





Funding was provided by the Florida Legislature with funding from the Federal Emergency Management Agency (FEMA) through the Florida Division of Emergency Management. Local match was provided by the South Florida Regional Council and the counties of Broward, Miami-Dade and Monroe.

Florida Division of Emergency Management
Bryan Koon, Director
2255 Shumard Oak Boulevard
Tallahassee, Florida 32399



Prepared and published by the
South Florida Regional Council, 3440 Hollywood Boulevard, Suite 140
Hollywood, Florida 33021
Tel: (954) 985-4416, Fax: (954) 985-4417, Website: www.sfregionalcouncil.org
Study Manager: Richard F. Ogburn; GIS: Manny Cela
Statewide Program Manager: Elizabeth Payne, Northeast Florida Regional Council