



FLORIDA STATEWIDE REGIONAL EVACUATION STUDY PROGRAM



**DIRECTIONAL
ATLAS**

MIAMI-DADE COUNTY

VOLUME 10-11

BOOK 2B

NE-E DIRECTIONAL STORMS

**FLORIDA DIVISION OF
EMERGENCY MANAGEMENT**

**SOUTH FLORIDA
REGIONAL COUNCIL**




SOUTH FLORIDA REGION



INCLUDES HURRICANE EVACUATION STUDY



2015





SOUTH FLORIDA STORM TIDE DIRECTIONAL ATLAS

Volume 10-11 Book 2B – Miami-Dade County *NE-E Direction*

This Atlas is part of Volume 10 of the *Statewide Regional Evacuation Study Program* (SRESP), and one of three sets of county books in the *South Florida Storm Tide Directional Atlas* series. Book 1 covers Broward County; Book 2 covers Miami-Dade County; and Book 3 covers Monroe County. In each county, the primary volume presents an overview of the study and the methodology, while the Appendices, numbered from A to E, include the surge inundation maps for each of five directional storm clusters. The Atlas maps identify those areas subject to potential storm tide flooding from the five categories of hurricane on the Saffir-Simpson Hurricane Wind Scale, as determined by the National Oceanic and Atmospheric Administration (NOAA) numerical storm surge model, Sea, Lake and Overland Surges from Hurricanes (SLOSH). Volume 10 is unique in that it is based on the direction the storm is heading and depicts the resulting surge of storms approaching from that specific directional angle.

The *Storm Tide Directional Atlas* series supplements the original hazards analysis for storm tides (Volume 7-11) and depth (Volume 9-11), and enhances a key component of the SRESP. The *Technical Data Report* (Volume 1-11) was built upon the original storm tide analysis and includes the evacuation zones and population estimates, results of the evacuation behavioral data, shelter analysis and evacuation transportation analysis. The study, which provides vital information to state and local emergency management, forms the basis for county evacuation plans. The final study documents are available on the Internet at <http://www.sfregionalcouncil.org/sresp.htm>.

This Atlas series was produced by the South Florida Regional Council with funding from the Federal Emergency Management Agency, through the Florida Division of Emergency Management.



South Florida Regional Council
3440 Hollywood Boulevard, Suite 140, Hollywood, FL 33021
Telephone: (954) 985-4416, Fax: (954) 985-4417
Email: sfadmin@sfregionalcouncil.org, Website: www.sfregionalcouncil.org

CREDITS AND ACKNOWLEDGEMENTS



Funding was provided by the Florida Legislature with funds from the Federal Emergency Management Agency (FEMA), through the Florida Division of Emergency Management (FDEM), 2555 Shumard Oak Boulevard, Tallahassee, 32399, www.floridadisaster.org. Local match was provided by the counties of Broward, Miami-Dade and Monroe.

The Council acknowledges and extends its appreciation to the following agencies and people for their cooperation and assistance in the development of this Atlas:

National Oceanic and Atmospheric Administration (NOAA/TPC-NHC) for the SLOSH numerical storm surge model developed by the late Chester L. Jelesnianski, the development of the 2009 Biscayne Bay and Florida Bay Basins under the management of Jamie Rhome, and for the storm tide computation and interpretation provided by the NOAA Storm Surge Modeling team.

Florida Division of Emergency Management

Bryan Koon, Director
 Andrew Sussman, Hurricane Program Manager
 Richard Butgereit, GIS Manager

Northeast Florida Regional Council

Elizabeth Payne, Project Manager

Florida Emergency Preparedness Association

For their support in this statewide effort

County Emergency Management Agencies

Miguel Ascarrunz, Director, Broward County
 Emergency Management Division
 Curtis Sommerhoff, Director, Miami-Dade County
 Department of Emergency Management and
 Homeland Security
 Irene Toner, Director, Monroe County Emergency
 Management Department



A. Storm Tide Directional Atlas

The surge inundation limits (directional maximum surge heights minus the ground elevations) are provided as GIS shape files and graphically displayed on maps in the *Directional Storm Tide Atlas for the South Florida Region*. The *Atlas* was prepared by the South Florida Regional Council under contract to the State of Florida, Division of Emergency Management, as part of this study effort. The maps prepared for the *Atlas* consist of base maps (1:24000) including topographic, hydrographic and highway files (updated using 2008 county and state highway data). Detailed shoreline and storm tide limits for each category of storm were determined using the region's geographic information system (GIS).

The purpose of the maps contained in this Atlas is to reflect a worst probable scenario of the hurricane storm tide inundation for a given cluster of compass directions that a storm would be heading and to provide a basis for the hurricane evacuation zones and study analyses. While the storm tide delineations include the addition of an astronomical mean high tide and tidal anomaly, it should be noted that the data reflects only stillwater saltwater flooding. **Local processes such as waves, rainfall and flooding from overflowing rivers, are usually included in observations of storm tide height, but are not surge and are not calculated by the SLOSH model. It is incumbent upon local emergency management officials and planners to estimate the degree and extent of freshwater flooding as well as to determine the magnitude of the waves that will accompany the surge.**

Although the methodology used for surge determination in this Atlas does the most to reduce inconsistencies and human subjectivity, factors remain in the data itself that could show variations from previous efforts and results. Whenever a SLOSH basin is changed in any way, results can vary. Using MEOW (Maximum Envelope of Water) data as we do in this directional atlas, instead of the MOM (Maximum of Maximums) data, and choosing directional subsets of the maximums (MOMs) will indeed produce different results than other atlases – and this was expected. Other factors can include different elevation model data, as well as number and scope of selected SLOSH basin grid cells. Also, any data that is beyond the original extent or boundary of the basin is interpolation influenced by the modeling trend up to that location, and hand adaptation of basin extensions.

Figure 1 shows the projected surge inundation for each category of storm for storms moving in a NE-E direction. Figure 2 provides an index of the NE-E directional map series for Miami-Dade County.

B. Points of Reference

County emergency management agencies selected reference points, which include key facilities or locations critical for emergency operations. The Table 1 includes the map identification number, descriptions of the selected points, and the elevation of the site. The elevation is based on the digital elevation data provided by LiDAR. It should be noted that if the site is large, elevations may vary significantly. Table 1 also provides the storm tide value from the SLOSH value and the depth of inundation (storm tide value minus the ground elevation) at the site.

Figure 1 Directional NE-E Storm Surge for Miami-Dade County




Table 1 Selected Points of Reference, NE-E Direction – Miami-Dade County

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
1	Homestead General Airport	4.782	0.00	0.00	0.00	2.62	4.33	0.95	0.95	2.63	7.60	9.30
2	Camp Owaissa Bauer	16.142	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	4.04	10.40
3	American Medical Plaza	9.422	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	7.40
4	Ron Ehman Park	12.027	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	6.46
5	Miller Drive Park	7.653	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	7.60
6	Doral Country Club	5.473										
7	Black Point Marina	-2.277	0.00	0.00	0.00	0.00	0.00	3.50	6.10	8.40	10.50	12.20
8	Greenery Mall	6.410	0.00	0.00	0.00	0.00	1.35	0.95	0.95	2.61	2.99	7.40
9	Ad Barnes Park	6.620	0.00	0.00	0.00	0.43	0.83	0.95	0.95	4.24	7.00	7.30
10	South Miami Hospital	11.149	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	5.79	6.99
11	South Miami Station	10.968	0.00	0.00	0.00	0.00	0.00	0.96	0.98	2.65	4.29	6.54
12	Hialeah Station	7.417	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.64
13	Hialeah Race Track	6.646	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
14	Opa-locka Airport	5.672	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
15	Martin Luther King Park	8.111	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
16	Dade County Auditorium	12.338	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.58
17	Juvenile Assessment Center	8.705	0.00	0.00	0.00	0.00	0.00	0.98	1.03	2.66	3.04	3.77
18	Martin L King Station	11.529	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
19	Gwen Cherry Park	8.022	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
20	Miami Central High School	4.679	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
21	Vizcaya Station	12.549	0.00	0.00	0.00	0.00	0.00	0.95	1.49	3.17	3.65	4.23
22	Vizcaya	15.616	0.00	0.00	0.00	0.00	0.00	1.83	6.30	8.20	9.60	10.20
23	Downtown Government Ctr	8.242	0.00	0.00	0.00	0.00	0.00	1.52	2.15	3.86	4.16	4.68
24	Government Center Mover Station	8.543	0.00	0.00	0.00	0.00	0.00	1.52	2.15	3.86	4.16	4.68
25	Arena/State Plaza Mover Station	10.495	0.00	0.00	0.00	0.00	0.00	1.52	2.15	3.86	4.16	4.68
26	Park West Mover Station	8.392	0.00	0.00	0.00	0.00	0.00	1.13	1.35	3.13	3.41	4.39
27	Bicentennial Park Mover Station	6.599	0.00	0.00	0.00	0.00	0.04	1.16	1.41	3.48	3.82	7.00
28	N Miami Beach High School	5.996	0.00	0.00	0.00	0.00	0.00	1.14	1.38	2.75	3.17	3.74

¹ Depth refers to the depth of inundation at the site (storm surge value minus the ground elevation)

² Surge refers to the storm surge value from the SLOSH Model

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
29	Key Biscayne Station	3.659	0.00	1.65	3.45	4.14	4.74	1.57	5.10	7.00	7.70	8.20
30	Skylake Mall	7.014	0.00	0.00	0.00	0.00	0.00	1.01	1.11	2.66	3.26	3.77
31	Lipton Tennis Center	3.309	0.00	2.15	3.53	4.08	4.31	2.25	5.50	6.90	7.50	7.80
32	Aventura Mall	7.666	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
33	Federal Corrections Institute	11.010	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	10.50
34	Tamiami Park	4.614	0.00	0.00	0.00	0.00	2.68	0.95	0.95	2.61	2.99	7.30
35	Golf Club of Miami	6.775										
36	Miami International Airport	7.663	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
37	Douglas Road Station	11.839	0.00	0.00	0.00	0.00	0.00	1.08	1.66	8.20	9.10	9.50
38	Pro Player Stadium	8.638	0.00	0.00	0.00	0.00	0.00	2.00	3.10	3.70	4.10	4.50
39	Dinner Key Auditorium	4.503	0.00	0.76	3.01	4.22	5.26	3.80	6.40	8.60	9.90	11.10
40	Orange Bowl	3.961	0.00	0.00	0.49	0.59	2.45	1.38	1.85	3.53	3.78	6.70
41	Norland High School	12.154	0.00	0.00	0.00	0.00	0.00	1.13	1.36	2.81	3.21	3.75
42	Allapattah Station	9.868	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
43	Brickell Station	4.344	0.00	0.00	0.49	0.95	1.34	1.52	2.10	4.06	4.46	4.90
44	Eleventh Street Mover Station	6.095	0.00	0.00	0.00	0.00	0.59	1.16	1.41	3.48	3.82	7.00
45	Bayside	16.152	0.00	0.00	0.00	0.00	0.00	2.80	4.50	7.50	8.00	8.10
46	College Bayside Mover Station	10.028	0.00	0.00	0.00	0.00	0.00	1.64	2.34	4.53	4.90	5.82
47	Jockey Club	6.340	0.00	0.00	0.00	0.00	0.01	1.12	1.54	3.08	4.40	5.00
48	Dade Correctional Institute	4.133	0.00	0.00	1.48	3.81	5.15	0.95	1.00	6.10	8.40	9.80
49	Tamiami Airport	7.374	0.00	0.00	0.00	0.00	1.07	0.95	0.95	2.61	2.99	8.40
50	Sgt. Joe Delancy Park	8.716	0.00	0.00	0.00	0.00	1.29	0.95	0.95	2.61	2.99	10.10
51	MDCC South Campus	9.858	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	8.50
52	FIU South Campus	7.334	0.00	0.00	0.00	0.00	0.02	0.95	0.95	2.61	2.99	7.20
53	Cutler Ridge Station	6.011	0.00	0.00	2.09	4.27	5.85	0.95	0.95	8.00	10.30	11.80
54	International Mall	8.216										
55	The Falls	8.664	0.00	0.00	0.00	0.00	1.20	0.95	0.95	2.61	2.99	9.30
56	Amelia Earhart Park	-0.230	1.18	1.18	2.84	3.22	3.79	0.95	0.95	2.61	2.99	3.56
57	Tri Rail Miami Airport Station	5.483	0.00	0.00	0.00	0.00	0.00	2.00	3.50	4.40	4.80	5.30
58	Miami Jai Alai	4.326	0.00	0.00	0.00	0.20	0.80	2.10	3.70	4.40	4.80	5.20
59	MDCC North Campus	-0.360	1.31	1.31	2.97	3.35	3.92	0.95	0.95	2.61	2.99	3.56
60	Brownsville Station	7.039	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
61	Dolphin Stadium	8.638	0.00	0.00	0.00	0.00	0.00	2.00	3.10	3.70	4.10	4.50


Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
62	Calder Track	6.966	0.00	0.00	0.00	0.00	0.00	1.00	1.07	2.66	3.14	3.69
63	North Shore Hospital	6.962	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
64	South Dade Government Ctr	9.276	0.00	0.00	0.00	0.00	0.00	1.52	2.15	3.86	4.16	4.68
65	Miami Avenue Mover Station	5.025	0.00	0.00	0.30	0.70	1.01	1.94	2.93	5.12	5.57	5.98
66	Bayfront Park Mover Station	4.785	0.00	0.00	1.71	2.33	2.65	2.80	4.60	7.40	8.20	8.40
67	The Mall at 163rd Street	19.719	0.00	0.00	0.00	0.00	0.00	1.70	2.60	3.30	3.80	4.40
68	Fisher Island	4.848	0.00	0.00	0.60	0.86	1.37	1.90	3.20	5.70	6.00	6.50
69	University Country Club	6.011	0.00	0.00	0.00	0.00	2.11	0.95	0.95	2.61	2.99	8.20
70	Town and Country Mall	6.342	0.00	0.00	0.00	0.00	2.17	0.95	0.95	2.61	2.99	8.00
71	Columbia Kendall Medical Ctr	8.764	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	7.40
72	Concord Shopping Center	6.623	0.00	0.00	0.00	0.00	1.09	0.95	0.95	2.61	2.99	7.30
73	Kendall Mall	7.150	0.00	0.00	0.00	0.00	1.45	0.95	0.95	2.61	2.99	8.70
74	MDPD Headquarters	5.493	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
75	Coral Reef Park	7.485	0.00	0.00	0.70	1.46	3.19	0.95	0.95	8.20	9.00	10.70
76	Merchandise Mart	6.245	0.00	0.00	0.00	0.00	0.00	1.34	1.78	3.36	3.92	4.36
77	Charles Deering Estate	2.177	0.00	0.55	4.65	6.60	8.65	1.44	2.41	5.74	7.14	9.57
78	Matheson Hammock Park	0.358	4.62	7.00	9.36	11.10	12.66	3.50	6.00	8.30	10.00	11.60
79	Carol City Station	8.742	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
80	Earlington Heights Station	7.725	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
81	Museum of Science	15.616	0.00	0.00	0.00	0.00	0.00	1.83	6.30	8.20	9.60	10.20
82	Vizcaya Museum	18.407	0.00	0.00	0.00	0.00	0.00	1.83	6.30	8.20	9.60	10.20
83	Dade County Jail	5.100	0.00	0.00	0.00	0.00	0.24	1.42	1.96	5.00	5.00	5.40
84	Civic Center Station	6.740	0.00	0.00	0.00	0.00	0.00	1.02	1.12	3.15	3.45	4.16
85	Jackson Memorial Hospital	14.411	0.00	0.00	0.00	0.00	0.00	1.02	1.12	3.12	3.43	4.16
86	Culmer Station	9.533	0.00	0.00	0.00	0.00	0.00	1.47	2.03	3.73	3.94	5.40
87	Parkway Regional Medical Ctr	9.571	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
88	Financial Dist Mover Station	5.641	0.00	0.00	0.00	0.00	0.33	1.99	3.00	5.24	5.85	6.26
89	College North Mover Station	10.227	0.00	0.00	0.00	0.00	0.00	1.13	1.35	3.13	3.41	4.39
90	N Miami High School	9.906	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
91	Miami Seaquarium	3.079	0.00	0.00	0.00	0.00	0.00	3.13	5.70	7.30	8.30	7.90
92	Dodge Island	8.094	0.00	0.00	0.00	0.00	0.00	2.49	3.87	7.10	8.20	8.50
93	Port of Miami	8.094	0.00	0.00	0.00	0.00	0.00	2.49	3.87	7.10	8.20	8.50
94	Seaport	8.094	0.00	0.00	0.00	0.00	0.00	2.49	3.87	7.10	8.20	8.50

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
95	Intracoastal Station	5.744	0.00	0.00	0.00	0.00	0.00	1.18	1.44	2.79	3.17	3.94
96	Homestead Airport	4.782	0.00	0.00	0.00	2.62	4.33	0.95	0.95	2.63	7.60	9.30
97	Fruit & Spice Park	7.540	0.00	0.00	0.00	0.00	1.57	0.95	0.95	2.61	3.21	9.10
98	Krome Detention Center	8.222	0.00	0.00	0.00	0.00	0.00	0.94	0.94	2.60	2.98	3.92
99	Homestead Hospital	7.870	0.00	0.00	0.00	1.06	2.09	0.95	0.95	3.41	8.50	9.80
100	Braddock High School	5.775	0.00	0.00	0.00	0.00	1.26	0.95	0.95	2.61	2.99	6.90
101	Hammocks Station	6.016	0.00	0.00	0.00	0.00	2.05	0.95	0.95	2.61	2.99	8.20
102	Country Walk Plaza	7.623	0.00	0.00	0.00	0.00	2.15	0.95	0.95	2.61	2.99	9.90
103	Kendall Gate Mall	7.294	0.00	0.00	0.00	0.00	0.92	0.95	0.95	2.61	2.99	8.20
104	MDCC Kendall Campus	9.858	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	8.50
105	Loehmanns In Kendall	7.047	0.00	0.00	0.00	0.00	0.71	0.95	0.95	2.61	2.99	7.70
106	Cutler Ridge Center	8.475	0.00	0.00	0.00	1.56	3.17	0.95	0.95	7.70	10.20	11.90
107	Youth Fair	6.112	0.00	0.00	0.00	0.00	1.14	0.95	0.95	2.61	2.99	7.20
108	Homestead Bayfront Park	-0.244	3.73	6.00	8.27	10.29	11.99	3.70	5.80	8.00	10.00	11.70
109	Deering Hospital	13.190	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	7.40	10.30
110	Continental Park	10.611	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	9.90
111	TGK	7.170	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
112	Shops at Sunset Place	7.022	0.00	0.00	0.00	0.00	2.02	1.43	1.96	3.69	4.75	10.00
113	Matheson Marina	0.358	4.62	7.00	9.36	11.10	12.66	3.50	6.00	8.30	10.00	11.60
114	Wyndham Gateway Hotel	5.827	0.00	0.00	0.00	0.00	0.00	2.00	3.50	4.40	4.80	5.30
115	Northside Shopping Center	8.867	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
116	Third Street Mover Station	7.364	0.00	0.00	0.00	0.00	0.00	1.94	2.93	5.12	5.57	5.98
117	Knight Center Mover Station	7.131	0.00	0.00	0.00	0.00	0.18	1.94	2.93	5.12	5.57	5.98
118	School Board Mover Station	9.396	0.00	0.00	0.00	0.00	0.00	0.96	0.97	2.80	3.21	4.16
119	Boystown	7.509	0.00	0.00	0.00	0.00	0.85	0.95	0.95	2.61	2.99	8.30
120	Kendale Lakes Mall	6.896	0.00	0.00	0.00	0.00	1.62	0.95	0.95	2.61	2.99	8.10
121	Kendall Village West	6.557	0.00	0.00	0.00	0.00	1.60	0.95	0.95	2.61	2.99	8.10
122	Kendall Indian Hammocks Park	7.639	0.00	0.00	0.00	0.00	0.75	0.95	0.95	2.61	2.99	8.00
123	Tropical Estates Park	6.839	0.00	0.00	0.00	0.00	0.81	0.95	0.95	2.61	2.99	7.50
124	Tropical Park	10.059	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	3.01	3.67
125	Dadeland Mall	9.357	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	5.03
126	Florida Memorial College	7.365	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
127	Tri Rail Station	9.159	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56


Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
128	183rd Street Flea Market	6.390	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
129	William Turner Tech School	4.679	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
130	Arcola Lake Park	4.594	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
131	North Dade Detention Center	-0.540	1.49	1.49	3.15	3.53	4.10	0.95	0.95	2.61	2.99	3.56
132	Santa Clara Station	8.618	0.00	0.00	0.00	0.00	0.00	0.95	0.97	2.68	3.04	3.64
133	Fifth Street Mover Station	4.461	0.00	0.15	2.88	3.55	3.59	2.80	4.70	7.40	8.00	8.00
134	Freedom Tower Mover Station	7.614	0.00	0.00	0.00	0.00	0.00	1.64	2.34	4.53	4.90	5.82
135	Barry University	13.232	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
136	Bay Front Park	16.152	0.00	0.00	0.00	0.00	0.00	2.80	4.50	7.50	8.00	8.10
137	California Club Mall	5.748	0.00	0.00	0.00	0.00	0.00	1.05	1.23	2.75	3.15	3.63
138	Cape Florida (Bill Baggs)	0.788	1.10	2.87	5.98	6.22	7.13	2.02	3.74	6.70	7.10	8.00
139	Crandon Park	3.289	0.00	0.00	0.83	3.13	4.00	2.00	3.00	4.10	6.40	7.50
140	FIU North Campus	4.490	0.00	0.00	0.00	0.00	0.00	1.29	1.65	3.20	3.90	4.40
141	Miami Beach Convention Ctr	6.157	0.00	0.00	0.00	0.00	0.00	1.48	2.54	4.20	4.70	5.60
142	Haulover Park	3.802	0.00	0.00	0.00	0.62	1.41	1.70	2.60	3.50	4.40	5.40
143	Everglades Correctional Ctr	4.230	0.00	0.00	0.00	0.00	0.59	0.95	0.95	2.61	2.99	4.90
144	Miccosukee Indian Village	0.000										
145	Homestead City Hall	6.291	0.00	0.00	0.00	2.28	3.73	0.95	0.95	5.00	8.60	10.00
146	South Dade High School	7.765	0.00	0.00	0.00	0.00	2.45	0.95	0.95	2.61	7.10	10.60
147	Homestead Motorsports	4.828	0.00	0.00	2.37	4.31	5.95	0.95	4.51	7.10	9.10	10.70
148	Shops of Kendall	6.825	0.00	0.00	0.00	0.00	1.53	0.95	0.95	2.61	2.99	8.20
149	Baptist Hospital	11.916	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	4.71
150	Mall of the Americas	5.500	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
151	Dadeland South Station	12.162	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	3.44	8.60
152	Stockade	5.897	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
153	Dadeland North Station	-0.364	1.31	1.31	2.97	4.38	5.14	0.95	0.95	2.61	3.52	4.40
154	Okeechobee Station	6.345	0.00	0.00	0.00	0.00	0.00	1.53	2.33	3.49	3.88	5.30
155	Pan American Hospital	5.359	0.00	0.00	0.00	0.00	0.15	2.30	3.80	4.90	5.30	5.60
156	Fairchild Gardens	14.644	0.00	0.00	0.00	0.00	0.00	1.41	2.36	7.12	8.97	11.13
157	University Station	11.071	0.00	0.00	0.00	0.00	0.00	3.40	6.00	7.90	8.80	10.00
158	Jones Boat Yard	4.297	0.00	0.00	0.07	0.46	1.00	2.10	3.60	4.40	4.80	5.30
159	Northside Station	6.482	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56
160	Joseph Caleb Center	10.708	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	3.56

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
161	Tenth St Mover Station	4.946	0.00	0.00	0.56	1.16	1.48	1.99	3.00	5.24	5.85	6.26
162	Overtown Station	12.349	0.00	0.00	0.00	0.00	0.00	1.13	1.35	3.13	3.41	4.39
163	Miami Arena	13.207	0.00	0.00	0.00	0.00	0.00	1.13	1.35	3.13	3.41	4.39
164	Miami Design District	11.180	0.00	0.00	0.00	0.00	0.00	1.03	1.12	2.74	3.15	3.77
165	Gusman Cultural Center	10.180	0.00	0.00	0.00	0.00	0.00	1.94	2.93	5.12	5.57	5.98
166	Dade County Seaport	8.094	0.00	0.00	0.00	0.00	0.00	2.49	3.87	7.10	8.20	8.50
167	Greynolds Park	8.157	0.00	0.00	0.00	0.00	0.00	1.04	1.15	2.75	3.12	3.71
168	Miller Square Shoppes	7.390	0.00	0.00	0.00	0.00	0.24	0.95	0.95	2.61	2.99	7.60
169	Larry & Penny Thompson Park	7.197	0.00	0.00	0.00	0.47	3.64	0.95	0.95	2.61	8.60	10.80
170	Metro Zoo	9.893	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	4.26	10.60
171	Homestead Air Reserve Base	7.422	0.00	0.00	0.74	2.66	4.37	0.95	2.85	8.20	10.10	11.80
172	Cutler Ridge Mall	6.556	0.00	0.00	1.97	3.90	5.49	0.95	0.95	8.00	10.20	11.80
173	Biscayne National Park	1.112	3.00	5.09	7.29	9.40	11.18	3.80	6.00	8.20	10.30	12.10
174	Shops at Dadeland	12.635	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.61	2.99	5.03
175	Miami Childrens Hospital	7.379	0.00	0.00	0.00	0.75	1.17	0.95	1.74	7.40	8.40	8.80
176	University of Miami	12.224	0.00	0.00	0.00	0.00	0.00	3.40	5.90	7.70	8.60	10.00
177	Coconut Grove Station	11.412	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.72	4.23	4.63
178	Mercy Hospital	4.148	0.00	2.80	4.78	6.23	6.82	2.43	6.30	8.30	9.70	10.30
179	Brickell Mover Station	11.212	0.00	0.00	0.00	0.00	0.00	1.52	2.10	4.06	4.46	4.90
180	Eighth Street Mover Station	6.070	0.00	0.00	1.02	1.70	1.84	2.80	4.70	7.40	8.00	8.00
181	Government Center Station	8.887	0.00	0.00	0.00	0.00	0.00	1.52	2.15	3.86	4.16	4.68
182	Riverwalk Mover Station	4.787	0.00	0.00	1.77	2.33	2.45	2.80	4.70	7.40	8.00	8.00
183	First St Mover Station	10.761	0.00	0.00	0.00	0.00	0.00	1.94	2.93	5.12	5.57	5.98
184	American Airlines Arena	4.796	0.00	0.00	0.00	0.02	1.37	1.64	2.34	4.53	4.90	5.82
185	OMNI Mover Station	3.821	0.00	0.00	0.84	1.51	3.15	1.35	1.80	4.40	5.40	6.40
186	Loehmanns Fashion Island	6.121	0.00	0.00	0.00	0.00	0.00	0.95	0.96	2.61	2.99	3.56

Figure 2 NE-E Atlas Map Index



This page intentionally left blank.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 2



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 3





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 4



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 5



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 6





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 7





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 8





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 9



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 10



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 11



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 12



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 13





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 14



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 15



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 16





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 17



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 18



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 19



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

**UNINCORPORATED
MIAMI-DADE**

Ninemile Pond

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 20



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 21





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 22



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

**UNINCORPORATED
MIAMI-DADE**

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 23



Printed Pages on Yellow



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 24





**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 25





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 26





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 27



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 28



Printed Pages on Yellow



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 29





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 30





MONROE COUNTY

MIAMI-DADE COUNTY

**UNINCORPORATED
MIAMI-DADE**

*Cutoff,
The*

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 31





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 32





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 33



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 34



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 35





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 36



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 37



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 38



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 39





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 40



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 41



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 42



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 43



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 44





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 45





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 46





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 47





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 48



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 49





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 50



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 51





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 52



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 53



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

**UNINCORPORATED
MIAMI-DADE**



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 54



Printed Pages on Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 55



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 56



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 57





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 58



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- - - City Limits
- - - Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 59





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 60





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

MONROE COUNTY

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 61





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 62





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 63





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 64





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 65





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 66





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 67





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 68





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 69



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 70



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 71





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 72



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 73



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 74



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 75



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 76





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 77





**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 78





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 79



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 80





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 81





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 82





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 83





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 84





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 85



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 86



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 87



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 88





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 89



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 90



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 91



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 92





MIAMI-DADE COUNTY

ISLANDIA

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 93



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 94



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



- Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015


Scale 1:24,000



Map Plate 95



Printed Pages in Yellow



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 96





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 97



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 98



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 99



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 100





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 101



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 102





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 103





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 104





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 105





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 106





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 107

294	298	302	306	310	314
292295	292296	292297	292298	292299	292300
273274	273275	273276	273277	273278	273279
253254	253255	253256	253257	253258	253259
233234	233235	233236	233237	233238	233239
213	214	215	216	217	218
193194	193195	193196	193197	193198	193199
173174	173175	173176	173177	173178	173179
153154	153155	153156	153157	153158	153159
133134	133135	133136	133137	133138	133139
113114	113115	113116	113117	113118	113119
9394	9395	9396	9397	9398	9399
7374	7375	7376	7377	7378	7379
5354	5355	5356	5357	5358	5359
3334	3335	3336	3337	3338	3339
1314	1315	1316	1317	1318	1319
112	113	114	115	116	117
112	113	114	115	116	117



MIAMI-DADE COUNTY

UNINCORPORATED MIAMI-DADE

UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 108





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 109



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 110





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 111





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 112





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 113





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 114





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 115





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 116





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5


NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000



Map Plate 117



Printed Pages on Yellow



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

Homestead
General
Aviation

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 118





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 119





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 120



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 121





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 122





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 123





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 124



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 125





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 126





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 127



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 128





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 129





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 130





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 131





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 132





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 133



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 134





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 135





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 136





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 137





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 138





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 139



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 140





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 141





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 142





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 143





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 144





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 145





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 146





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 147





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 148



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 149





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 150



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 151



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 152





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 153





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 154





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 155





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 156





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 157



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 158



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 159





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 160





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 161





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 162





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- ▭ City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 163





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

SW 120TH ST

SW 136TH ST

SW 297TH AVE

SW 227TH AVE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 164





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 165



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 166





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 167



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 168





**UNINCORPORATED
MIAMI-DADE**

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 169



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 170





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 171





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 172





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 174





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 175



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 176





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 177





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 178





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 179





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 180





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 181





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 182



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 183





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 184





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 185



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 186



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000



Map Plate 187





**UNINCORPORATED
MIAMI-DADE**

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
Map Plate 188



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 189



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 [H] HOSPITAL
 [●] Points of Reference
 [---] City Limits
 [---] Evacuation Route
 [■] NHD Lakes

Storm Tide Category
 [Red] Level 1
 [Orange] Level 2
 [Yellow] Level 3
 [Light Green] Level 4
 [Light Blue] Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 190





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 191





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


 ■ HOSPITAL
 ● Points of Reference
 - - - City Limits
 — Evacuation Route
 ■ NHD Lakes

Storm Tide Category

 ■ Level 1
 ■ Level 2
 ■ Level 3
 ■ Level 4
 ■ Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 193





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 [H] HOSPITAL
 [●] Points of Reference
 [---] City Limits
 [---] Evacuation Route
 [■] NHD Lakes

Storm Tide Category
 [Red] Level 1
 [Orange] Level 2
 [Yellow] Level 3
 [Light Green] Level 4
 [Light Blue] Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 194



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 195



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 196





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 197



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 198





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 199



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 200



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 201



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 202





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 203





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 204



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 205





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 206





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 207





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 208





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 209





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 210





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 211





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 212





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 213



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



**UNINCORPORATED
MIAMI-DADE**



MIAMI-DADE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 214





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 215



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 216





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 217





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 218





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 219





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 220



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 221





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 225



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
Map Plate **226**





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 227





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- H HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 228



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 229





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 230





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 [HOSPITAL] HOSPITAL
 [Points of Reference] Points of Reference
 [City Limits] City Limits
 [Evacuation Route] Evacuation Route
 [NHD Lakes] NHD Lakes

Storm Tide Category
 [Level 1] Level 1
 [Level 2] Level 2
 [Level 3] Level 3
 [Level 4] Level 4
 [Level 5] Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 231



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 232





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 233



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 234





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 235





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 236





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 237





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes


- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 246



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 [Blue square] HOSPITAL
 [Blue circle with dot] Points of Reference
 [Purple outline] City Limits
 [Red line] Evacuation Route
 [Blue outline] NHD Lakes

Storm Tide Category
 [Red square] Level 1
 [Orange square] Level 2
 [Yellow square] Level 3
 [Light Green square] Level 4
 [Light Blue square] Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 247



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 248





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 249





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000

Map Plate 250



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 251

2860	84	85	86	87	88
2859	84	85	86	87	88
2858	84	85	86	87	88
2857	84	85	86	87	88
2856	84	85	86	87	88
2855	84	85	86	87	88
2854	84	85	86	87	88
2853	84	85	86	87	88
2852	84	85	86	87	88
2851	84	85	86	87	88
2850	84	85	86	87	88



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 252





UNINCORPORATED
MIAMI-DADE

MIAMI-DADE COUNTY

COLLIER COUNTY

Dade-Collier
Training and
Transition

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 253



Printed Pages on Yellow



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 254



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 265





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 266



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 267



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 268



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 269





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 270





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 271

2860	2861	2862	2863	2864	2865	2866	2867	2868	2869	2870	2871	2872	2873	2874	2875	2876	2877	2878	2879	2880	2881	2882	2883	2884	2885	2886	2887	2888	2889	2890	2891	2892	2893	2894	2895	2896	2897	2898	2899	2900															
292295	292296	292297	292298	292299	292300	292301	292302	292303	292304	292305	292306	292307	292308	292309	292310	292311	292312	292313	292314	292315	292316	292317	292318	292319	292320	292321	292322	292323	292324	292325	292326	292327	292328	292329	292330	292331	292332	292333	292334	292335	292336	292337	292338	292339	292340	292341	292342	292343	292344	292345	292346	292347	292348	292349	292350



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 272



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 284



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 285





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 286





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 288



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 289



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 290



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 291





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 303





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 304



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 305



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 306



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 307





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 308





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 309





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 310





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

NE-E Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 311



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



Funding was provided by the Florida Legislature with funding from the Federal Emergency Management Agency (FEMA) through the Florida Division of Emergency Management. Local match was provided by the South Florida Regional Council and the counties of Broward, Miami-Dade and Monroe.

Florida Division of Emergency Management
Bryan Koon, Director
2255 Shumard Oak Boulevard
Tallahassee, Florida 32399



Prepared and published by the
South Florida Regional Council, 3440 Hollywood Boulevard, Suite 140
Hollywood, Florida 33021
Tel: (954) 985-4416, Fax: (954) 985-4417, Website: www.sfregionalcouncil.org
Study Manager: Richard F. Ogburn; GIS: Manny Cela
Statewide Program Manager: Elizabeth Payne, Northeast Florida Regional Council