



FLORIDA STATEWIDE REGIONAL EVACUATION STUDY PROGRAM



**DIRECTIONAL
ATLAS**

MIAMI-DADE COUNTY

VOLUME 10-11

BOOK 2C

W-NW DIRECTIONAL STORMS

**FLORIDA DIVISION OF
EMERGENCY MANAGEMENT**

**SOUTH FLORIDA
REGIONAL COUNCIL**




SOUTH FLORIDA REGION



INCLUDES HURRICANE EVACUATION STUDY



2015



**STATEWIDE
REGIONAL
EVACUATION
STUDY PROGRAM**



SOUTH FLORIDA STORM TIDE DIRECTIONAL ATLAS

Volume 10-11 Book 2C – Miami-Dade County *W-NW Direction*

This Atlas is part of Volume 10 of the *Statewide Regional Evacuation Study Program* (SRESP), and one of three sets of county books in the *South Florida Storm Tide Directional Atlas* series. Book 1 covers Broward County; Book 2 covers Miami-Dade County; and Book 3 covers Monroe County. In each county, the primary volume presents an overview of the study and the methodology, while the Appendices, numbered from A to E, include the surge inundation maps for each of five directional storm clusters. The Atlas maps identify those areas subject to potential storm tide flooding from the five categories of hurricane on the Saffir-Simpson Hurricane Wind Scale, as determined by the National Oceanic and Atmospheric Administration (NOAA) numerical storm surge model, Sea, Lake and Overland Surges from Hurricanes (SLOSH). Volume 10 is unique in that it is based on the direction the storm is heading and depicts the resulting surge of storms approaching from that specific directional angle.

The *Storm Tide Directional Atlas* series supplements the original hazards analysis for storm tides (Volume 7-11) and depth (Volume 9-11), and enhances a key component of the SRESP. The *Technical Data Report* (Volume 1-11) was built upon the original storm tide analysis and includes the evacuation zones and population estimates, results of the evacuation behavioral data, shelter analysis and evacuation transportation analysis. The study, which provides vital information to state and local emergency management, forms the basis for county evacuation plans. The final study documents are available on the Internet at <http://www.sfregionalcouncil.org/sresp.htm>.

This Atlas series was produced by the South Florida Regional Council with funding from the Federal Emergency Management Agency, through the Florida Division of Emergency Management.



South Florida Regional Council
3440 Hollywood Boulevard, Suite 140, Hollywood, FL 33021
Telephone: (954) 985-4416, Fax: (954) 985-4417
Email: sfadmin@sfregionalcouncil.org, Website: www.sfregionalcouncil.org

CREDITS AND ACKNOWLEDGEMENTS



Funding was provided by the Florida Legislature with funds from the Federal Emergency Management Agency (FEMA), through the Florida Division of Emergency Management (FDEM), 2555 Shumard Oak Boulevard, Tallahassee, 32399, www.floridadisaster.org. Local match was provided by the counties of Broward, Miami-Dade and Monroe.

The Council acknowledges and extends its appreciation to the following agencies and people for their cooperation and assistance in the development of this Atlas:

National Oceanic and Atmospheric Administration (NOAA/TPC-NHC) for the SLOSH numerical storm surge model developed by the late Chester L. Jelesnianski, the development of the 2009 Biscayne Bay and Florida Bay Basins under the management of Jamie Rhome, and for the storm tide computation and interpretation provided by the NOAA Storm Surge Modeling team.

Florida Division of Emergency Management

Bryan Koon, Director
 Andrew Sussman, Hurricane Program Manager
 Richard Butgereit, GIS Manager

Northeast Florida Regional Council

Elizabeth Payne, Project Manager

Florida Emergency Preparedness Association

For their support in this statewide effort

County Emergency Management Agencies

Miguel Ascarrunz, Director, Broward County
 Emergency Management Division
 Curtis Sommerhoff, Director, Miami-Dade County
 Department of Emergency Management and
 Homeland Security
 Irene Toner, Director, Monroe County Emergency
 Management Department



A. Storm Tide Directional Atlas

The surge inundation limits (directional maximum surge heights minus the ground elevations) are provided as GIS shape files and graphically displayed on maps in the *Directional Storm Tide Atlas for the South Florida Region*. The *Atlas* was prepared by the South Florida Regional Council under contract to the State of Florida, Division of Emergency Management, as part of this study effort. The maps prepared for the *Atlas* consist of base maps (1:24000) including topographic, hydrographic and highway files (updated using 2008 county and state highway data). Detailed shoreline and storm tide limits for each category of storm were determined using the region's geographic information system (GIS).

The purpose of the maps contained in this Atlas is to reflect a worst probable scenario of the hurricane storm tide inundation for a given cluster of compass directions that a storm would be heading and to provide a basis for the hurricane evacuation zones and study analyses. While the storm tide delineations include the addition of an astronomical mean high tide and tidal anomaly, it should be noted that the data reflects only stillwater saltwater flooding. **Local processes such as waves, rainfall and flooding from overflowing rivers, are usually included in observations of storm tide height, but are not surge and are not calculated by the SLOSH model. It is incumbent upon local emergency management officials and planners to estimate the degree and extent of freshwater flooding as well as to determine the magnitude of the waves that will accompany the surge.**

Although the methodology used for surge determination in this Atlas does the most to reduce inconsistencies and human subjectivity, factors remain in the data itself that could show variations from previous efforts and results. Whenever a SLOSH basin is changed in any way, results can vary. Using MEOW (Maximum Envelope of Water) data as we do in this directional atlas, instead of the MOM (Maximum of Maximums) data, and choosing directional subsets of the maximums (MOMs) will indeed produce different results than other atlases – and this was expected. Other factors can include different elevation model data, as well as number and scope of selected SLOSH basin grid cells. Also, any data that is beyond the original extent or boundary of the basin is interpolation influenced by the modeling trend up to that location, and hand adaptation of basin extensions.

Figure 1 shows the projected surge inundation for each category of storm for storms moving in a W-NW direction. Figure 2 provides an index of the W-NW directional map series for Miami-Dade County.

B. Points of Reference

County emergency management agencies selected reference points, which include key facilities or locations critical for emergency operations. The Table 1 includes the map identification number, descriptions of the selected points, and the elevation of the site. The elevation is based on the digital elevation data provided by LiDAR. It should be noted that if the site is large, elevations may vary significantly. Table 1 also provides the storm tide value from the SLOSH value and the depth of inundation (storm tide value minus the ground elevation) at the site.

Figure 1 Directional W-NW Storm Surge for Miami-Dade County




Table 1 Selected Points of Reference, W-NW Direction – Miami-Dade County

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
1	Homestead General Airport	4.782	0.00	0.00	0.00	2.34	3.48	0.95	0.95	2.99	7.30	8.50
2	Camp Owaissa Bauer	16.142	0.00	0.00	0.00	0.00	0.00	0.95	0.95	4.04	7.15	11.50
3	American Medical Plaza	9.422	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	6.90	8.00
4	Ron Ehman Park	12.027	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	6.29	10.10
5	Miller Drive Park	7.653	0.00	0.00	0.00	0.00	1.08	0.95	0.95	2.99	7.30	8.80
6	Doral Country Club	5.473										
7	Black Point Marina	-2.277	0.00	0.00	0.00	0.00	0.00	4.30	7.70	10.60	13.10	15.20
8	Greenery Mall	6.410	0.00	0.00	0.00	1.79	3.99	0.95	0.95	3.74	7.60	9.90
9	Ad Barnes Park	6.620	0.00	0.00	0.43	0.83	2.23	0.95	1.56	7.00	7.30	8.70
10	South Miami Hospital	11.149	0.00	0.00	0.00	0.00	0.71	0.95	0.95	6.06	8.26	11.90
11	South Miami Station	10.968	0.00	0.00	0.00	0.00	0.78	0.97	0.99	4.59	10.20	11.70
12	Hialeah Station	7.417	0.00	0.00	0.00	0.00	0.00	0.95	0.96	2.99	3.81	3.81
13	Hialeah Race Track	6.646	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
14	Opa-locka Airport	5.672	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
15	Martin Luther King Park	8.111	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
16	Dade County Auditorium	12.338	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.77
17	Juvenile Assessment Center	8.705	0.00	0.00	0.00	0.00	0.00	0.98	1.04	3.03	3.76	3.93
18	Martin L King Station	11.529	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
19	Gwen Cherry Park	8.022	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.77
20	Miami Central High School	4.679	0.00	0.00	0.00	0.00	1.81	0.95	0.95	2.99	3.89	5.48
21	Vizcaya Station	12.549	0.00	0.00	0.00	0.00	0.00	0.95	1.60	3.69	4.59	4.81
22	Vizcaya	15.616	0.00	0.00	0.00	0.00	0.00	1.99	7.40	10.00	12.10	13.90
23	Downtown Government Ctr	8.242	0.00	0.00	0.00	0.00	0.00	1.67	2.54	4.20	5.26	8.00
24	Government Center Mover Station	8.543	0.00	0.00	0.00	0.00	0.00	1.67	2.54	4.20	5.26	8.00
25	Arena/State Plaza Mover Station	10.495	0.00	0.00	0.00	0.00	0.00	1.67	2.54	4.20	5.26	8.00
26	Park West Mover Station	8.392	0.00	0.00	0.00	0.00	0.37	1.19	1.49	3.41	5.02	7.42
27	Bicentennial Park Mover Station	6.599	0.00	0.00	0.00	0.40	2.31	1.24	1.55	3.83	7.30	9.10
28	N Miami Beach High School	5.996	0.00	0.00	0.00	0.00	0.34	1.14	1.35	3.09	4.05	4.52

¹ Depth refers to the depth of inundation at the site (storm surge value minus the ground elevation)² Surge refers to the storm surge value from the SLOSH Model

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
29	Key Biscayne Station	3.659	0.00	2.55	4.47	5.59	6.78	1.88	6.00	8.00	9.00	10.20
30	Skylake Mall	7.014	0.00	0.00	0.00	0.00	0.00	1.00	1.11	2.99	3.91	4.59
31	Lipton Tennis Center	3.309	0.00	2.65	4.24	4.95	6.57	3.10	6.00	7.80	8.50	10.00
32	Aventura Mall	7.666	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	6.00	7.10
33	Federal Corrections Institute	11.010	0.00	0.00	0.00	0.00	0.19	0.95	0.95	2.99	9.50	10.90
34	Tamiami Park	4.614	0.00	0.00	0.00	1.73	3.07	0.95	0.95	2.99	6.30	7.70
35	Golf Club of Miami	6.775										
36	Miami International Airport	7.663	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
37	Douglas Road Station	11.839	0.00	0.00	0.00	0.00	0.00	1.13	1.89	9.50	9.90	11.00
38	Pro Player Stadium	8.638	0.00	0.00	0.00	0.00	0.00	1.80	2.90	3.70	4.20	4.50
39	Dinner Key Auditorium	4.503	0.00	1.96	4.81	7.04	8.87	4.60	7.90	10.70	13.30	15.30
40	Orange Bowl	3.961	0.00	0.00	0.54	0.73	3.98	1.49	1.97	3.72	4.21	8.30
41	Norland High School	12.154	0.00	0.00	0.00	0.00	0.00	1.12	1.35	3.13	3.83	3.90
42	Allapattah Station	9.868	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.81
43	Brickell Station	4.344	0.00	0.00	0.95	1.56	2.56	1.65	2.54	4.49	5.10	5.91
44	Eleventh Street Mover Station	6.095	0.00	0.00	0.00	0.94	2.98	1.24	1.55	3.83	7.30	9.10
45	Bayside	16.152	0.00	0.00	0.00	0.00	0.00	3.20	5.90	8.00	8.10	10.90
46	College Bayside Mover Station	10.028	0.00	0.00	0.00	0.00	0.35	1.81	2.84	4.80	6.57	10.80
47	Jockey Club	6.340	0.00	0.00	0.00	1.69	3.58	1.17	1.88	4.70	6.60	8.50
48	Dade Correctional Institute	4.133	0.00	0.00	1.99	3.73	6.46	0.95	3.50	6.60	8.40	11.30
49	Tamiami Airport	7.374	0.00	0.00	0.00	0.41	1.66	0.95	0.95	2.99	7.70	9.00
50	Sgt. Joe Delancy Park	8.716	0.00	0.00	0.00	1.28	3.19	0.95	0.95	2.99	10.10	11.60
51	MDCC South Campus	9.858	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	8.20	9.60
52	FIU South Campus	7.334	0.00	0.00	0.00	0.00	0.35	0.95	0.95	2.99	6.20	7.60
53	Cutler Ridge Station	6.011	0.00	0.20	4.49	6.81	9.00	0.95	4.03	10.30	12.70	14.80
54	International Mall	8.216										
55	The Falls	8.664	0.00	0.00	0.00	1.44	3.57	0.95	0.95	2.99	9.90	12.00
56	Amelia Earhart Park	-0.230	1.18	1.18	3.22	3.98	3.98	0.95	0.95	2.99	3.75	3.75
57	Tri Rail Miami Airport Station	5.483	0.00	0.00	0.00	0.00	0.00	2.10	3.70	4.60	4.90	5.20
58	Miami Jai Alai	4.326	0.00	0.00	0.05	0.57	0.83	2.10	3.90	4.60	5.00	5.20
59	MDCC North Campus	-0.360	1.31	1.31	3.35	4.11	4.45	0.95	0.95	2.99	3.75	3.94
60	Brownsville Station	7.039	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
61	Dolphin Stadium	8.638	0.00	0.00	0.00	0.00	0.00	1.80	2.90	3.70	4.20	4.50


Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
62	Calder Track	6.966	0.00	0.00	0.00	0.00	0.00	0.99	1.06	3.02	3.79	3.83
63	North Shore Hospital	6.962	0.00	0.00	0.00	0.00	0.29	0.95	0.95	2.99	4.10	7.20
64	South Dade Government Ctr	9.276	0.00	0.00	0.00	0.00	0.00	1.67	2.54	4.20	5.26	8.00
65	Miami Avenue Mover Station	5.025	0.00	0.00	0.77	2.95	5.22	2.17	3.69	5.59	9.00	11.00
66	Bayfront Park Mover Station	4.785	0.00	0.28	2.32	4.20	6.51	3.20	6.00	8.10	8.90	11.00
67	The Mall at 163rd Street	19.719	0.00	0.00	0.00	0.00	0.00	1.80	2.40	3.60	5.10	6.90
68	Fisher Island	4.848	0.00	0.00	0.75	1.77	3.58	2.34	3.70	5.90	6.90	8.70
69	University Country Club	6.011	0.00	0.00	0.00	1.67	2.87	0.95	0.95	2.99	7.80	9.00
70	Town and Country Mall	6.342	0.00	0.00	0.00	0.18	3.13	0.95	0.95	2.99	4.88	8.90
71	Columbia Kendall Medical Ctr	8.764	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	6.60	7.90
72	Concord Shopping Center	6.623	0.00	0.00	0.00	0.52	1.67	0.95	0.95	2.99	7.00	7.90
73	Kendall Mall	7.150	0.00	0.00	0.00	1.05	2.54	0.95	0.95	2.99	8.30	9.80
74	MDPD Headquarters	5.493	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	4.03
75	Coral Reef Park	7.485	0.00	0.00	1.58	3.70	7.09	0.95	7.30	9.10	11.20	14.60
76	Merchandise Mart	6.245	0.00	0.00	0.00	0.00	0.51	1.29	1.73	3.64	4.41	6.80
77	Charles Deering Estate	2.177	0.09	4.01	6.16	9.49	13.77	2.00	4.61	7.04	10.31	15.90
78	Matheson Hammock Park	0.358	5.42	8.55	11.63	14.44	16.73	4.30	7.50	10.60	13.40	15.70
79	Carol City Station	8.742	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
80	Earlington Heights Station	7.725	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
81	Museum of Science	15.616	0.00	0.00	0.00	0.00	0.00	1.99	7.40	10.00	12.10	13.90
82	Vizcaya Museum	18.407	0.00	0.00	0.00	0.00	0.00	1.99	7.40	10.00	12.10	13.90
83	Dade County Jail	5.100	0.00	0.00	0.00	0.00	1.43	1.55	4.70	4.90	4.90	6.60
84	Civic Center Station	6.740	0.00	0.00	0.00	0.00	0.00	1.04	1.76	3.41	3.99	5.04
85	Jackson Memorial Hospital	14.411	0.00	0.00	0.00	0.00	0.00	1.05	1.73	3.39	3.97	4.80
86	Culmer Station	9.533	0.00	0.00	0.00	0.00	0.00	1.59	2.70	3.89	4.28	6.90
87	Parkway Regional Medical Ctr	9.571	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.78
88	Financial Dist Mover Station	5.641	0.00	0.00	0.00	0.79	1.70	2.22	3.77	5.84	6.75	7.88
89	College North Mover Station	10.227	0.00	0.00	0.00	0.00	0.00	1.19	1.49	3.41	5.02	7.42
90	N Miami High School	9.906	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	4.26	4.90
91	Miami Seaquarium	3.079	0.00	0.00	0.00	0.00	0.00	3.62	5.90	7.70	8.70	10.30
92	Dodge Island	8.094	0.00	0.00	0.00	0.22	1.99	2.72	4.91	7.90	8.90	10.70
93	Port of Miami	8.094	0.00	0.00	0.00	0.22	1.99	2.72	4.91	7.90	8.90	10.70
94	Seaport	8.094	0.00	0.00	0.00	0.22	1.99	2.72	4.91	7.90	8.90	10.70

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
95	Intracoastal Station	5.744	0.00	0.00	0.00	0.22	1.66	1.18	1.72	3.54	6.10	7.70
96	Homestead Airport	4.782	0.00	0.00	0.00	2.34	3.48	0.95	0.95	2.99	7.30	8.50
97	Fruit & Spice Park	7.540	0.00	0.00	0.00	0.70	2.31	0.95	0.95	3.01	7.89	9.70
98	Krome Detention Center	8.222	0.00	0.00	0.00	0.00	0.00	0.94	0.94	2.98	3.73	4.62
99	Homestead Hospital	7.870	0.00	0.00	0.00	1.85	4.17	0.95	0.95	4.13	9.50	12.00
100	Braddock High School	5.775	0.00	0.00	0.00	0.00	1.38	0.95	0.95	2.99	3.75	7.20
101	Hammocks Station	6.016	0.00	0.00	0.00	1.74	2.75	0.95	0.95	2.99	7.80	8.90
102	Country Walk Plaza	7.623	0.00	0.00	0.00	1.29	2.70	0.95	0.95	2.99	9.10	10.40
103	Kendall Gate Mall	7.294	0.00	0.00	0.00	0.00	1.79	0.95	0.95	2.99	5.62	9.10
104	MDCC Kendall Campus	9.858	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	8.20	9.60
105	Loehmanns In Kendall	7.047	0.00	0.00	0.00	0.33	1.55	0.95	0.95	2.99	7.20	8.50
106	Cutler Ridge Center	8.475	0.00	0.00	1.62	4.11	6.30	0.95	7.10	10.50	12.90	15.20
107	Youth Fair	6.112	0.00	0.00	0.00	0.30	1.60	0.95	0.95	2.99	6.40	7.70
108	Homestead Bayfront Park	-0.244	4.23	6.61	9.28	11.51	14.09	4.30	6.40	8.90	11.20	13.80
109	Deering Hospital	13.190	0.00	0.00	0.00	0.00	0.71	0.95	0.95	2.99	10.70	13.90
110	Continental Park	10.611	0.00	0.00	0.00	0.00	0.58	0.95	0.95	3.06	9.60	12.20
111	TGK	7.170	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	4.02
112	Shops at Sunset Place	7.022	0.00	0.00	0.00	3.75	4.69	1.58	2.22	5.06	10.60	11.60
113	Matheson Marina	0.358	5.42	8.55	11.63	14.44	16.73	4.30	7.50	10.60	13.40	15.70
114	Wyndham Gateway Hotel	5.827	0.00	0.00	0.00	0.00	0.00	2.10	3.70	4.60	4.90	5.20
115	Northside Shopping Center	8.867	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	7.00
116	Third Street Mover Station	7.364	0.00	0.00	0.00	1.12	3.56	2.17	3.69	5.59	9.00	11.00
117	Knight Center Mover Station	7.131	0.00	0.00	0.00	2.31	4.50	2.17	3.69	5.59	9.00	11.00
118	School Board Mover Station	9.396	0.00	0.00	0.00	0.00	0.00	0.96	1.02	3.24	4.37	4.89
119	Boystown	7.509	0.00	0.00	0.00	0.49	1.61	0.95	0.95	2.99	7.80	9.10
120	Kendale Lakes Mall	6.896	0.00	0.00	0.00	0.00	2.23	0.95	0.95	2.99	4.87	8.70
121	Kendall Village West	6.557	0.00	0.00	0.00	0.00	2.40	0.95	0.95	2.99	5.63	8.90
122	Kendall Indian Hammocks Park	7.639	0.00	0.00	0.00	0.75	1.64	0.95	0.95	2.99	8.00	8.90
123	Tropical Estates Park	6.839	0.00	0.00	0.00	0.57	1.61	0.95	0.95	2.99	7.30	8.30
124	Tropical Park	10.059	0.00	0.00	0.00	0.00	0.00	0.95	0.95	3.00	3.83	8.20
125	Dadeland Mall	9.357	0.00	0.00	0.00	0.00	0.00	0.95	0.95	4.02	6.69	9.30
126	Florida Memorial College	7.365	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
127	Tri Rail Station	9.159	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75


Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
128	183rd Street Flea Market	6.390	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
129	William Turner Tech School	4.679	0.00	0.00	0.00	0.00	1.81	0.95	0.95	2.99	3.89	5.48
130	Arcola Lake Park	4.594	0.00	0.00	0.00	0.00	2.37	0.95	0.95	2.99	4.11	7.20
131	North Dade Detention Center	-0.540	1.49	1.49	3.53	4.29	5.07	0.95	0.95	2.99	3.75	4.50
132	Santa Clara Station	8.618	0.00	0.00	0.00	0.00	0.00	0.96	1.05	3.04	3.75	4.15
133	Fifth Street Mover Station	4.461	0.00	1.55	3.42	4.19	6.90	3.30	6.10	7.90	8.10	11.00
134	Freedom Tower Mover Station	7.614	0.00	0.00	0.00	0.00	1.61	1.81	2.84	4.80	6.57	10.80
135	Barry University	13.232	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	4.13	4.53
136	Bay Front Park	16.152	0.00	0.00	0.00	0.00	0.00	3.20	5.90	8.00	8.10	10.90
137	California Club Mall	5.748	0.00	0.00	0.00	0.00	0.00	1.07	1.26	3.09	3.79	3.86
138	Cape Florida (Bill Baggs)	0.788	1.35	4.24	6.23	7.64	9.28	2.27	5.20	7.10	8.50	10.10
139	Crandon Park	3.289	0.00	0.83	3.20	4.28	6.00	2.60	4.30	6.60	7.80	9.60
140	FIU North Campus	4.490	0.00	0.00	0.00	1.44	3.14	1.40	3.10	4.20	6.10	7.80
141	Miami Beach Convention Ctr	6.157	0.00	0.00	0.00	0.34	2.09	1.58	2.64	4.80	6.50	8.20
142	Haulover Park	3.802	0.00	0.00	1.20	2.88	4.35	2.40	3.80	5.20	6.80	8.20
143	Everglades Correctional Ctr	4.230	0.00	0.00	0.00	0.00	1.10	0.95	0.95	2.99	3.75	5.50
144	Miccosukee Indian Village	0.000										
145	Homestead City Hall	6.291	0.00	0.00	0.12	3.28	5.82	0.95	0.95	6.30	9.60	12.10
146	South Dade High School	7.765	0.00	0.00	0.00	0.54	4.22	0.95	0.95	3.01	8.70	12.40
147	Homestead Motorsports	4.828	0.00	0.24	3.05	5.34	8.01	0.95	5.00	7.50	10.10	12.80
148	Shops of Kendall	6.825	0.00	0.00	0.00	1.08	2.31	0.95	0.95	2.99	7.70	9.00
149	Baptist Hospital	11.916	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	4.75	5.88
150	Mall of the Americas	5.500	0.00	0.00	0.00	0.00	1.48	0.95	0.95	2.99	3.75	6.70
151	Dadeland South Station	12.162	0.00	0.00	0.00	0.00	0.00	0.95	0.95	8.10	9.90	11.90
152	Stockade	5.897	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.81
153	Dadeland North Station	-0.364	1.31	1.31	4.39	8.60	10.62	0.95	0.95	3.66	6.50	9.10
154	Okeechobee Station	6.345	0.00	0.00	0.00	0.00	0.00	1.58	2.42	3.74	5.30	5.30
155	Pan American Hospital	5.359	0.00	0.00	0.00	0.00	1.20	2.20	3.80	4.90	5.30	6.50
156	Fairchild Gardens	14.644	0.00	0.00	0.00	0.00	0.91	1.55	6.14	10.24	13.50	15.70
157	University Station	11.071	0.00	0.00	0.00	0.00	0.34	4.20	7.40	9.50	10.50	11.40
158	Jones Boat Yard	4.297	0.00	0.00	0.27	0.55	0.93	2.10	3.80	4.60	4.90	5.20
159	Northside Station	6.482	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
160	Joseph Caleb Center	10.708	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
161	Tenth St Mover Station	4.946	0.00	0.00	1.11	1.78	3.26	2.22	3.77	5.84	6.75	7.88
162	Overtown Station	12.349	0.00	0.00	0.00	0.00	0.00	1.19	1.49	3.41	5.02	7.42
163	Miami Arena	13.207	0.00	0.00	0.00	0.00	0.00	1.19	1.49	3.41	5.02	7.42
164	Miami Design District	11.180	0.00	0.00	0.00	0.00	0.00	1.06	1.17	3.20	4.70	5.19
165	Gusman Cultural Center	10.180	0.00	0.00	0.00	0.00	1.01	2.17	3.69	5.59	9.00	11.00
166	Dade County Seaport	8.094	0.00	0.00	0.00	0.22	1.99	2.72	4.91	7.90	8.90	10.70
167	Greynolds Park	8.157	0.00	0.00	0.00	0.00	0.00	1.04	1.36	3.24	6.50	7.90
168	Miller Square Shoppes	7.390	0.00	0.00	0.00	0.00	0.75	0.95	0.95	2.99	3.75	8.10
169	Larry & Penny Thompson Park	7.197	0.00	0.00	0.00	3.63	5.61	0.95	0.95	2.99	10.80	13.10
170	Metro Zoo	9.893	0.00	0.00	0.00	0.00	2.76	0.95	0.95	2.99	10.40	12.70
171	Homestead Air Reserve Base	7.422	0.00	0.00	2.47	4.67	6.84	0.95	7.00	9.90	12.10	14.30
172	Cutler Ridge Mall	6.556	0.00	0.00	3.78	6.41	8.51	0.95	2.71	9.90	12.70	14.70
173	Biscayne National Park	1.112	3.66	5.77	8.61	10.79	13.27	4.50	6.70	9.60	11.70	14.20
174	Shops at Dadeland	12.635	0.00	0.00	0.00	0.00	0.00	0.95	0.95	4.02	6.69	9.30
175	Miami Childrens Hospital	7.379	0.00	0.00	0.81	1.33	1.92	1.23	6.70	8.60	9.00	9.70
176	University of Miami	12.224	0.00	0.00	0.00	0.00	0.00	4.40	7.50	9.40	11.00	11.50
177	Coconut Grove Station	11.412	0.00	0.00	0.00	0.00	0.00	0.95	0.95	4.16	4.77	7.36
178	Mercy Hospital	4.148	0.00	3.94	6.64	8.79	10.71	2.75	7.40	10.10	12.20	14.10
179	Brickell Mover Station	11.212	0.00	0.00	0.00	0.00	0.00	1.65	2.54	4.49	5.10	5.91
180	Eighth Street Mover Station	6.070	0.00	0.00	1.58	2.06	4.39	3.30	6.10	7.90	8.10	11.00
181	Government Center Station	8.887	0.00	0.00	0.00	0.00	0.00	1.67	2.54	4.20	5.26	8.00
182	Riverwalk Mover Station	4.787	0.00	0.47	2.28	3.84	6.36	3.30	6.10	7.90	8.10	11.00
183	First St Mover Station	10.761	0.00	0.00	0.00	0.00	0.00	2.17	3.69	5.59	9.00	11.00
184	American Airlines Arena	4.796	0.00	0.00	0.00	1.80	5.12	1.81	2.84	4.80	6.57	10.80
185	OMNI Mover Station	3.821	0.00	0.00	1.68	3.76	5.66	1.50	2.02	5.70	7.30	9.20
186	Loehmanns Fashion Island	6.121	0.00	0.00	0.00	0.00	1.11	0.95	0.99	3.00	6.00	7.00

Figure 2 W-NW Atlas Map Index



This page intentionally left blank.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 1





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 2





UNINCORPORATED
MIAMI-DADE
MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000



Map Plate 3





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 4



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 5



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 6





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 7





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 8





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 9



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 10



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 11



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 12



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 13





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 14



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 15



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 16





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 17



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 18



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 19



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 20



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 21



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 22



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 23



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 24





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 25





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 26



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 27





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 28





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 29



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 30



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 31





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 32





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 33





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 34



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 35





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 36



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 37



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 38





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 39





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 40





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 41



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



**UNINCORPORATED
MIAMI-DADE**
MIAMI-DADE COUNTY

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 42



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 43



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 44





MIAMI-DADE COUNTY

UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 45



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

**UNINCORPORATED
MIAMI-DADE**

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 46



Printed Pages on Yellow



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 47



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 48



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 49



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 50





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 51



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5


W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000



Map Plate 52



Printed Pages in Yellow



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 53



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 54



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

**UNINCORPORATED
MIAMI-DADE**

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 55



Printed Pages on Yellow



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 56



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



UNINCORPORATED
MIAMI-DADE

MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 57



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 58



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- - - City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 59





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 60





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

MONROE COUNTY

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 61





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 62





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 63



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 64





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 65





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 66





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 67





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 68





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 69



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 70





MIAMI-DADE COUNTY

UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 71





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 72





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 73



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 74



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 75



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 76





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 77





**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 78





MIAMI-DADE COUNTY

UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 79





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 80



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 81





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 82



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 83



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 84





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 85





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- ▭ City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 86





FLORIDA CITY

MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 87

292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292
253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252
213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232
193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212
173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192
153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172
133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152
113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132
93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112
73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92
53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72
33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 88



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 89



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 90



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 91



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 92



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 93



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 94



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 95





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 96





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 97



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 98





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 99



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 100



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 101



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 102



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 103

292295	292296	292297	292298	292299	292300	292301	292302	292303	292304	292305	292306	292307	292308	292309	292310
292311	292312	292313	292314	292315	292316	292317	292318	292319	292320	292321	292322	292323	292324	292325	292326
292327	292328	292329	292330	292331	292332	292333	292334	292335	292336	292337	292338	292339	292340	292341	292342
292343	292344	292345	292346	292347	292348	292349	292350	292351	292352	292353	292354	292355	292356	292357	292358
292359	292360	292361	292362	292363	292364	292365	292366	292367	292368	292369	292370	292371	292372	292373	292374
292375	292376	292377	292378	292379	292380	292381	292382	292383	292384	292385	292386	292387	292388	292389	292390
292391	292392	292393	292394	292395	292396	292397	292398	292399	292400	292401	292402	292403	292404	292405	292406
292407	292408	292409	292410	292411	292412	292413	292414	292415	292416	292417	292418	292419	292420	292421	292422
292423	292424	292425	292426	292427	292428	292429	292430	292431	292432	292433	292434	292435	292436	292437	292438
292439	292440	292441	292442	292443	292444	292445	292446	292447	292448	292449	292450	292451	292452	292453	292454
292455	292456	292457	292458	292459	292460	292461	292462	292463	292464	292465	292466	292467	292468	292469	292470
292471	292472	292473	292474	292475	292476	292477	292478	292479	292480	292481	292482	292483	292484	292485	292486
292487	292488	292489	292490	292491	292492	292493	292494	292495	292496	292497	292498	292499	292500	292501	292502

Printed Pages in Yellow



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 104





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 105





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 106



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 107





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 108





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 109





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 110





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 111





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 112





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 113





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 114





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 115





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 116





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 117





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 118





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 119



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 120





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 121





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 122



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 123





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 124



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

ISLANDIA

ISLANDIA

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 125





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 126





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 127



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 128





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 129





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 130





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 131





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 132



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 133





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 134





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 135





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 136





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 137





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 138





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 139



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 140





**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 141





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 142



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 143





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 144



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 145





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 146



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 147



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 148





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 149





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 150





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
Map Plate 151



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 152



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 153





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- H HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- H HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 155



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 156





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 157





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 158



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 159



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 160





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 161





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 162





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

SW 257TH AVE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 163



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 164





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 165





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 166



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 167





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 168





**UNINCORPORATED
MIAMI-DADE**

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 169





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surges heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 170





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 171





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 172





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 174





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 175





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 176





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 177





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 178





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 179





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 180



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 181





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 182



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 183



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 184



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 185



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 186





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 187





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 188





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 189



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 190





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 191





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 193





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000

Map Plate 194



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 195





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 196





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 197



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 198



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 199



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 200





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 201



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 202





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

41

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 203



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 204





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
Map Plate 205



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 206





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 207





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 208





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- H HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 209





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 210





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 [Blue square] HOSPITAL
 [Blue circle with dot] Points of Reference
 [Purple outline] City Limits
 [Red line] Evacuation Route
 [Blue square] NHD Lakes

Storm Tide Category
 [Red square] Level 1
 [Orange square] Level 2
 [Yellow square] Level 3
 [Light Green square] Level 4
 [Light Blue square] Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 211





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 212





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 213





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 214





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 215



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 216



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 217





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 218





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 219



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 220





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 221



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 226





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 227





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 228



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 229





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 230





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 231



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 232





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 233



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 234





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 235





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 236



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 237



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
Map Plate 246





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 [Blue square] HOSPITAL
 [Blue circle with dot] Points of Reference
 [Purple outline] City Limits
 [Red dashed line] Evacuation Route
 [Blue outline] NHD Lakes

Storm Tide Category
 [Red square] Level 1
 [Orange square] Level 2
 [Yellow square] Level 3
 [Light Green square] Level 4
 [Light Blue square] Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 247





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 248





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 249





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 250





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 251

282295	792296	292297	299300	303303	305306	307309	311
273274	272277	271276	270275	269274	268273	267272	266271
263254	262257	261256	260255	259254	258253	257252	256251
246234	245237	244236	243235	242234	241233	240232	239231
214	213	212	211	210	209	208	207
195197	194196	193195	192194	191193	190192	189191	188190
177178	176177	175176	174175	173174	172173	171172	170171
158159	157158	156157	155156	154155	153154	152153	151152
142143	144146	147148	150151	153154	156159	159162	162165
136137	138139	141142	144147	147150	150153	153156	156159
110111	112113	114115	117118	120121	123124	126127	129130
9596	9798	99101	102104	107108	109110	111112	113114
7879	8081	8283	8485	8687	8889	9091	9293
6162	6364	6566	6768	6970	7172	7374	7576
4445	4647	4849	5051	5253	5455	5657	5859
3031	3233	3435	3637	3839	4041	4243	4445
1617	1819	2021	2223	2425	2627	2829	3031
1112	1314	1516	1718	1919	2122	2324	2526



MIAMI-DADE COUNTY

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 [Blue square] HOSPITAL
 [Blue circle with dot] Points of Reference
 [Purple outline] City Limits
 [Red dashed line] Evacuation Route
 [Blue square] NHD Lakes

Storm Tide Category
 [Red square] Level 1
 [Orange square] Level 2
 [Yellow square] Level 3
 [Light Green square] Level 4
 [Light Blue square] Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 252



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

COLLIER COUNTY

**Dade-Collier
Training and
Transition**

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 253



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 254





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 265





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 266



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000

Map Plate 267



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5


W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000



Map Plate 268



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 269





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 [HOSPITAL] HOSPITAL
 [Points of Reference] Points of Reference
 [City Limits] City Limits
 [Evacuation Route] Evacuation Route
 [NHD Lakes] NHD Lakes

Storm Tide Category
 [Level 1] Level 1
 [Level 2] Level 2
 [Level 3] Level 3
 [Level 4] Level 4
 [Level 5] Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 270





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 271

292295	770296	201	299300	301	303	305	307	309	311
273274	272727	276	27701	281	28283	285	287	289	291
263264	262507	258	264261	264	265	266	267	268	269
253254	252497	250	254251	254	255	256	257	258	259
243244	242197	242	242491	242	243	244	245	246	247
233234	232187	232	232381	232	233	234	235	236	237
223224	222177	222	222271	222	223	224	225	226	227
213214	212167	212	212161	212	213	214	215	216	217
203204	202157	202	202051	202	203	204	205	206	207
193194	192147	192	192041	192	193	194	195	196	197
183184	182137	182	182031	182	183	184	185	186	187
173174	172127	172	172021	172	173	174	175	176	177
163164	162117	162	162011	162	163	164	165	166	167
153154	152107	152	152001	152	153	154	155	156	157
143144	142097	142	142091	142	143	144	145	146	147
133134	132087	132	132081	132	133	134	135	136	137
123124	122077	122	122071	122	123	124	125	126	127
113114	112067	112	112061	112	113	114	115	116	117
103104	102057	102	102051	102	103	104	105	106	107
93094	92047	92	92041	92	93	94	95	96	97
83084	82037	82	82031	82	83	84	85	86	87
73074	72027	72	72021	72	73	74	75	76	77
63064	62017	62	62011	62	63	64	65	66	67
53054	52007	52	52001	52	53	54	55	56	57
43044	42000	42	42000	42	43	44	45	46	47
33034	32000	32	32000	32	33	34	35	36	37
23024	22000	22	22000	22	23	24	25	26	27
13014	12000	12	12000	12	13	14	15	16	17
30004	02000	02	02000	02	03	04	05	06	07



MIAMI-DADE COUNTY

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 272



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 284





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 285





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
Map Plate 286





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 288



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 289





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 290



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 291

292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292
253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252
213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232
193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212
173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192
153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172
133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152
113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132
93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112
73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92
53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72
33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 303



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 304





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 305



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 306





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 307





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 308





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 309





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- H HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 310





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 311





Funding was provided by the Florida Legislature with funding from the Federal Emergency Management Agency (FEMA) through the Florida Division of Emergency Management. Local match was provided by the South Florida Regional Council and the counties of Broward, Miami-Dade and Monroe.

Florida Division of Emergency Management
Bryan Koon, Director
2255 Shumard Oak Boulevard
Tallahassee, Florida 32399



Prepared and published by the
South Florida Regional Council, 3440 Hollywood Boulevard, Suite 140
Hollywood, Florida 33021
Tel: (954) 985-4416, Fax: (954) 985-4417, Website: www.sfregionalcouncil.org
Study Manager: Richard F. Ogburn; GIS: Manny Cela
Statewide Program Manager: Elizabeth Payne, Northeast Florida Regional Council