



FLORIDA STATEWIDE REGIONAL EVACUATION STUDY PROGRAM



**DIRECTIONAL
ATLAS**

MIAMI-DADE COUNTY

VOLUME 10-11

BOOK 2E

WNW-WSW DIRECTIONAL STORMS

**FLORIDA DIVISION OF
EMERGENCY MANAGEMENT**

**SOUTH FLORIDA
REGIONAL COUNCIL**




SOUTH FLORIDA REGION



INCLUDES HURRICANE EVACUATION STUDY



2015



**STATEWIDE
REGIONAL
EVACUATION
STUDY PROGRAM**



SOUTH FLORIDA STORM TIDE DIRECTIONAL ATLAS

Volume 10-11 Book 2E – Miami-Dade County *WSW-WNW Direction*

This Atlas is part of Volume 10 of the *Statewide Regional Evacuation Study Program* (SRESP), and one of three sets of county books in the *South Florida Storm Tide Directional Atlas* series. Book 1 covers Broward County; Book 2 covers Miami-Dade County; and Book 3 covers Monroe County. In each county, the primary volume presents an overview of the study and the methodology, while the Appendices, numbered from A to E, include the surge inundation maps for each of five directional storm clusters. The Atlas maps identify those areas subject to potential storm tide flooding from the five categories of hurricane on the Saffir-Simpson Hurricane Wind Scale, as determined by the National Oceanic and Atmospheric Administration (NOAA) numerical storm surge model, Sea, Lake and Overland Surges from Hurricanes (SLOSH). Volume 10 is unique in that it is based on the direction the storm is heading and depicts the resulting surge of storms approaching from that specific directional angle.

The *Storm Tide Directional Atlas* series supplements the original hazards analysis for storm tides (Volume 7-11) and depth (Volume 9-11), and enhances a key component of the SRESP. The *Technical Data Report* (Volume 1-11) was built upon the original storm tide analysis and includes the evacuation zones and population estimates, results of the evacuation behavioral data, shelter analysis and evacuation transportation analysis. The study, which provides vital information to state and local emergency management, forms the basis for county evacuation plans. The final study documents are available on the Internet at <http://www.sfregionalcouncil.org/sresp.htm>.

This Atlas series was produced by the South Florida Regional Council with funding from the Federal Emergency Management Agency, through the Florida Division of Emergency Management.



South Florida Regional Council
3440 Hollywood Boulevard, Suite 140, Hollywood, FL 33021
Telephone: (954) 985-4416, Fax: (954) 985-4417
Email: sfadmin@sfregionalcouncil.org, Website: www.sfregionalcouncil.org

CREDITS AND ACKNOWLEDGEMENTS



Funding was provided by the Florida Legislature with funds from the Federal Emergency Management Agency (FEMA), through the Florida Division of Emergency Management (FDEM), 2555 Shumard Oak Boulevard, Tallahassee, 32399, www.floridadisaster.org. Local match was provided by the counties of Broward, Miami-Dade and Monroe.

The Council acknowledges and extends its appreciation to the following agencies and people for their cooperation and assistance in the development of this Atlas:

National Oceanic and Atmospheric Administration (NOAA/TPC-NHC) for the SLOSH numerical storm surge model developed by the late Chester L. Jelesnianski, the development of the 2009 Biscayne Bay and Florida Bay Basins under the management of Jamie Rhome, and for the storm tide computation and interpretation provided by the NOAA Storm Surge Modeling team.

Florida Division of Emergency Management

Bryan Koon, Director
 Andrew Sussman, Hurricane Program Manager
 Richard Butgereit, GIS Manager

Northeast Florida Regional Council

Elizabeth Payne, Project Manager

Florida Emergency Preparedness Association

For their support in this statewide effort

County Emergency Management Agencies

Miguel Ascarrunz, Director, Broward County
 Emergency Management Division
 Curtis Sommerhoff, Director, Miami-Dade County
 Department of Emergency Management and
 Homeland Security
 Irene Toner, Director, Monroe County Emergency
 Management Department



A. Storm Tide Directional Atlas

The surge inundation limits (directional maximum surge heights minus the ground elevations) are provided as GIS shape files and graphically displayed on maps in the *Directional Storm Tide Atlas for the South Florida Region*. The *Atlas* was prepared by the South Florida Regional Council under contract to the State of Florida, Division of Emergency Management, as part of this study effort. The maps prepared for the *Atlas* consist of base maps (1:24000) including topographic, hydrographic and highway files (updated using 2008 county and state highway data). Detailed shoreline and storm tide limits for each category of storm were determined using the region's geographic information system (GIS).

The purpose of the maps contained in this Atlas is to reflect a worst probable scenario of the hurricane storm tide inundation for a given cluster of compass directions that a storm would be heading and to provide a basis for the hurricane evacuation zones and study analyses. While the storm tide delineations include the addition of an astronomical mean high tide and tidal anomaly, it should be noted that the data reflects only stillwater saltwater flooding. **Local processes such as waves, rainfall and flooding from overflowing rivers, are usually included in observations of storm tide height, but are not surge and are not calculated by the SLOSH model. It is incumbent upon local emergency management officials and planners to estimate the degree and extent of freshwater flooding as well as to determine the magnitude of the waves that will accompany the surge.**

Although the methodology used for surge determination in this Atlas does the most to reduce inconsistencies and human subjectivity, factors remain in the data itself that could show variations from previous efforts and results. Whenever a SLOSH basin is changed in any way, results can vary. Using MEOW (Maximum Envelope of Water) data as we do in this directional atlas, instead of the MOM (Maximum of Maximums) data, and choosing directional subsets of the maximums (MOMs) will indeed produce different results than other atlases – and this was expected. Other factors can include different elevation model data, as well as number and scope of selected SLOSH basin grid cells. Also, any data that is beyond the original extent or boundary of the basin is interpolation influenced by the modeling trend up to that location, and hand adaptation of basin extensions.

Figure 1 shows the projected surge inundation for each category of storm for storms moving in a WSW-WNW direction. Figure 2 provides an index of the WSW-WNW directional map series for Miami-Dade County.

B. Points of Reference

County emergency management agencies selected reference points, which include key facilities or locations critical for emergency operations. The Table 1 includes the map identification number, descriptions of the selected points, and the elevation of the site. The elevation is based on the digital elevation data provided by LiDAR. It should be noted that if the site is large, elevations may vary significantly. Table 1 also provides the storm tide value from the SLOSH value and the depth of inundation (storm tide value minus the ground elevation) at the site.

Figure 1 Directional WSW-WNW Storm Surge for Miami-Dade County




Table 1 Selected Points of Reference, WSW-WNW Direction – Miami-Dade County

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
1	Homestead General Airport	4.782	0.00	0.00	0.00	2.34	3.48	0.95	0.95	2.99	7.30	8.50
2	Camp Owaissa Bauer	16.142	0.00	0.00	0.00	0.00	0.00	0.95	0.95	4.04	7.15	11.50
3	American Medical Plaza	9.422	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	6.90	8.00
4	Ron Ehman Park	12.027	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	6.29	9.96
5	Miller Drive Park	7.653	0.00	0.00	0.00	0.00	1.08	0.95	0.95	2.99	7.30	8.80
6	Doral Country Club	5.473										
7	Black Point Marina	-2.277	0.00	0.00	0.00	0.00	0.00	4.30	7.70	10.50	13.10	15.20
8	Greenery Mall	6.410	0.00	0.00	0.00	1.24	3.35	0.95	0.95	3.74	7.00	9.90
9	Ad Barnes Park	6.620	0.00	0.00	0.43	0.73	2.13	0.95	1.45	7.00	7.20	8.60
10	South Miami Hospital	11.149	0.00	0.00	0.00	0.00	0.61	0.95	0.95	6.02	8.09	11.80
11	South Miami Station	10.968	0.00	0.00	0.00	0.00	0.76	0.97	0.99	4.57	10.00	11.70
12	Hialeah Station	7.417	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.81
13	Hialeah Race Track	6.646	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
14	Opa-locka Airport	5.672	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
15	Martin Luther King Park	8.111	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
16	Dade County Auditorium	12.338	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.77
17	Juvenile Assessment Center	8.705	0.00	0.00	0.00	0.00	0.00	0.98	1.03	3.01	3.75	3.93
18	Martin L King Station	11.529	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
19	Gwen Cherry Park	8.022	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.82
20	Miami Central High School	4.679	0.00	0.00	0.00	0.00	1.97	0.95	0.95	2.99	3.90	5.66
21	Vizcaya Station	12.549	0.00	0.00	0.00	0.00	0.00	0.95	1.50	3.59	4.47	4.73
22	Vizcaya	15.616	0.00	0.00	0.00	0.00	0.00	1.82	6.40	9.00	10.90	13.10
23	Downtown Government Ctr	8.242	0.00	0.00	0.00	0.00	0.00	1.54	2.14	4.14	4.68	6.20
24	Government Center Mover Station	8.543	0.00	0.00	0.00	0.00	0.00	1.54	2.14	4.14	4.68	6.20
25	Arena/State Plaza Mover Station	10.495	0.00	0.00	0.00	0.00	0.00	1.54	2.14	4.14	4.68	6.20
26	Park West Mover Station	8.392	0.00	0.00	0.00	0.00	0.00	1.16	1.39	3.40	4.53	6.03
27	Bicentennial Park Mover Station	6.599	0.00	0.00	0.00	0.41	2.37	1.22	1.49	3.80	7.30	9.10
28	N Miami Beach High School	5.996	0.00	0.00	0.00	0.00	0.48	1.14	1.33	3.15	4.12	4.55

¹ Depth refers to the depth of inundation at the site (storm surge value minus the ground elevation)

² Surge refers to the storm surge value from the SLOSH Model

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
29	Key Biscayne Station	3.659	0.00	1.80	4.02	5.02	6.44	1.63	5.30	7.60	8.50	9.90
30	Skylake Mall	7.014	0.00	0.00	0.00	0.00	0.00	1.00	1.10	2.99	3.89	4.58
31	Lipton Tennis Center	3.309	0.00	2.01	3.94	4.70	6.46	2.20	5.40	7.40	8.10	9.80
32	Aventura Mall	7.666	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	6.00	7.10
33	Federal Corrections Institute	11.010	0.00	0.00	0.00	0.00	0.15	0.95	0.95	2.99	9.50	10.90
34	Tamiami Park	4.614	0.00	0.00	0.00	1.63	3.07	0.95	0.95	2.99	6.20	7.70
35	Golf Club of Miami	6.775										
36	Miami International Airport	7.663	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
37	Douglas Road Station	11.839	0.00	0.00	0.00	0.00	0.00	1.11	1.77	8.90	9.90	11.00
38	Pro Player Stadium	8.638	0.00	0.00	0.00	0.00	0.00	1.80	2.80	3.70	4.20	4.50
39	Dinner Key Auditorium	4.503	0.00	1.22	4.01	6.20	8.30	4.10	7.00	9.80	12.30	14.60
40	Orange Bowl	3.961	0.00	0.00	0.00	0.73	1.14	1.38	1.83	3.51	4.20	4.32
41	Norland High School	12.154	0.00	0.00	0.00	0.00	0.00	1.12	1.33	3.11	3.83	3.90
42	Allapattah Station	9.868	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
43	Brickell Station	4.344	0.00	0.00	0.77	1.39	1.94	1.52	2.08	4.35	4.97	5.40
44	Eleventh Street Mover Station	6.095	0.00	0.00	0.00	0.85	2.69	1.22	1.49	3.80	7.30	9.10
45	Bayside	16.152	0.00	0.00	0.00	0.00	0.00	2.80	4.50	7.20	8.00	10.00
46	College Bayside Mover Station	10.028	0.00	0.00	0.00	0.00	0.00	1.68	2.38	4.64	5.86	9.20
47	Jockey Club	6.340	0.00	0.00	0.00	1.69	3.58	1.16	1.84	4.70	6.60	8.50
48	Dade Correctional Institute	4.133	0.00	0.00	1.99	3.73	6.46	0.95	3.50	6.60	8.40	11.30
49	Tamiami Airport	7.374	0.00	0.00	0.00	0.41	1.66	0.95	0.95	2.99	7.70	9.00
50	Sgt. Joe Delancy Park	8.716	0.00	0.00	0.00	1.18	2.99	0.95	0.95	2.99	10.10	11.40
51	MDCC South Campus	9.858	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	8.20	9.60
52	FIU South Campus	7.334	0.00	0.00	0.00	0.00	0.35	0.95	0.95	2.99	6.10	7.60
53	Cutler Ridge Station	6.011	0.00	0.16	4.39	6.79	8.87	0.95	3.96	10.20	12.70	14.70
54	International Mall	8.216										
55	The Falls	8.664	0.00	0.00	0.00	1.16	3.33	0.95	0.95	2.99	8.90	11.80
56	Amelia Earhart Park	-0.230	1.18	1.18	3.22	3.98	3.98	0.95	0.95	2.99	3.75	3.75
57	Tri Rail Miami Airport Station	5.483	0.00	0.00	0.00	0.00	0.00	2.10	3.40	4.50	4.90	5.20
58	Miami Jai Alai	4.326	0.00	0.00	0.00	0.37	0.83	2.10	3.70	4.40	4.80	5.20
59	MDCC North Campus	-0.360	1.31	1.31	3.35	4.11	4.45	0.95	0.95	2.99	3.75	3.94
60	Brownsville Station	7.039	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
61	Dolphin Stadium	8.638	0.00	0.00	0.00	0.00	0.00	1.80	2.80	3.70	4.20	4.50


Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
62	Calder Track	6.966	0.00	0.00	0.00	0.00	0.00	0.99	1.05	3.02	3.79	3.83
63	North Shore Hospital	6.962	0.00	0.00	0.00	0.00	0.45	0.95	0.95	2.99	4.10	7.40
64	South Dade Government Ctr	9.276	0.00	0.00	0.00	0.00	0.00	1.54	2.14	4.14	4.68	6.20
65	Miami Avenue Mover Station	5.025	0.00	0.00	0.57	0.95	3.90	1.95	2.90	5.35	5.97	10.10
66	Bayfront Park Mover Station	4.785	0.00	0.00	1.88	2.61	5.70	2.80	4.50	7.60	8.30	10.30
67	The Mall at 163rd Street	19.719	0.00	0.00	0.00	0.00	0.00	1.80	2.40	3.90	5.40	7.10
68	Fisher Island	4.848	0.00	0.00	0.19	1.77	3.58	2.34	3.70	5.30	6.90	8.70
69	University Country Club	6.011	0.00	0.00	0.00	1.59	2.87	0.95	0.95	2.99	7.70	9.00
70	Town and Country Mall	6.342	0.00	0.00	0.00	0.18	3.13	0.95	0.95	2.99	4.88	8.90
71	Columbia Kendall Medical Ctr	8.764	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	6.60	7.90
72	Concord Shopping Center	6.623	0.00	0.00	0.00	0.53	1.67	0.95	0.95	2.99	7.00	7.90
73	Kendall Mall	7.150	0.00	0.00	0.00	1.05	2.44	0.95	0.95	2.99	8.30	9.70
74	MDPD Headquarters	5.493	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	4.03
75	Coral Reef Park	7.485	0.00	0.00	1.48	3.29	6.59	0.95	7.10	9.00	10.80	14.10
76	Merchandise Mart	6.245	0.00	0.00	0.00	0.00	0.50	1.29	1.69	3.63	4.41	6.80
77	Charles Deering Estate	2.177	0.00	3.93	5.92	9.17	13.29	1.93	4.46	6.82	10.01	15.50
78	Matheson Hammock Park	0.358	5.28	8.25	11.34	13.98	16.31	4.10	7.20	10.20	12.90	15.30
79	Carol City Station	8.742	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
80	Earlington Heights Station	7.725	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
81	Museum of Science	15.616	0.00	0.00	0.00	0.00	0.00	1.82	6.40	9.00	10.90	13.10
82	Vizcaya Museum	18.407	0.00	0.00	0.00	0.00	0.00	1.82	6.40	9.00	10.90	13.10
83	Dade County Jail	5.100	0.00	0.00	0.00	0.00	0.00	1.42	1.93	4.90	4.90	5.10
84	Civic Center Station	6.740	0.00	0.00	0.00	0.00	0.00	1.02	1.11	3.40	3.98	4.17
85	Jackson Memorial Hospital	14.411	0.00	0.00	0.00	0.00	0.00	1.02	1.12	3.38	3.96	4.18
86	Culmer Station	9.533	0.00	0.00	0.00	0.00	0.00	1.49	2.03	3.87	4.27	5.10
87	Parkway Regional Medical Ctr	9.571	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.79
88	Financial Dist Mover Station	5.641	0.00	0.00	0.00	0.45	1.22	1.99	3.00	5.56	6.34	7.30
89	College North Mover Station	10.227	0.00	0.00	0.00	0.00	0.00	1.16	1.39	3.40	4.53	6.03
90	N Miami High School	9.906	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	4.26	4.90
91	Miami Seaquarium	3.079	0.00	0.00	0.00	0.00	0.00	3.35	5.20	7.00	8.00	9.70
92	Dodge Island	8.094	0.00	0.00	0.00	0.00	1.30	2.44	3.91	7.00	8.00	9.80
93	Port of Miami	8.094	0.00	0.00	0.00	0.00	1.30	2.44	3.91	7.00	8.00	9.80
94	Seaport	8.094	0.00	0.00	0.00	0.00	1.30	2.44	3.91	7.00	8.00	9.80

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
95	Intracoastal Station	5.744	0.00	0.00	0.00	0.22	1.66	1.17	1.74	3.59	6.10	7.70
96	Homestead Airport	4.782	0.00	0.00	0.00	2.34	3.48	0.95	0.95	2.99	7.30	8.50
97	Fruit & Spice Park	7.540	0.00	0.00	0.00	0.70	2.31	0.95	0.95	3.01	7.89	9.70
98	Krome Detention Center	8.222	0.00	0.00	0.00	0.00	0.00	0.94	0.94	2.98	3.72	4.62
99	Homestead Hospital	7.870	0.00	0.00	0.00	1.85	4.17	0.95	0.95	4.14	9.50	12.00
100	Braddock High School	5.775	0.00	0.00	0.00	0.00	1.38	0.95	0.95	2.99	3.75	7.20
101	Hammocks Station	6.016	0.00	0.00	0.00	1.65	2.75	0.95	0.95	2.99	7.70	8.90
102	Country Walk Plaza	7.623	0.00	0.00	0.00	1.29	2.70	0.95	0.95	2.99	9.10	10.40
103	Kendall Gate Mall	7.294	0.00	0.00	0.00	0.00	1.79	0.95	0.95	2.99	5.61	9.10
104	MDCC Kendall Campus	9.858	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	8.20	9.60
105	Loehmanns In Kendall	7.047	0.00	0.00	0.00	0.33	1.55	0.95	0.95	2.99	7.20	8.50
106	Cutler Ridge Center	8.475	0.00	0.00	1.46	4.04	6.22	0.95	7.10	10.40	12.80	15.10
107	Youth Fair	6.112	0.00	0.00	0.00	0.20	1.60	0.95	0.95	2.99	6.30	7.70
108	Homestead Bayfront Park	-0.244	4.23	6.61	9.28	11.51	14.08	4.30	6.40	8.90	11.20	13.80
109	Deering Hospital	13.190	0.00	0.00	0.00	0.00	0.40	0.95	0.95	2.99	10.50	13.60
110	Continental Park	10.611	0.00	0.00	0.00	0.00	0.56	0.95	0.95	3.06	9.60	12.20
111	TGK	7.170	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	4.01
112	Shops at Sunset Place	7.022	0.00	0.00	0.00	3.36	4.58	1.53	2.16	5.04	10.10	11.40
113	Matheson Marina	0.358	5.28	8.25	11.34	13.98	16.31	4.10	7.20	10.20	12.90	15.30
114	Wyndham Gateway Hotel	5.827	0.00	0.00	0.00	0.00	0.00	2.10	3.40	4.50	4.90	5.20
115	Northside Shopping Center	8.867	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	7.20
116	Third Street Mover Station	7.364	0.00	0.00	0.00	0.00	2.01	1.95	2.90	5.35	5.97	10.10
117	Knight Center Mover Station	7.131	0.00	0.00	0.00	0.07	3.27	1.95	2.90	5.35	5.97	10.10
118	School Board Mover Station	9.396	0.00	0.00	0.00	0.00	0.00	0.96	0.97	3.24	4.37	4.72
119	Boystown	7.509	0.00	0.00	0.00	0.49	1.61	0.95	0.95	2.99	7.80	9.10
120	Kendale Lakes Mall	6.896	0.00	0.00	0.00	0.00	2.23	0.95	0.95	2.99	4.85	8.70
121	Kendall Village West	6.557	0.00	0.00	0.00	0.00	2.40	0.95	0.95	2.99	5.61	8.90
122	Kendall Indian Hammocks Park	7.639	0.00	0.00	0.00	0.65	1.54	0.95	0.95	2.99	7.90	8.80
123	Tropical Estates Park	6.839	0.00	0.00	0.00	0.57	1.61	0.95	0.95	2.99	7.30	8.30
124	Tropical Park	10.059	0.00	0.00	0.00	0.00	0.00	0.95	0.95	3.00	3.83	8.10
125	Dadeland Mall	9.357	0.00	0.00	0.00	0.00	0.00	0.95	0.95	4.01	5.15	9.30
126	Florida Memorial College	7.365	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
127	Tri Rail Station	9.159	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75


Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
128	183rd Street Flea Market	6.390	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75
129	William Turner Tech School	4.679	0.00	0.00	0.00	0.00	1.97	0.95	0.95	2.99	3.90	5.66
130	Arcola Lake Park	4.594	0.00	0.00	0.00	0.00	2.57	0.95	0.95	2.99	4.11	7.40
131	North Dade Detention Center	-0.540	1.49	1.49	3.53	4.29	5.17	0.95	0.95	2.99	3.75	4.60
132	Santa Clara Station	8.618	0.00	0.00	0.00	0.00	0.00	0.95	0.97	3.04	3.75	3.80
133	Fifth Street Mover Station	4.461	0.00	0.04	2.98	3.39	5.09	2.80	4.60	7.50	7.80	8.90
134	Freedom Tower Mover Station	7.614	0.00	0.00	0.00	0.00	0.20	1.68	2.38	4.64	5.86	9.20
135	Barry University	13.232	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	4.13	4.53
136	Bay Front Park	16.152	0.00	0.00	0.00	0.00	0.00	2.80	4.50	7.20	8.00	10.00
137	California Club Mall	5.748	0.00	0.00	0.00	0.00	0.00	1.07	1.23	3.07	3.79	3.86
138	Cape Florida (Bill Baggs)	0.788	1.26	3.99	6.06	7.57	9.26	2.20	5.00	7.00	8.40	10.10
139	Crandon Park	3.289	0.00	0.78	2.99	4.23	6.02	2.60	4.30	6.60	7.80	9.60
140	FIU North Campus	4.490	0.00	0.00	0.00	1.44	3.14	1.40	3.10	4.20	6.10	7.80
141	Miami Beach Convention Ctr	6.157	0.00	0.00	0.00	0.34	2.16	1.55	2.63	4.80	6.50	8.30
142	Haulover Park	3.802	0.00	0.00	1.28	2.88	4.35	2.40	3.80	5.30	6.80	8.20
143	Everglades Correctional Ctr	4.230	0.00	0.00	0.00	0.00	1.10	0.95	0.95	2.99	3.75	5.50
144	Miccosukee Indian Village	0.000										
145	Homestead City Hall	6.291	0.00	0.00	0.20	3.28	5.82	0.95	0.95	6.40	9.60	12.10
146	South Dade High School	7.765	0.00	0.00	0.00	0.54	4.22	0.95	0.95	3.01	8.70	12.40
147	Homestead Motorsports	4.828	0.00	0.24	3.05	5.34	8.01	0.95	5.00	7.50	10.10	12.80
148	Shops of Kendall	6.825	0.00	0.00	0.00	1.08	2.31	0.95	0.95	2.99	7.70	9.00
149	Baptist Hospital	11.916	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	4.75	5.88
150	Mall of the Americas	5.500	0.00	0.00	0.00	0.00	1.49	0.95	0.95	2.99	3.75	6.70
151	Dadeland South Station	12.162	0.00	0.00	0.00	0.00	0.00	0.95	0.95	8.00	8.90	11.80
152	Stockade	5.897	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.80
153	Dadeland North Station	-0.364	1.31	1.31	4.38	5.38	10.57	0.95	0.95	3.65	4.59	9.10
154	Okeechobee Station	6.345	0.00	0.00	0.00	0.00	0.00	1.58	2.33	3.69	4.29	5.30
155	Pan American Hospital	5.359	0.00	0.00	0.00	0.00	1.19	2.20	3.60	4.90	5.30	6.50
156	Fairchild Gardens	14.644	0.00	0.00	0.00	0.00	0.53	1.53	4.03	10.05	12.13	15.30
157	University Station	11.071	0.00	0.00	0.00	0.00	0.24	4.00	7.00	9.50	10.20	11.30
158	Jones Boat Yard	4.297	0.00	0.00	0.11	0.47	0.93	2.10	3.60	4.50	4.80	5.20
159	Northside Station	6.482	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.77
160	Joseph Caleb Center	10.708	0.00	0.00	0.00	0.00	0.00	0.95	0.95	2.99	3.75	3.75

Map ID	Name	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
161	Tenth St Mover Station	4.946	0.00	0.00	0.81	1.45	2.41	1.99	3.00	5.56	6.34	7.30
162	Overtown Station	12.349	0.00	0.00	0.00	0.00	0.00	1.16	1.39	3.40	4.53	6.03
163	Miami Arena	13.207	0.00	0.00	0.00	0.00	0.00	1.16	1.39	3.40	4.53	6.03
164	Miami Design District	11.180	0.00	0.00	0.00	0.00	0.00	1.06	1.17	3.20	4.70	5.19
165	Gusman Cultural Center	10.180	0.00	0.00	0.00	0.00	0.15	1.95	2.90	5.35	5.97	10.10
166	Dade County Seaport	8.094	0.00	0.00	0.00	0.00	1.30	2.44	3.91	7.00	8.00	9.80
167	Greynolds Park	8.157	0.00	0.00	0.00	0.00	0.00	1.03	1.36	3.27	6.60	7.90
168	Miller Square Shoppes	7.390	0.00	0.00	0.00	0.00	0.75	0.95	0.95	2.99	3.75	8.10
169	Larry & Penny Thompson Park	7.197	0.00	0.00	0.00	3.63	5.49	0.95	0.95	2.99	10.80	13.00
170	Metro Zoo	9.893	0.00	0.00	0.00	0.00	2.65	0.95	0.95	2.99	10.40	12.60
171	Homestead Air Reserve Base	7.422	0.00	0.00	2.47	4.68	6.84	0.95	7.00	9.90	12.10	14.30
172	Cutler Ridge Mall	6.556	0.00	0.00	3.68	6.33	8.46	0.95	2.09	9.90	12.60	14.70
173	Biscayne National Park	1.112	3.66	5.77	8.61	10.79	13.27	4.50	6.70	9.60	11.70	14.20
174	Shops at Dadeland	12.635	0.00	0.00	0.00	0.00	0.00	0.95	0.95	4.01	5.15	9.30
175	Miami Childrens Hospital	7.379	0.00	0.00	0.74	1.30	1.68	1.21	6.40	8.40	8.90	9.40
176	University of Miami	12.224	0.00	0.00	0.00	0.00	0.00	4.10	6.90	9.40	10.60	11.30
177	Coconut Grove Station	11.412	0.00	0.00	0.00	0.00	0.00	0.95	0.95	3.09	4.75	7.35
178	Mercy Hospital	4.148	0.00	2.97	5.60	7.63	9.88	2.47	6.50	9.10	11.10	13.30
179	Brickell Mover Station	11.212	0.00	0.00	0.00	0.00	0.00	1.52	2.08	4.35	4.97	5.40
180	Eighth Street Mover Station	6.070	0.00	0.00	1.16	1.67	2.92	2.80	4.60	7.50	7.80	8.90
181	Government Center Station	8.887	0.00	0.00	0.00	0.00	0.00	1.54	2.14	4.14	4.68	6.20
182	Riverwalk Mover Station	4.787	0.00	0.00	1.93	2.29	4.73	2.80	4.60	7.50	7.80	8.90
183	First St Mover Station	10.761	0.00	0.00	0.00	0.00	0.00	1.95	2.90	5.35	5.97	10.10
184	American Airlines Arena	4.796	0.00	0.00	0.00	1.55	4.11	1.68	2.38	4.64	5.86	9.20
185	OMNI Mover Station	3.821	0.00	0.00	1.62	3.79	5.74	1.46	1.96	5.70	7.30	9.20
186	Loehmanns Fashion Island	6.121	0.00	0.00	0.00	0.00	1.11	0.95	1.00	3.01	6.00	7.00

Figure 2 WSW-WNW Atlas Map Index



This page intentionally left blank.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 1



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 2



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 3



Printed Pages on Yellow



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 4





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 5



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 6



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 7





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 8





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 9





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 10



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 11





MIAMI-DADE COUNTY

**UNINCORPORATED
MIAMI-DADE**

Seven
Palm
Lake

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 12



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 13





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 14



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 15





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 16



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 17



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 18





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 19



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 20



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 21



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 22



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG


This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.


Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 23





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 24





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 25





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 26





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 27



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 28





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 29



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 30





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 31





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 32





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 33





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 34



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 35





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 36



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 37



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 38





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 39



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 40





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 41



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

US National Grid
100,000-m Square ID
NH

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5


SW-WNW Storm Tide

Miami-Dade, 2015


Scale 1:24,000

0 2,000 Feet

Map Plate 42



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 43



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 44





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 45



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 46



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 47





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 48



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 49



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 50

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

**UNINCORPORATED
MIAMI-DADE**

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 51



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 [H] HOSPITAL
 [●] Points of Reference
 [] City Limits
 [] Evacuation Route
 [] NHD Lakes

Storm Tide Category
 [Red] Level 1
 [Orange] Level 2
 [Yellow] Level 3
 [Light Green] Level 4
 [Light Blue] Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 52



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 53



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 54



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 55



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 56





UNINCORPORATED
MIAMI-DADE

MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 57



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 58





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 59





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WN Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 60



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 61



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 62





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 63





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 64





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 65





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 66





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 67





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 68





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 69



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 70





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 71





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 72



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 73



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 74





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 75



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 76





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 77





**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 78



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 79





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 80





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 81



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 82





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 83



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 84



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WN Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 85





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 86



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid

100,000-m Square ID

NJ

Grid Zone Designation

17R

Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5


SW-WNW Storm Tide

Miami-Dade, 2015


Scale 1:24,000



Map Plate 87



Printed Pages on Yellow



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 88



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 89



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 90





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 91



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 92





MIAMI-DADE COUNTY

ISLANDIA

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 93





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 94



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 95



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 96





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 97



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 98





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 99



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 100





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 101



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 102



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 103





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 104



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 105





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
Map Plate 106



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 107

284	288	292	296	300	304	308	312	316	320
292295	292296	292297	292298	292299	292300	292301	292302	292303	292304
292305	292306	292307	292308	292309	292310	292311	292312	292313	292314
292315	292316	292317	292318	292319	292320	292321	292322	292323	292324
292325	292326	292327	292328	292329	292330	292331	292332	292333	292334
292335	292336	292337	292338	292339	292340	292341	292342	292343	292344
292345	292346	292347	292348	292349	292350	292351	292352	292353	292354
292355	292356	292357	292358	292359	292360	292361	292362	292363	292364
292365	292366	292367	292368	292369	292370	292371	292372	292373	292374
292375	292376	292377	292378	292379	292380	292381	292382	292383	292384
292385	292386	292387	292388	292389	292390	292391	292392	292393	292394
292395	292396	292397	292398	292399	292400	292401	292402	292403	292404
292405	292406	292407	292408	292409	292410	292411	292412	292413	292414
292415	292416	292417	292418	292419	292420	292421	292422	292423	292424
292425	292426	292427	292428	292429	292430	292431	292432	292433	292434
292435	292436	292437	292438	292439	292440	292441	292442	292443	292444
292445	292446	292447	292448	292449	292450	292451	292452	292453	292454
292455	292456	292457	292458	292459	292460	292461	292462	292463	292464
292465	292466	292467	292468	292469	292470	292471	292472	292473	292474
292475	292476	292477	292478	292479	292480	292481	292482	292483	292484
292485	292486	292487	292488	292489	292490	292491	292492	292493	292494
292495	292496	292497	292498	292499	292500	292501	292502	292503	292504
292505	292506	292507	292508	292509	292510	292511	292512	292513	292514
292515	292516	292517	292518	292519	292520	292521	292522	292523	292524
292525	292526	292527	292528	292529	292530	292531	292532	292533	292534
292535	292536	292537	292538	292539	292540	292541	292542	292543	292544
292545	292546	292547	292548	292549	292550	292551	292552	292553	292554
292555	292556	292557	292558	292559	292560	292561	292562	292563	292564
292565	292566	292567	292568	292569	292570	292571	292572	292573	292574
292575	292576	292577	292578	292579	292580	292581	292582	292583	292584
292585	292586	292587	292588	292589	292590	292591	292592	292593	292594
292595	292596	292597	292598	292599	292600	292601	292602	292603	292604
292605	292606	292607	292608	292609	292610	292611	292612	292613	292614
292615	292616	292617	292618	292619	292620	292621	292622	292623	292624
292625	292626	292627	292628	292629	292630	292631	292632	292633	292634
292635	292636	292637	292638	292639	292640	292641	292642	292643	292644
292645	292646	292647	292648	292649	292650	292651	292652	292653	292654
292655	292656	292657	292658	292659	292660	292661	292662	292663	292664
292665	292666	292667	292668	292669	292670	292671	292672	292673	292674
292675	292676	292677	292678	292679	292680	292681	292682	292683	292684
292685	292686	292687	292688	292689	292690	292691	292692	292693	292694
292695	292696	292697	292698	292699	292700	292701	292702	292703	292704
292705	292706	292707	292708	292709	292710	292711	292712	292713	292714
292715	292716	292717	292718	292719	292720	292721	292722	292723	292724
292725	292726	292727	292728	292729	292730	292731	292732	292733	292734
292735	292736	292737	292738	292739	292740	292741	292742	292743	292744
292745	292746	292747	292748	292749	292750	292751	292752	292753	292754
292755	292756	292757	292758	292759	292760	292761	292762	292763	292764
292765	292766	292767	292768	292769	292770	292771	292772	292773	292774
292775	292776	292777	292778	292779	292780	292781	292782	292783	292784
292785	292786	292787	292788	292789	292790	292791	292792	292793	292794
292795	292796	292797	292798	292799	292800	292801	292802	292803	292804
292805	292806	292807	292808	292809	292810	292811	292812	292813	292814
292815	292816	292817	292818	292819	292820	292821	292822	292823	292824
292825	292826	292827	292828	292829	292830	292831	292832	292833	292834
292835	292836	292837	292838	292839	292840	292841	292842	292843	292844
292845	292846	292847	292848	292849	292850	292851	292852	292853	292854
292855	292856	292857	292858	292859	292860	292861	292862	292863	292864
292865	292866	292867	292868	292869	292870	292871	292872	292873	292874
292875	292876	292877	292878	292879	292880	292881	292882	292883	292884
292885	292886	292887	292888	292889	292890	292891	292892	292893	292894
292895	292896	292897	292898	292899	292900	292901	292902	292903	292904
292905	292906	292907	292908	292909	292910	292911	292912	292913	292914
292915	292916	292917	292918	292919	292920	292921	292922	292923	292924
292925	292926	292927	292928	292929	292930	292931	292932	292933	292934
292935	292936	292937	292938	292939	292940	292941	292942	292943	292944
292945	292946	292947	292948	292949	292950	292951	292952	292953	292954
292955	292956	292957	292958	292959	292960	292961	292962	292963	292964
292965	292966	292967	292968	292969	292970	292971	292972	292973	292974
292975	292976	292977	292978	292979	292980	292981	292982	292983	292984
292985	292986	292987	292988	292989	292990	292991	292992	292993	292994
292995	292996	292997	292998	292999	293000	293001	293002	293003	293004



MIAMI-DADE COUNTY

UNINCORPORATED MIAMI-DADE

UNINCORPORATED MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 108





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 109





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 110





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 111





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 112





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 113





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 114





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 115





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 116



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 117





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

Homestead
General
Aviation

96

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 118





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 119





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 120





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.



ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 Map Plate 121





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 122

292295	292296	292297	292298	292299	292300	292301	292302	292303	292304	292305	292306	292307	292308	292309	292310
292311	292312	292313	292314	292315	292316	292317	292318	292319	292320	292321	292322	292323	292324	292325	292326
292327	292328	292329	292330	292331	292332	292333	292334	292335	292336	292337	292338	292339	292340	292341	292342
292343	292344	292345	292346	292347	292348	292349	292350	292351	292352	292353	292354	292355	292356	292357	292358
292359	292360	292361	292362	292363	292364	292365	292366	292367	292368	292369	292370	292371	292372	292373	292374
292375	292376	292377	292378	292379	292380	292381	292382	292383	292384	292385	292386	292387	292388	292389	292390
292391	292392	292393	292394	292395	292396	292397	292398	292399	292400	292401	292402	292403	292404	292405	292406
292407	292408	292409	292410	292411	292412	292413	292414	292415	292416	292417	292418	292419	292420	292421	292422
292423	292424	292425	292426	292427	292428	292429	292430	292431	292432	292433	292434	292435	292436	292437	292438
292439	292440	292441	292442	292443	292444	292445	292446	292447	292448	292449	292450	292451	292452	292453	292454
292455	292456	292457	292458	292459	292460	292461	292462	292463	292464	292465	292466	292467	292468	292469	292470
292471	292472	292473	292474	292475	292476	292477	292478	292479	292480	292481	292482	292483	292484	292485	292486
292487	292488	292489	292490	292491	292492	292493	292494	292495	292496	292497	292498	292499	292500	292501	292502
292503	292504	292505	292506	292507	292508	292509	292510	292511	292512	292513	292514	292515	292516	292517	292518
292519	292520	292521	292522	292523	292524	292525	292526	292527	292528	292529	292530	292531	292532	292533	292534
292535	292536	292537	292538	292539	292540	292541	292542	292543	292544	292545	292546	292547	292548	292549	292550
292551	292552	292553	292554	292555	292556	292557	292558	292559	292560	292561	292562	292563	292564	292565	292566
292567	292568	292569	292570	292571	292572	292573	292574	292575	292576	292577	292578	292579	292580	292581	292582
292583	292584	292585	292586	292587	292588	292589	292590	292591	292592	292593	292594	292595	292596	292597	292598
292599	292600	292601	292602	292603	292604	292605	292606	292607	292608	292609	292610	292611	292612	292613	292614
292615	292616	292617	292618	292619	292620	292621	292622	292623	292624	292625	292626	292627	292628	292629	292630
292631	292632	292633	292634	292635	292636	292637	292638	292639	292640	292641	292642	292643	292644	292645	292646
292647	292648	292649	292650	292651	292652	292653	292654	292655	292656	292657	292658	292659	292660	292661	292662
292663	292664	292665	292666	292667	292668	292669	292670	292671	292672	292673	292674	292675	292676	292677	292678
292679	292680	292681	292682	292683	292684	292685	292686	292687	292688	292689	292690	292691	292692	292693	292694
292695	292696	292697	292698	292699	292700	292701	292702	292703	292704	292705	292706	292707	292708	292709	292710
292711	292712	292713	292714	292715	292716	292717	292718	292719	292720	292721	292722	292723	292724	292725	292726
292727	292728	292729	292730	292731	292732	292733	292734	292735	292736	292737	292738	292739	292740	292741	292742
292743	292744	292745	292746	292747	292748	292749	292750	292751	292752	292753	292754	292755	292756	292757	292758
292759	292760	292761	292762	292763	292764	292765	292766	292767	292768	292769	292770	292771	292772	292773	292774
292775	292776	292777	292778	292779	292780	292781	292782	292783	292784	292785	292786	292787	292788	292789	292790
292791	292792	292793	292794	292795	292796	292797	292798	292799	292800	292801	292802	292803	292804	292805	292806
292807	292808	292809	292810	292811	292812	292813	292814	292815	292816	292817	292818	292819	292820	292821	292822
292823	292824	292825	292826	292827	292828	292829	292830	292831	292832	292833	292834	292835	292836	292837	292838
292839	292840	292841	292842	292843	292844	292845	292846	292847	292848	292849	292850	292851	292852	292853	292854
292855	292856	292857	292858	292859	292860	292861	292862	292863	292864	292865	292866	292867	292868	292869	292870
292871	292872	292873	292874	292875	292876	292877	292878	292879	292880	292881	292882	292883	292884	292885	292886
292887	292888	292889	292890	292891	292892	292893	292894	292895	292896	292897	292898	292899	292900	292901	292902
292903	292904	292905	292906	292907	292908	292909	292910	292911	292912	292913	292914	292915	292916	292917	292918
292919	292920	292921	292922	292923	292924	292925	292926	292927	292928	292929	292930	292931	292932	292933	292934
292935	292936	292937	292938	292939	292940	292941	292942	292943	292944	292945	292946	292947	292948	292949	292950
292951	292952	292953	292954	292955	292956	292957	292958	292959	292960	292961	292962	292963	292964	292965	292966
292967	292968	292969	292970	292971	292972	292973	292974	292975	292976	292977	292978	292979	292980	292981	292982
292983	292984	292985	292986	292987	292988	292989	292990	292991	292992	292993	292994	292995	292996	292997	292998
292999	293000	293001	293002	293003	293004	293005	293006	293007	293008	293009	293010	293011	293012	293013	293014
293015	293016	293017	293018	293019	293020	293021	293022	293023	293024	293025	293026	293027	293028	293029	293030
293031	293032	293033	293034	293035	293036	293037	293038	293039	293040	293041	293042	293043	293044	293045	293046
293047	293048	293049	293050	293051	293052	293053	293054	293055	293056	293057	293058	293059	293060	293061	293062
293063	293064	293065	293066	293067	293068	293069	293070	293071	293072	293073	293074	293075	293076	293077	293078
293079	293080	293081	293082	293083	293084	293085	293086	293087	293088	293089	293090	293091	293092	293093	293094
293095	293096	293097	293098	293099	293100	293101	293102	293103	293104	293105	293106	293107	293108	293109	293110
293111	293112	293113	293114	293115	293116	293117	293118	293119	293120	293121	293122	293123	293124	293125	293126
293127	293128	293129	293130	293131	293132	293133	293134	293135	293136	293137	293138	293139	293140	293141	293142
293143	293144	293145	293146	293147	293148	293149	293150	293151	293152	293153	293154	293155	293156	293157	293158
293159	293160	293161	293162	293163	293164	293165	293166	293167	293168	293169	293170	293171	293172	293173	293174
293175	293176	293177	293178	293179	293180	293181	293182	293183	293184	293185	293186	293187	293188	293189	293190
293191	293192	293193	293194	293195	293196	293197	293198	293199	293200	293201	293202	293203	293204	293205	293206
293207	293208	293209	293210	293211	293212	293213	293214	293215	293216	293217	293218	293219	293220	293221	293222
293223	293224	293225	293226	293227	293228	293229	293230	293231	293232	293233	293234	293235	293236	293237	293238
293239	293240	293241	293242	293243	293244	293245	293246	293247	293248	293249	293250	293251	293252	293253	293254
293255	293256	293257	293258	293259	293260	293261	293262	293263	293264	293265	293266	293267	293268	293269	293270
293271	293272	293273	293274	293275	293276	293277	293278	293279	293280	293281	293282	293283	293284	293285	293286
293287	293288	293289	293290	293291	293292	293293	293294	293295	293296	293297	293298	293299	293300	293301	293302
293303	293304	293305	293306	293307	293308	293309	293310	293311	293312	293313	293314	293315	293316	293317	293318
293319	293320														



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 123



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 124



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 125



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 126





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 127





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 128



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 129





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 130





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 131





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 132



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 133





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 134





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 135



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 136





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 137





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 138





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 139



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 140





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 141





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 142



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 143



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 144



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 145



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 146





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 147





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 148





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- ▭ City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 149



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 150





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 151



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.


Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 152





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 153





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- H HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 154





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 [H] HOSPITAL
 [Blue dot] Points of Reference
 [Purple outline] City Limits
 [Red line] Evacuation Route
 [Blue outline] NHD Lakes

Storm Tide Category
 [Red] Level 1
 [Orange] Level 2
 [Yellow] Level 3
 [Light Green] Level 4
 [Light Blue] Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 155



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 156





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 157





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 158



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 159





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 160



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 161





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 162





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 163



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 164





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 165



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 166





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 167





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 168





**UNINCORPORATED
MIAMI-DADE**

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 169





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 170





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 171





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 172





UNINCORPORATED
MIAMI-DADE

MIAMI-DADE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 174



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 175



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 176





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 177





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 178





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 179





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 180





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 181





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 182





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 183



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 184





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 185





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 186





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000



Map Plate 187





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 188





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 189





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 [H] HOSPITAL
 [Blue dot] Points of Reference
 [Purple outline] City Limits
 [Red line] Evacuation Route
 [Blue square] NHD Lakes

Storm Tide Category
 [Red] Level 1
 [Orange] Level 2
 [Yellow] Level 3
 [Light Green] Level 4
 [Light Blue] Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 190



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 191





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 193



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 194



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 195



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 196





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 197



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 198



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 199





MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 200



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 201



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 202





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 203





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 204



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes


- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 205



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.



ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
Map Plate 206





US National Grid
100,000-m Square ID
NJ

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND



- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000

Map Plate 207





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- H HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 209



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- H HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 210





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 211





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 212





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 213



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- - - City Limits
- - - Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 214



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 215





MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 216





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 217



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 218





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 219



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 220





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 221



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


 ■ HOSPITAL
 ● Points of Reference
 □ City Limits
 — Evacuation Route
 ■ NHD Lakes

Storm Tide Category


 ■ Level 1
 ■ Level 2
 ■ Level 3
 ■ Level 4
 ■ Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 226



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
Map Plate 227





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 228



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 229





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 230





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 231



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 232





**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

COLLIER COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 233



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 234



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 235



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 236





MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 237



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 246





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 247





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 248





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 249





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 250





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 251

282	284	286	288	290	292	294	296	298	300	302	304	306	308	310
292	294	296	298	300	302	304	306	308	310	312	314	316	318	320
302	304	306	308	310	312	314	316	318	320	322	324	326	328	330
312	314	316	318	320	322	324	326	328	330	332	334	336	338	340
322	324	326	328	330	332	334	336	338	340	342	344	346	348	350
332	334	336	338	340	342	344	346	348	350	352	354	356	358	360
342	344	346	348	350	352	354	356	358	360	362	364	366	368	370
352	354	356	358	360	362	364	366	368	370	372	374	376	378	380
362	364	366	368	370	372	374	376	378	380	382	384	386	388	390
372	374	376	378	380	382	384	386	388	390	392	394	396	398	400
382	384	386	388	390	392	394	396	398	400	402	404	406	408	410
392	394	396	398	400	402	404	406	408	410	412	414	416	418	420
402	404	406	408	410	412	414	416	418	420	422	424	426	428	430
412	414	416	418	420	422	424	426	428	430	432	434	436	438	440
422	424	426	428	430	432	434	436	438	440	442	444	446	448	450
432	434	436	438	440	442	444	446	448	450	452	454	456	458	460
442	444	446	448	450	452	454	456	458	460	462	464	466	468	470
452	454	456	458	460	462	464	466	468	470	472	474	476	478	480
462	464	466	468	470	472	474	476	478	480	482	484	486	488	490
472	474	476	478	480	482	484	486	488	490	492	494	496	498	500
482	484	486	488	490	492	494	496	498	500	502	504	506	508	510
492	494	496	498	500	502	504	506	508	510	512	514	516	518	520
502	504	506	508	510	512	514	516	518	520	522	524	526	528	530
512	514	516	518	520	522	524	526	528	530	532	534	536	538	540
522	524	526	528	530	532	534	536	538	540	542	544	546	548	550
532	534	536	538	540	542	544	546	548	550	552	554	556	558	560
542	544	546	548	550	552	554	556	558	560	562	564	566	568	570
552	554	556	558	560	562	564	566	568	570	572	574	576	578	580
562	564	566	568	570	572	574	576	578	580	582	584	586	588	590
572	574	576	578	580	582	584	586	588	590	592	594	596	598	600
582	584	586	588	590	592	594	596	598	600	602	604	606	608	610
592	594	596	598	600	602	604	606	608	610	612	614	616	618	620
602	604	606	608	610	612	614	616	618	620	622	624	626	628	630
612	614	616	618	620	622	624	626	628	630	632	634	636	638	640
622	624	626	628	630	632	634	636	638	640	642	644	646	648	650
632	634	636	638	640	642	644	646	648	650	652	654	656	658	660
642	644	646	648	650	652	654	656	658	660	662	664	666	668	670
652	654	656	658	660	662	664	666	668	670	672	674	676	678	680
662	664	666	668	670	672	674	676	678	680	682	684	686	688	690
672	674	676	678	680	682	684	686	688	690	692	694	696	698	700
682	684	686	688	690	692	694	696	698	700	702	704	706	708	710
692	694	696	698	700	702	704	706	708	710	712	714	716	718	720
702	704	706	708	710	712	714	716	718	720	722	724	726	728	730
712	714	716	718	720	722	724	726	728	730	732	734	736	738	740
722	724	726	728	730	732	734	736	738	740	742	744	746	748	750
732	734	736	738	740	742	744	746	748	750	752	754	756	758	760
742	744	746	748	750	752	754	756	758	760	762	764	766	768	770
752	754	756	758	760	762	764	766	768	770	772	774	776	778	780
762	764	766	768	770	772	774	776	778	780	782	784	786	788	790
772	774	776	778	780	782	784	786	788	790	792	794	796	798	800
782	784	786	788	790	792	794	796	798	800	802	804	806	808	810
792	794	796	798	800	802	804	806	808	810	812	814	816	818	820
802	804	806	808	810	812	814	816	818	820	822	824	826	828	830
812	814	816	818	820	822	824	826	828	830	832	834	836	838	840
822	824	826	828	830	832	834	836	838	840	842	844	846	848	850
832	834	836	838	840	842	844	846	848	850	852	854	856	858	860
842	844	846	848	850	852	854	856	858	860	862	864	866	868	870
852	854	856	858	860	862	864	866	868	870	872	874	876	878	880
862	864	866	868	870	872	874	876	878	880	882	884	886	888	890
872	874	876	878	880	882	884	886	888	890	892	894	896	898	900
882	884	886	888	890	892	894	896	898	900	902	904	906	908	910
892	894	896	898	900	902	904	906	908	910	912	914	916	918	920
902	904	906	908	910	912	914	916	918	920	922	924	926	928	930
912	914	916	918	920	922	924	926	928	930	932	934	936	938	940
922	924	926	928	930	932	934	936	938	940	942	944	946	948	950
932	934	936	938	940	942	944	946	948	950	952	954	956	958	960
942	944	946	948	950	952	954	956	958	960	962	964	966	968	970
952	954	956	958	960	962	964	966	968	970	972	974	976	978	980
962	964	966	968	970	972	974	976	978	980	982	984	986	988	990
972	974	976	978	980	982	984	986	988	990	992	994	996	998	1000



MIAMI-DADE COUNTY

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 252



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

COLLIER COUNTY

**Dade-Collier
Training and
Transition**

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 253



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY

UNINCORPORATED
MIAMI-DADE

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 254



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 265





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 266



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 267



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 268



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG





Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 269





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 [HOSPITAL] HOSPITAL
 [Points of Reference] Points of Reference
 [City Limits] City Limits
 [Evacuation Route] Evacuation Route
 [NHD Lakes] NHD Lakes

Storm Tide Category
 [Red] Level 1
 [Orange] Level 2
 [Yellow] Level 3
 [Light Green] Level 4
 [Light Blue] Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 270





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 271

282	284	286	288	290	292	294	296	298	300	302	304	306	308	310
272	274	276	278	280	282	284	286	288	290	292	294	296	298	300
262	264	266	268	270	272	274	276	278	280	282	284	286	288	290
252	254	256	258	260	262	264	266	268	270	272	274	276	278	280
242	244	246	248	250	252	254	256	258	260	262	264	266	268	270
232	234	236	238	240	242	244	246	248	250	252	254	256	258	260
222	224	226	228	230	232	234	236	238	240	242	244	246	248	250
212	214	216	218	220	222	224	226	228	230	232	234	236	238	240
202	204	206	208	210	212	214	216	218	220	222	224	226	228	230
192	194	196	198	200	202	204	206	208	210	212	214	216	218	220
182	184	186	188	190	192	194	196	198	200	202	204	206	208	210
172	174	176	178	180	182	184	186	188	190	192	194	196	198	200
162	164	166	168	170	172	174	176	178	180	182	184	186	188	190
152	154	156	158	160	162	164	166	168	170	172	174	176	178	180
142	144	146	148	150	152	154	156	158	160	162	164	166	168	170
132	134	136	138	140	142	144	146	148	150	152	154	156	158	160
122	124	126	128	130	132	134	136	138	140	142	144	146	148	150
112	114	116	118	120	122	124	126	128	130	132	134	136	138	140
102	104	106	108	110	112	114	116	118	120	122	124	126	128	130
92	94	96	98	100	102	104	106	108	110	112	114	116	118	120
82	84	86	88	90	92	94	96	98	100	102	104	106	108	110
72	74	76	78	80	82	84	86	88	90	92	94	96	98	100
62	64	66	68	70	72	74	76	78	80	82	84	86	88	90
52	54	56	58	60	62	64	66	68	70	72	74	76	78	80
42	44	46	48	50	52	54	56	58	60	62	64	66	68	70
32	34	36	38	40	42	44	46	48	50	52	54	56	58	60
22	24	26	28	30	32	34	36	38	40	42	44	46	48	50
12	14	16	18	20	22	24	26	28	30	32	34	36	38	40
2	4	6	8	10	12	14	16	18	20	22	24	26	28	30



MIAMI-DADE COUNTY

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 272



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 284



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 285





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.



ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
Map Plate 286



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 288



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 289





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 290



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 291

292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292
263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282
253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262
233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252
223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242
213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232
203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222
193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212
183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202
173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192
163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182
153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172
143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162
133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152
123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142
113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132
103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122
93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112
83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102
73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92
63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82
53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72
43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62
33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 303



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 304





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 305





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 306





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 307





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000

Map Plate 308





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 309





US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:

1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

SW-WNW Storm Tide
 Miami-Dade, 2015
 Scale 1:24,000

Map Plate 310





US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

SW-WNW Storm Tide
Miami-Dade, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 311



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



Funding was provided by the Florida Legislature with funding from the Federal Emergency Management Agency (FEMA) through the Florida Division of Emergency Management. Local match was provided by the South Florida Regional Council and the counties of Broward, Miami-Dade and Monroe.

Florida Division of Emergency Management
Bryan Koon, Director
2255 Shumard Oak Boulevard
Tallahassee, Florida 32399



Prepared and published by the
South Florida Regional Council, 3440 Hollywood Boulevard, Suite 140
Hollywood, Florida 33021
Tel: (954) 985-4416, Fax: (954) 985-4417, Website: www.sfregionalcouncil.org
Study Manager: Richard F. Ogburn; GIS: Manny Cela
Statewide Program Manager: Elizabeth Payne, Northeast Florida Regional Council