



# FLORIDA STATEWIDE REGIONAL EVACUATION STUDY PROGRAM



**DIRECTIONAL  
ATLAS**

**MONROE COUNTY**

**VOLUME 10-11**

**BOOK 3B**

**NE-E DIRECTIONAL STORMS**

**FLORIDA DIVISION OF  
EMERGENCY MANAGEMENT**

**SOUTH FLORIDA  
REGIONAL COUNCIL**



**SOUTH FLORIDA REGION**



**INCLUDES HURRICANE EVACUATION STUDY**



**2015**



**STATEWIDE  
REGIONAL  
EVACUATION  
STUDY PROGRAM**





# SOUTH FLORIDA STORM TIDE DIRECTIONAL ATLAS

## Volume 10-11 Book 3B – Monroe County *NE-E Direction*

This Atlas is part of Volume 10 of the *Statewide Regional Evacuation Study Program* (SRESP), and one of three sets of county books in the *South Florida Storm Tide Directional Atlas* series. Book 1 covers Broward County; Book 2 covers Miami-Dade County; and Book 3 covers Monroe County. In each county, the primary volume presents an overview of the study and the methodology, while the Appendices, numbered from A to E, include the surge inundation maps for each of five directional storm clusters. The Atlas maps identify those areas subject to potential storm tide flooding from the five categories of hurricane on the Saffir-Simpson Hurricane Wind Scale, as determined by the National Oceanic and Atmospheric Administration (NOAA) numerical storm surge model, Sea, Lake and Overland Surges from Hurricanes (SLOSH). Volume 10 is unique in that it is based on the direction the storm is heading and depicts the resulting surge of storms approaching from that specific directional angle.

The *Storm Tide Directional Atlas* series supplements the original hazards analysis for storm tides (Volume 7-11) and depth (Volume 9-11), and enhances a key component of the SRESP. The *Technical Data Report* (Volume 1-11) was built upon the original storm tide analysis and includes the evacuation zones and population estimates, results of the evacuation behavioral data, shelter analysis and evacuation transportation analysis. The study, which provides vital information to state and local emergency management, forms the basis for county evacuation plans. The final study documents are available on the Internet at <http://www.sfregionalcouncil.org/sresp.htm>.

This Atlas series was produced by the South Florida Regional Council with funding from the Federal Emergency Management Agency, through the Florida Division of Emergency Management.



South Florida Regional Council  
3440 Hollywood Boulevard, Suite 140, Hollywood, FL 33021  
Telephone: (954) 985-4416, Fax: (954) 985-4417  
Email: [sfadmin@sfregionalcouncil.org](mailto:sfadmin@sfregionalcouncil.org), Website: [www.sfregionalcouncil.org](http://www.sfregionalcouncil.org)

# CREDITS AND ACKNOWLEDGEMENTS



Funding was provided by the Florida Legislature with funds from the Federal Emergency Management Agency (FEMA), through the Florida Division of Emergency Management (FDEM), 2555 Shumard Oak Boulevard, Tallahassee, 32399, [www.floridadisaster.org](http://www.floridadisaster.org). Local match was provided by the counties of Broward, Miami-Dade and Monroe.

The Council acknowledges and extends its appreciation to the following agencies and people for their cooperation and assistance in the development of this Atlas:

**National Oceanic and Atmospheric Administration (NOAA/TPC-NHC)** for the SLOSH numerical storm surge model developed by the late Chester L. Jelesnianski, the development of the 2009 Biscayne Bay and Florida Bay Basins under the management of Jamie Rhome, and for the storm tide computation and interpretation provided by the NOAA Storm Surge Modeling team.

**Florida Division of Emergency Management**

Bryan Koon, Director  
 Andrew Sussman, Hurricane Program Manager  
 Richard Butgereit, GIS Manager

**Northeast Florida Regional Council**

Elizabeth Payne, Project Manager

**Florida Emergency Preparedness Association**

For their support in this statewide effort

**County Emergency Management Agencies**

Miguel Ascarrunz, Director, Broward County  
 Emergency Management Division  
 Curtis Sommerhoff, Director, Miami-Dade County  
 Department of Emergency Management and  
 Homeland Security  
 Irene Toner, Director, Monroe County Emergency  
 Management Department



## A. Storm Tide Directional Atlas

The surge inundation limits (directional maximum surge heights minus the ground elevations) are provided as GIS shape files and graphically displayed on maps in the *Directional Storm Tide Atlas for the South Florida Region*. The *Atlas* was prepared by the South Florida Regional Council under contract to the State of Florida, Division of Emergency Management, as part of this study effort. The maps prepared for the *Atlas* consist of base maps (1:24000) including topographic, hydrographic and highway files (updated using 2008 county and state highway data). Detailed shoreline and storm tide limits for each category of storm were determined using the region's geographic information system (GIS).

The purpose of the maps contained in this Atlas is to reflect a worst probable scenario of the hurricane storm tide inundation for a given cluster of compass directions that a storm would be heading and to provide a basis for the hurricane evacuation zones and study analyses. While the storm tide delineations include the addition of an astronomical mean high tide and tidal anomaly, it should be noted that the data reflects only stillwater saltwater flooding. **Local processes such as waves, rainfall and flooding from overflowing rivers, are usually included in observations of storm tide height, but are not surge and are not calculated by the SLOSH model. It is incumbent upon local emergency management officials and planners to estimate the degree and extent of freshwater flooding as well as to determine the magnitude of the waves that will accompany the surge.**

Although the methodology used for surge determination in this Atlas does the most to reduce inconsistencies and human subjectivity, factors remain in the data itself that could show variations from previous efforts and results. Whenever a SLOSH basin is changed in any way, results can vary. Using MEOW (Maximum Envelope of Water) data as we do in this directional atlas, instead of the MOM (Maximum of Maximums) data, and choosing directional subsets of the maximums (MOMs) will indeed produce different results than other atlases – and this was expected. Other factors can include different elevation model data, as well as number and scope of selected SLOSH basin grid cells. Also, any data that is beyond the original extent or boundary of the basin is interpolation influenced by the modeling trend up to that location, and hand adaptation of basin extensions.

Figure 1 shows the projected surge inundation for each category of storm for storms moving in a NE-E direction. Figure 2 provides an index of the NE-E directional map series for Monroe County.

## B. Points of Reference

County emergency management agencies selected reference points, which include key facilities or locations critical for emergency operations. The Table 1 includes the map identification number, descriptions of the selected points, and the elevation of the site. The elevation is based on the digital elevation data provided by LiDAR. It should be noted that if the site is large, elevations may vary significantly. Table 1 also provides the storm tide value from the SLOSH value and the depth of inundation (storm tide value minus the ground elevation) at the site.

Figure 1 Directional NE-E Storm Surge for Monroe County




Table 1 Selected Points of Reference, NE-E Direction – Monroe County

| Marker ID # | Elevation | C1 Depth <sup>1</sup> | C2 Depth | C3 Depth | C4 Depth | C5 Depth | C1 Surge <sup>2</sup> | C2 Surge | C3 Surge | C4 Surge | C5 Surge |
|-------------|-----------|-----------------------|----------|----------|----------|----------|-----------------------|----------|----------|----------|----------|
| 0           | 10.059    | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.60                  | 3.89     | 8.10     | 8.60     | 10.40    |
| 1           | 4.741     | 0.00                  | 0.00     | 3.48     | 3.97     | 5.39     | 2.60                  | 3.89     | 8.10     | 8.60     | 10.40    |
| 2           | 2.607     | 0.43                  | 1.35     | 6.38     | 6.47     | 7.48     | 3.10                  | 3.80     | 9.60     | 9.50     | 10.50    |
| 3           | 2.691     | 0.38                  | 1.51     | 6.12     | 6.56     | 7.74     | 3.10                  | 3.80     | 9.60     | 9.50     | 10.50    |
| 4           | 3.393     | 0.00                  | 1.34     | 4.68     | 6.55     | 7.75     | 3.13                  | 4.71     | 8.60     | 10.50    | 11.70    |
| 5           | 5.975     | 0.00                  | 0.00     | 0.57     | 5.50     | 6.19     | 2.70                  | 3.00     | 5.40     | 12.20    | 12.60    |
| 6           | 13.506    | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 3.60                  | 5.70     | 8.40     | 9.90     | 11.80    |
| 7           | 2.655     | 0.56                  | 2.57     | 3.02     | 6.89     | 9.51     | 3.33                  | 5.30     | 5.60     | 9.70     | 12.30    |
| 8           | 12.702    | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 3.80                  | 6.20     | 8.80     | 9.80     | 12.30    |
| 9           | 3.638     | 0.00                  | 2.07     | 4.72     | 5.88     | 8.27     | 3.39                  | 6.20     | 8.70     | 9.90     | 12.20    |
| 10          | 2.980     | 0.60                  | 3.93     | 7.16     | 8.34     | 10.53    | 2.60                  | 6.50     | 9.70     | 10.70    | 12.60    |
| 11          | 5.285     | 0.00                  | 0.56     | 2.99     | 4.56     | 6.63     | 2.60                  | 6.50     | 9.70     | 10.70    | 12.60    |
| 12          | 6.036     | 0.00                  | 0.12     | 1.01     | 2.57     | 5.19     | 3.80                  | 6.40     | 7.20     | 8.70     | 11.30    |
| 13          | 5.086     | 0.00                  | 1.01     | 2.04     | 3.18     | 5.56     | 4.00                  | 7.10     | 8.10     | 9.20     | 11.90    |
| 14          | 2.966     | 0.00                  | 3.25     | 4.37     | 5.63     | 7.91     | 2.50                  | 6.30     | 7.50     | 8.70     | 11.00    |
| 15          | 8.073     | 0.00                  | 0.18     | 1.20     | 3.41     | 4.76     | 4.00                  | 6.40     | 7.60     | 10.40    | 11.20    |
| 16          | 6.064     | 0.00                  | 0.68     | 2.28     | 4.18     | 5.05     | 4.30                  | 7.50     | 9.30     | 10.40    | 11.50    |
| 17          | 4.566     | 0.00                  | 2.05     | 4.05     | 5.96     | 6.72     | 2.80                  | 5.40     | 7.60     | 10.00    | 10.60    |
| 18          | 3.041     | 0.36                  | 3.52     | 5.33     | 7.39     | 8.08     | 4.40                  | 7.50     | 9.10     | 11.30    | 11.90    |
| 19          | 4.073     | 0.00                  | 1.98     | 4.20     | 6.14     | 7.45     | 2.10                  | 5.70     | 8.30     | 9.40     | 11.00    |
| 20          | 4.288     | 0.00                  | 1.49     | 4.19     | 5.90     | 7.41     | 3.70                  | 5.60     | 8.60     | 9.70     | 11.50    |
| 21          | 3.867     | 1.26                  | 3.52     | 6.07     | 7.53     | 9.24     | 3.70                  | 5.60     | 8.60     | 9.70     | 11.50    |
| 22          | 4.332     | 2.62                  | 4.89     | 7.01     | 8.75     | 10.40    | 4.30                  | 6.40     | 8.50     | 10.40    | 12.10    |
| 23          | 1.573     | 1.84                  | 3.70     | 5.59     | 7.52     | 9.01     | 4.20                  | 6.00     | 8.00     | 10.00    | 11.50    |
| 24          | 6.646     | 0.00                  | 0.00     | 0.58     | 2.34     | 3.84     | 4.20                  | 5.80     | 7.70     | 9.40     | 10.90    |
| 25          | 1.752     | 1.88                  | 3.82     | 5.37     | 6.77     | 8.10     | 4.20                  | 6.20     | 7.50     | 8.70     | 10.00    |
| 26          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 4.30                  | 6.40     | 7.10     | 8.10     | 9.30     |
| 27          | 4.061     | 0.00                  | 1.49     | 3.39     | 5.09     | 6.22     | 4.10                  | 5.30     | 7.00     | 9.50     | 10.60    |
| 28          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 4.10                  | 5.30     | 7.00     | 9.50     | 10.60    |

<sup>1</sup> Depth refers to the depth of inundation at the site (storm surge value minus the ground elevation)


<sup>2</sup> Surge refers to the storm surge value from the SLOSH Model

| Marker ID # | Elevation | C1 Depth <sup>1</sup> | C2 Depth | C3 Depth | C4 Depth | C5 Depth | C1 Surge <sup>2</sup> | C2 Surge | C3 Surge | C4 Surge | C5 Surge |
|-------------|-----------|-----------------------|----------|----------|----------|----------|-----------------------|----------|----------|----------|----------|
| 29          | 6.994     | 0.00                  | 0.00     | 0.00     | 3.02     | 4.29     | 4.10                  | 5.30     | 7.30     | 11.20    | 12.40    |
| 30          | 4.007     | 0.00                  | 1.15     | 3.19     | 6.36     | 7.40     | 4.10                  | 5.40     | 7.50     | 10.80    | 11.70    |
| 31          | 6.036     | 0.00                  | 0.00     | 1.24     | 3.92     | 4.62     | 3.70                  | 5.20     | 7.40     | 10.00    | 10.80    |
| 32          | 4.613     | 0.00                  | 0.00     | 1.09     | 3.63     | 5.02     | 3.00                  | 5.00     | 7.10     | 10.20    | 10.70    |
| 33          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.60                  | 4.20     | 5.80     | 7.50     | 10.20    |
| 34          | 6.963     | 0.00                  | 0.00     | 0.00     | 0.74     | 2.63     | 2.60                  | 4.20     | 5.70     | 7.30     | 9.80     |
| 35          | 12.071    | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.90                  | 5.00     | 7.10     | 9.30     | 9.90     |
| 36          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.40                  | 3.80     | 5.30     | 6.70     | 8.70     |
| 37          | 5.020     | 0.00                  | 0.00     | 0.18     | 1.95     | 4.85     | 2.40                  | 3.80     | 5.30     | 6.70     | 8.70     |
| 38          | 4.760     | 0.00                  | 0.00     | 0.53     | 2.95     | 4.67     | 2.50                  | 3.90     | 5.40     | 7.90     | 9.90     |
| 39          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.40                  | 4.30     | 6.30     | 8.30     | 10.20    |
| 40          | 14.615    | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.30                  | 3.80     | 5.00     | 6.50     | 7.80     |
| 41          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.30                  | 3.60     | 4.70     | 6.20     | 8.00     |
| 42          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.30                  | 3.60     | 4.70     | 6.20     | 8.00     |
| 43          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.30                  | 3.80     | 4.90     | 6.30     | 7.60     |
| 44          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.20                  | 3.50     | 5.00     | 6.60     | 8.70     |
| 45          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.20                  | 3.30     | 5.10     | 6.40     | 8.60     |
| 46          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.10                  | 3.30     | 5.20     | 6.40     | 8.60     |
| 47          | 8.060     | 0.00                  | 0.00     | 0.00     | 0.00     | 1.37     | 2.50                  | 4.70     | 6.90     | 8.70     | 10.20    |
| 48          | 3.277     | 0.00                  | 1.42     | 3.35     | 4.86     | 6.53     | 2.74                  | 5.70     | 7.20     | 8.80     | 10.50    |
| 49          | 4.370     | 0.00                  | 1.63     | 3.02     | 4.46     | 6.10     | 2.74                  | 5.70     | 7.20     | 8.80     | 10.50    |
| 50          | 3.905     | 0.00                  | 2.24     | 3.96     | 5.10     | 6.38     | 2.85                  | 6.20     | 7.80     | 8.90     | 10.30    |
| 51          | 4.269     | 0.00                  | 1.47     | 3.18     | 4.54     | 5.76     | 3.14                  | 6.60     | 7.90     | 9.50     | 10.90    |
| 52          | 4.092     | 0.00                  | 2.27     | 3.73     | 5.60     | 7.06     | 2.98                  | 6.10     | 7.60     | 9.40     | 10.80    |
| 53          | 5.112     | 0.00                  | 0.99     | 2.92     | 4.75     | 5.80     | 3.50                  | 6.70     | 8.90     | 10.60    | 12.10    |
| 54          | 4.713     | 0.00                  | 2.42     | 4.75     | 6.33     | 7.67     | 3.60                  | 6.70     | 8.80     | 10.30    | 11.70    |
| 55          | 5.707     | 0.00                  | 2.65     | 4.22     | 5.58     | 7.44     | 3.60                  | 6.80     | 8.30     | 9.40     | 11.30    |
| 56          | 2.932     | 0.00                  | 3.15     | 5.40     | 6.62     | 7.94     | 2.80                  | 7.20     | 9.50     | 11.00    | 12.20    |
| 57          | 3.096     | 0.00                  | 2.21     | 4.65     | 6.05     | 7.69     | 2.50                  | 4.10     | 6.60     | 7.90     | 9.80     |
| 58          | 2.645     | 0.12                  | 2.22     | 4.77     | 6.18     | 8.40     | 3.50                  | 7.00     | 8.90     | 10.50    | 12.50    |
| 59          | 3.660     | 0.00                  | 0.72     | 4.02     | 5.79     | 8.67     | 2.80                  | 4.50     | 8.00     | 9.70     | 12.70    |
| 60          | 5.364     | 0.00                  | 0.00     | 1.09     | 3.19     | 5.16     | 3.00                  | 5.60     | 7.50     | 9.60     | 11.50    |
| 61          | 3.563     | 0.00                  | 0.00     | 2.17     | 5.39     | 7.09     | 2.00                  | 3.70     | 6.10     | 9.30     | 11.00    |
| 62          | 7.959     | 0.00                  | 0.00     | 0.00     | 0.00     | 1.06     | 2.20                  | 3.50     | 5.00     | 6.20     | 7.90     |


| Marker ID # | Elevation | C1 Depth <sup>1</sup> | C2 Depth | C3 Depth | C4 Depth | C5 Depth | C1 Surge <sup>2</sup> | C2 Surge | C3 Surge | C4 Surge | C5 Surge |
|-------------|-----------|-----------------------|----------|----------|----------|----------|-----------------------|----------|----------|----------|----------|
| 63          | 9.015     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 1.90                  | 3.00     | 4.90     | 7.10     | 9.20     |
| 64          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 1.90                  | 3.00     | 4.30     | 6.40     | 8.50     |
| 65          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.00                  | 3.20     | 4.50     | 5.90     | 8.00     |
| 66          | 2.525     | 0.29                  | 1.72     | 3.44     | 5.35     | 7.00     | 2.10                  | 3.70     | 5.60     | 7.70     | 9.20     |
| 67          | 2.574     | 0.55                  | 2.06     | 3.69     | 5.38     | 6.95     | 2.50                  | 3.90     | 5.30     | 6.70     | 8.30     |
| 68          | 3.456     | 0.00                  | 1.58     | 3.44     | 4.99     | 6.90     | 2.40                  | 4.30     | 6.30     | 7.90     | 10.00    |
| 69          | 2.297     | 0.27                  | 2.15     | 4.51     | 6.51     | 8.72     | 2.60                  | 4.40     | 6.70     | 8.60     | 10.50    |
| 70          | 5.317     | 0.00                  | 1.44     | 3.58     | 5.78     | 8.11     | 2.50                  | 4.50     | 6.70     | 8.70     | 11.10    |
| 71          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.40                  | 4.40     | 6.40     | 8.40     | 10.50    |
| 72          | 8.367     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.24     | 2.30                  | 3.80     | 5.10     | 6.10     | 7.20     |
| 73          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.30                  | 3.60     | 4.90     | 5.90     | 8.00     |
| 74          | 2.194     | 0.18                  | 1.95     | 3.46     | 4.55     | 6.11     | 2.30                  | 3.70     | 5.00     | 6.00     | 7.50     |
| 75          | 2.451     | 0.00                  | 1.52     | 3.22     | 4.40     | 5.79     | 2.40                  | 3.90     | 5.60     | 6.80     | 8.30     |
| 76          | 2.876     | 0.00                  | 1.27     | 2.72     | 3.80     | 5.20     | 2.40                  | 3.80     | 5.20     | 6.10     | 7.30     |
| 77          | 3.667     | 0.00                  | 0.53     | 2.00     | 3.53     | 5.27     | 2.30                  | 3.60     | 5.00     | 7.10     | 9.10     |
| 78          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.30                  | 3.60     | 5.00     | 7.10     | 9.10     |
| 79          | 3.546     | 0.00                  | 0.96     | 2.77     | 4.88     | 7.20     | 2.90                  | 4.90     | 7.00     | 9.10     | 11.10    |
| 80          | 4.008     | 0.00                  | 0.55     | 2.41     | 4.71     | 7.05     | 2.80                  | 4.90     | 6.80     | 9.60     | 11.90    |
| 81          | 7.454     | 0.00                  | 0.00     | 0.00     | 3.11     | 5.18     | 3.20                  | 5.70     | 8.00     | 12.70    | 14.10    |
| 82          | 8.102     | 0.00                  | 0.00     | 0.00     | 2.53     | 5.00     | 2.85                  | 4.89     | 5.30     | 10.80    | 13.60    |
| 83          | 6.194     | 0.00                  | 0.00     | 1.58     | 3.63     | 6.78     | 3.08                  | 6.50     | 8.50     | 11.00    | 13.90    |
| 84          | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 2.30                  | 3.60     | 5.00     | 6.10     | 10.40    |
| 85          | 4.906     | 0.00                  | 0.97     | 3.03     | 4.70     | 7.20     | 3.50                  | 6.20     | 8.30     | 10.00    | 12.40    |
| 86          | 8.167     | 0.00                  | 0.00     | 0.04     | 1.71     | 3.72     | 2.40                  | 6.20     | 8.20     | 9.60     | 11.50    |
| 87          | 8.171     | 0.00                  | 0.00     | 0.00     | 2.57     | 5.77     | 2.50                  | 4.00     | 5.30     | 9.70     | 13.70    |
| 88          | 7.211     | 0.00                  | 0.00     | 0.26     | 5.11     | 7.41     | 3.29                  | 5.64     | 7.39     | 12.30    | 14.60    |
| 89          | 6.315     | 0.00                  | 0.40     | 2.44     | 5.87     | 8.13     | 4.20                  | 7.50     | 9.80     | 13.40    | 15.80    |
| 90          | 4.857     | 0.00                  | 1.88     | 3.94     | 9.90     | 12.73    | 4.40                  | 7.60     | 10.00    | 14.10    | 16.90    |
| 91          | 5.902     | 0.00                  | 0.00     | 0.63     | 6.73     | 8.98     | 3.56                  | 5.00     | 6.20     | 12.30    | 14.40    |
| 92          | 7.074     | 0.00                  | 0.00     | 0.16     | 3.56     | 5.25     | 2.70                  | 4.50     | 6.30     | 8.30     | 10.10    |
| 93          | 2.251     | 1.91                  | 5.91     | 8.38     | 11.46    | 12.31    | 4.01                  | 7.80     | 10.10    | 13.20    | 14.40    |
| 94          | 7.940     | 0.00                  | 0.02     | 2.86     | 3.92     | 6.18     | 4.50                  | 7.70     | 10.50    | 11.30    | 13.40    |
| 95          | 4.314     | 0.18                  | 3.18     | 5.80     | 6.15     | 10.55    | 4.70                  | 7.70     | 10.60    | 11.00    | 14.90    |
| 96          | 8.715     | 0.00                  | 0.00     | 0.00     | 0.00     | 5.46     | 3.96                  | 6.74     | 7.40     | 8.30     | 14.20    |

| Marker ID # | Elevation | C1 Depth <sup>1</sup> | C2 Depth | C3 Depth | C4 Depth | C5 Depth | C1 Surge <sup>2</sup> | C2 Surge | C3 Surge | C4 Surge | C5 Surge |
|-------------|-----------|-----------------------|----------|----------|----------|----------|-----------------------|----------|----------|----------|----------|
| 97          | 9.549     | 0.00                  | 0.00     | 0.90     | 2.24     | 4.17     | 4.10                  | 8.20     | 11.50    | 12.70    | 14.80    |
| 98          | 9.138     | 0.00                  | 0.00     | 2.99     | 4.06     | 5.57     | 3.87                  | 8.30     | 11.60    | 12.80    | 14.20    |
| 99          | 9.345     | 0.00                  | 0.00     | 3.15     | 3.68     | 4.96     | 4.23                  | 8.50     | 12.30    | 12.80    | 14.30    |
| 100         | 8.373     | 0.00                  | 0.19     | 4.58     | 5.31     | 5.99     | 3.79                  | 8.60     | 13.10    | 13.90    | 14.40    |
| 101         | 10.942    | 0.00                  | 0.00     | 1.02     | 2.11     | 2.68     | 3.87                  | 8.70     | 13.30    | 14.20    | 14.50    |
| 102         | 11.087    | 0.00                  | 0.00     | 0.00     | 0.70     | 1.66     | 4.60                  | 8.70     | 13.40    | 14.30    | 14.60    |
| 103         | 11.512    | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 3.00                  | 5.10     | 6.80     | 8.60     | 10.30    |
| 104         | 11.428    | 0.00                  | 0.00     | 0.32     | 1.86     | 2.40     | 3.66                  | 6.75     | 12.20    | 13.30    | 13.70    |
| 105         | 9.875     | 0.00                  | 0.00     | 0.48     | 2.32     | 2.97     | 3.90                  | 8.50     | 12.60    | 13.60    | 14.40    |
| 106         | 10.171    | 0.00                  | 0.00     | 0.97     | 2.37     | 3.09     | 3.57                  | 6.62     | 12.10    | 13.60    | 14.20    |
| 107         | 0.000     | 0.00                  | 0.00     | 0.00     | 0.00     | 0.00     | 3.84                  | 8.40     | 12.60    | 13.80    | 14.20    |
| 108         | 0.000     | 3.35                  | 7.29     | 10.79    | 12.32    | 13.38    | 4.20                  | 8.30     | 11.90    | 13.20    | 14.10    |
| 109         | -1.343    | 5.45                  | 9.05     | 12.63    | 14.59    | 15.82    | 4.20                  | 7.90     | 11.50    | 13.40    | 14.50    |
| 110         | 0.000     | 4.42                  | 7.81     | 11.43    | 13.65    | 15.09    | 4.10                  | 7.30     | 11.00    | 13.40    | 14.90    |
| 111         | 0.000     | 3.15                  | 6.22     | 9.82     | 12.26    | 13.91    | 4.20                  | 7.20     | 10.80    | 13.30    | 15.00    |
| 112         | 0.000     | 2.01                  | 4.95     | 8.29     | 10.93    | 12.73    | 4.20                  | 7.10     | 10.50    | 13.10    | 14.90    |

Figure 2 NE-E Atlas Map Index



This page intentionally left blank.



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 5**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 16**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 17**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 18**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

Key West

US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 23**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes


**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet



**Map Plate 24**

*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 25**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 26**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet



**Map Plate 27**



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 28**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 29**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 30**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 32**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 33**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 34**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 35**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 36**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes


**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet



**Map Plate 37**

*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 38**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

**Storm Tide Category**


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet



**Map Plate 39**

*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 40**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 41**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 42**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**


**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet

**Map Plate 43**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 45**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet



**Map Plate 47**



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 48**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 49**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 50**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 51**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 52**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 53**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 55**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 57**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 58**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



Notes:  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

**Storm Tide Category**


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet

**Map Plate 59**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet

**Map Plate 60**





**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**


**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000



**Map Plate 61**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 63**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 64**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 65**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 66**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 68**



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 70**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 71**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



Notes:  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes


**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet

**Map Plate 72**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 73**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 74**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 75**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 76**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 77**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 78**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 79**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 80**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**


**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000

**Map Plate 81**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 82**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 83**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



Notes:  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 84**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 85**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

**Storm Tide Category**


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet

**Map Plate 86**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 87**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 88**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 89**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



**Notes:**  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 90**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 91**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 92**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 93**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



# MONROE COUNTY

**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

**Storm Tide Category**


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet

**Map Plate 94**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 95**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 97**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 99**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 100**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 101**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 102**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 103**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 104**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

**US National Grid**  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 106**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 107**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 108**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 109**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

Islamorada

**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




Notes:  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes


**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet



**Map Plate 110**

*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 111**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 112**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 115**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**


**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000



**Map Plate 116**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 117**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 118**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

**Storm Tide Category**


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet

**Map Plate 119**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 120**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 121**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
  - Points of Reference
  - City Limits
  - Evacuation Route
  - NHD Lakes

- Storm Tide Category**
- Level 1
  - Level 2
  - Level 3
  - Level 4
  - Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 127**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 128**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**


**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000



**Map Plate 129**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 130**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 131**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

Islamorada

MARINER'S HOSPITAL

91

US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

**Storm Tide Category**


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet



**Map Plate 132**

*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000

**Map Plate 133**





MONROE COUNTY

**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




Notes:  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000



**Map Plate 141**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 142**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 143**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 144**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**


**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet

**Map Plate 145**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**

Datum = NAD 1983, 1,000-m USNG

*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5


**NE-E Storm Tide  
Monroe, 2015**

Scale 1:24,000



**Map Plate 146**





US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 147**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 148**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 149**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 150**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 151**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 152**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 161**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 162**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 163**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



**Notes:**  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 164**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 165**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 166**





US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 169**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 170**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 171**



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*


Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 172**





**US National Grid**  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



**Notes:**  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 173**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 174**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 175**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**MIAMI-DADE COUNTY**

**UNINCORPORATED  
MIAMI-DADE**

**MONROE COUNTY**

**US National Grid**  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



**Notes:**  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 176**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 177**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 178**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 179**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 180**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 181**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 182**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 183**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 184**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 185**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 186**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 187**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

**Storm Tide Category**


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet



**Map Plate 188**

*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**


**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000



**Map Plate 189**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 191**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 192**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 193**



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 194**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 195**



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 196**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 197**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



# MONROE COUNTY

**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 198**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 199**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 200**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 201**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 202**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 203**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 204**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 205**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 206**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 207**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

Simmons Lake

Overpass 109

**US National Grid**  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 208**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 209**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 211**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 212**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 213**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 214**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 215**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**

Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 216**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 217**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 218**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**

Datum = NAD 1983, 1,000-m USNG



Notes:  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000



**Map Plate 219**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 220**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 221**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




**Notes:**  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 222**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 223**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 224**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



**Notes:**  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 225**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

**US National Grid**  
 100,000-m Square ID  
**MH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



Notes:  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 [H] HOSPITAL  
 [●] Points of Reference  
 [---] City Limits  
 [---] Evacuation Route  
 [■] NHD Lakes

**Storm Tide Category**  
 [Red] Level 1  
 [Orange] Level 2  
 [Yellow] Level 3  
 [Light Green] Level 4  
 [Light Blue] Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 227**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 228**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 229**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 230**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 231**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 232**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 233**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NH**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 234**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 235**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 236**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



MONROE COUNTY

**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



Notes:  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 237**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 238**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NH**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**


**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 239**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 242**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 243**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 244**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 245**





**US National Grid**  
 100,000-m Square ID  
**NJ**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 246**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NJ**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 247**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 248**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 249**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 250**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
  
**Map Plate 251**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 254**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**MJ**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 255**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**MONROE COUNTY**

**US National Grid**  
 100,000-m Square ID  
**MJ**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG




**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 256**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 257**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NJ**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 258**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 259**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



# MONROE COUNTY

**US National Grid**  
 100,000-m Square ID  
**NJ**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 260**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**MIAMI-DADE COUNTY**  
**UNINCORPORATED**  
**MIAMI-DADE**

**MONROE COUNTY**

**US National Grid**  
 100,000-m Square ID  
**NJ**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
**HOSPITAL**  
**Points of Reference**  
**City Limits**  
**Evacuation Route**  
**NHD Lakes**

**Storm Tide Category**  
**Level 1**  
**Level 2**  
**Level 3**  
**Level 4**  
**Level 5**

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 261**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 264**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 265**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.


**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 266**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**MJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 267**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**US National Grid**  
 100,000-m Square ID  
**NJ**  
 Grid Zone Designation  
**17R**  
 Datum = NAD 1983, 1,000-m USNG



**Notes:**  
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.  
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
 Scale 1:24,000  
 0 2,000 Feet  
**Map Plate 268**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 269**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



US National Grid  
100,000-m Square ID  
**NJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG




Notes:  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**  
 HOSPITAL  
 Points of Reference  
 City Limits  
 Evacuation Route  
 NHD Lakes

**Storm Tide Category**  
 Level 1  
 Level 2  
 Level 3  
 Level 4  
 Level 5


**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000



**Map Plate 270**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*



**UNINCORPORATED  
MIAMI-DADE**

**MIAMI-DADE COUNTY**

**MONROE COUNTY**

**US National Grid**  
100,000-m Square ID  
**NJ**  
Grid Zone Designation  
**17R**  
Datum = NAD 1983, 1,000-m USNG



**Notes:**  
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.  
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.  
3. The Points of Reference are locations determined to be relevant to emergency management officials.

**ATLAS LEGEND**

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

**Storm Tide Category**

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

**NE-E Storm Tide**  
**Monroe, 2015**  
Scale 1:24,000  
0 2,000 Feet  
**Map Plate 271**



*This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.*





Funding was provided by the Florida Legislature with funding from the Federal Emergency Management Agency (FEMA) through the Florida Division of Emergency Management. Local match was provided by the South Florida Regional Council and the counties of Broward, Miami-Dade and Monroe.

**Florida Division of Emergency Management**  
**Bryan Koon, Director**  
**2255 Shumard Oak Boulevard**  
**Tallahassee, Florida 32399**



---

Prepared and published by the  
South Florida Regional Council, 3440 Hollywood Boulevard, Suite 140  
Hollywood, Florida 33021  
Tel: (954) 985-4416, Fax: (954) 985-4417, Website: [www.sfregionalcouncil.org](http://www.sfregionalcouncil.org)  
Study Manager: Richard F. Ogburn; GIS: Manny Cela  
Statewide Program Manager: Elizabeth Payne, Northeast Florida Regional Council