



FLORIDA STATEWIDE REGIONAL EVACUATION STUDY PROGRAM



**DIRECTIONAL
ATLAS**

MONROE COUNTY

VOLUME 10-11

BOOK 3C

W-NW DIRECTIONAL STORMS

**FLORIDA DIVISION OF
EMERGENCY MANAGEMENT**

**SOUTH FLORIDA
REGIONAL COUNCIL**



SOUTH FLORIDA REGION



INCLUDES HURRICANE EVACUATION STUDY



2015



**STATEWIDE
REGIONAL
EVACUATION
STUDY PROGRAM**



SOUTH FLORIDA STORM TIDE DIRECTIONAL ATLAS

Volume 10-11 Book 3C – Monroe County *W-NW Direction*

This Atlas is part of Volume 10 of the *Statewide Regional Evacuation Study Program* (SRESP), and one of three sets of county books in the *South Florida Storm Tide Directional Atlas* series. Book 1 covers Broward County; Book 2 covers Miami-Dade County; and Book 3 covers Monroe County. In each county, the primary volume presents an overview of the study and the methodology, while the Appendices, numbered from A to E, include the surge inundation maps for each of five directional storm clusters. The Atlas maps identify those areas subject to potential storm tide flooding from the five categories of hurricane on the Saffir-Simpson Hurricane Wind Scale, as determined by the National Oceanic and Atmospheric Administration (NOAA) numerical storm surge model, Sea, Lake and Overland Surges from Hurricanes (SLOSH). Volume 10 is unique in that it is based on the direction the storm is heading and depicts the resulting surge of storms approaching from that specific directional angle.

The *Storm Tide Directional Atlas* series supplements the original hazards analysis for storm tides (Volume 7-11) and depth (Volume 9-11), and enhances a key component of the SRESP. The *Technical Data Report* (Volume 1-11) was built upon the original storm tide analysis and includes the evacuation zones and population estimates, results of the evacuation behavioral data, shelter analysis and evacuation transportation analysis. The study, which provides vital information to state and local emergency management, forms the basis for county evacuation plans. The final study documents are available on the Internet at <http://www.sfregionalcouncil.org/sresp.htm>.

This Atlas series was produced by the South Florida Regional Council with funding from the Federal Emergency Management Agency, through the Florida Division of Emergency Management.



South Florida Regional Council
3440 Hollywood Boulevard, Suite 140, Hollywood, FL 33021
Telephone: (954) 985-4416, Fax: (954) 985-4417
Email: sfadmin@sfregionalcouncil.org, Website: www.sfregionalcouncil.org

CREDITS AND ACKNOWLEDGEMENTS



Funding was provided by the Florida Legislature with funds from the Federal Emergency Management Agency (FEMA), through the Florida Division of Emergency Management (FDEM), 2555 Shumard Oak Boulevard, Tallahassee, 32399, www.floridadisaster.org. Local match was provided by the counties of Broward, Miami-Dade and Monroe.

The Council acknowledges and extends its appreciation to the following agencies and people for their cooperation and assistance in the development of this Atlas:

National Oceanic and Atmospheric Administration (NOAA/TPC-NHC) for the SLOSH numerical storm surge model developed by the late Chester L. Jelesnianski, the development of the 2009 Biscayne Bay and Florida Bay Basins under the management of Jamie Rhome, and for the storm tide computation and interpretation provided by the NOAA Storm Surge Modeling team.

Florida Division of Emergency Management
 Bryan Koon, Director
 Andrew Sussman, Hurricane Program Manager
 Richard Butgereit, GIS Manager

County Emergency Management Agencies
 Miguel Ascarrunz, Director, Broward County
 Emergency Management Division
 Curtis Sommerhoff, Director, Miami-Dade County
 Department of Emergency Management and
 Homeland Security
 Irene Toner, Director, Monroe County Emergency
 Management Department

Northeast Florida Regional Council
 Elizabeth Payne, Project Manager

Florida Emergency Preparedness Association
 For their support in this statewide effort



A. Storm Tide Directional Atlas

The surge inundation limits (directional maximum surge heights minus the ground elevations) are provided as GIS shape files and graphically displayed on maps in the *Directional Storm Tide Atlas for the South Florida Region*. The *Atlas* was prepared by the South Florida Regional Council under contract to the State of Florida, Division of Emergency Management, as part of this study effort. The maps prepared for the *Atlas* consist of base maps (1:24000) including topographic, hydrographic and highway files (updated using 2008 county and state highway data). Detailed shoreline and storm tide limits for each category of storm were determined using the region's geographic information system (GIS).

The purpose of the maps contained in this Atlas is to reflect a worst probable scenario of the hurricane storm tide inundation for a given cluster of compass directions that a storm would be heading and to provide a basis for the hurricane evacuation zones and study analyses. While the storm tide delineations include the addition of an astronomical mean high tide and tidal anomaly, it should be noted that the data reflects only stillwater saltwater flooding. **Local processes such as waves, rainfall and flooding from overflowing rivers, are usually included in observations of storm tide height, but are not surge and are not calculated by the SLOSH model. It is incumbent upon local emergency management officials and planners to estimate the degree and extent of freshwater flooding as well as to determine the magnitude of the waves that will accompany the surge.**

Although the methodology used for surge determination in this Atlas does the most to reduce inconsistencies and human subjectivity, factors remain in the data itself that could show variations from previous efforts and results. Whenever a SLOSH basin is changed in any way, results can vary. Using MEOW (Maximum Envelope of Water) data as we do in this directional atlas, instead of the MOM (Maximum of Maximums) data, and choosing directional subsets of the maximums (MOMs) will indeed produce different results than other atlases – and this was expected. Other factors can include different elevation model data, as well as number and scope of selected SLOSH basin grid cells. Also, any data that is beyond the original extent or boundary of the basin is interpolation influenced by the modeling trend up to that location, and hand adaptation of basin extensions.

Figure 1 shows the projected surge inundation for each category of storm for storms moving in a W-NW direction. Figure 2 provides an index of the W-NW directional map series for Monroe County.

B. Points of Reference

County emergency management agencies selected reference points, which include key facilities or locations critical for emergency operations. The Table 1 includes the map identification number, descriptions of the selected points, and the elevation of the site. The elevation is based on the digital elevation data provided by LiDAR. It should be noted that if the site is large, elevations may vary significantly. Table 1 also provides the storm tide value from the SLOSH value and the depth of inundation (storm tide value minus the ground elevation) at the site.

Figure 1 Directional W-NW Storm Surge for Monroe County




Table 1 Selected Points of Reference, W-NW Direction – Monroe County

Marker ID #	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
0	10.059	0.00	0.00	0.00	0.00	0.00	2.60	5.10	6.50	8.10	9.20
1	4.741	0.00	0.26	1.99	3.55	4.58	2.60	5.10	6.50	8.10	9.20
2	2.607	0.39	2.93	6.25	7.21	7.50	3.00	6.00	10.00	10.70	10.80
3	2.691	0.24	2.75	5.71	6.92	7.87	3.00	6.00	10.00	10.70	10.80
4	3.393	0.00	1.57	3.70	5.87	7.42	2.80	4.64	6.60	9.10	10.90
5	5.975	0.00	0.00	2.44	4.87	6.76	2.30	3.00	9.90	12.20	14.10
6	13.506	0.00	0.00	0.00	0.00	0.00	2.90	4.70	6.80	8.00	10.50
7	2.655	0.07	2.37	4.45	5.56	7.59	2.88	5.20	7.30	8.40	10.40
8	12.702	0.00	0.00	0.00	0.00	0.00	3.10	5.00	7.40	8.80	10.30
9	3.638	0.00	1.05	3.51	5.85	6.67	2.99	5.10	7.60	9.80	10.70
10	2.980	0.42	3.81	5.43	8.07	9.19	2.40	6.50	7.70	10.20	11.70
11	5.285	0.00	0.42	1.92	3.87	5.36	2.40	6.50	7.70	10.20	11.70
12	6.036	0.00	0.00	0.51	1.85	3.16	3.00	5.40	6.70	8.00	9.30
13	5.086	0.00	0.00	1.80	2.79	3.81	3.10	5.50	7.20	8.20	9.20
14	2.966	0.00	2.06	4.50	5.38	5.94	2.90	5.20	7.70	8.60	9.20
15	8.073	0.00	0.00	0.74	2.80	3.41	3.10	5.50	7.00	10.00	10.70
16	6.064	0.00	0.00	1.13	3.73	4.16	3.30	5.80	7.70	9.80	10.10
17	4.566	0.00	1.13	2.96	5.27	5.67	3.50	5.60	7.30	9.70	10.20
18	3.041	0.00	2.33	4.09	6.07	6.64	3.30	5.80	7.60	9.60	10.20
19	4.073	0.00	1.23	2.87	3.83	4.54	2.90	5.70	7.30	8.40	9.10
20	4.288	0.00	1.02	2.44	3.35	4.43	2.80	5.50	6.80	7.80	9.00
21	3.867	0.39	2.87	4.33	5.29	6.46	2.80	5.50	6.80	7.80	9.00
22	4.332	1.80	3.94	5.61	6.50	7.80	3.10	5.10	6.90	7.70	8.90
23	1.573	0.77	2.72	4.70	5.61	6.94	3.00	4.90	7.00	7.80	9.10
24	6.646	0.00	0.00	0.00	0.70	2.07	3.00	4.90	6.70	7.90	9.30
25	1.752	1.34	2.40	4.27	5.57	7.01	4.00	4.90	6.70	8.00	9.60
26	0.000	0.00	0.00	0.00	0.00	0.00	2.90	5.70	6.60	8.00	9.60
27	4.061	0.00	0.71	2.13	3.88	5.83	2.80	4.50	6.00	7.70	9.90
28	0.000	0.00	0.00	0.00	0.00	0.00	2.80	4.50	6.00	7.70	9.90

¹ Depth refers to the depth of inundation at the site (storm surge value minus the ground elevation)


² Surge refers to the storm surge value from the SLOSH Model

Marker ID #	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
29	6.994	0.00	0.00	0.00	0.56	2.90	2.80	4.50	5.80	7.40	10.40
30	4.007	0.00	0.22	1.66	3.33	6.69	2.80	4.40	5.80	7.30	10.90
31	6.036	0.00	0.00	0.00	1.12	4.02	3.30	4.20	5.60	7.40	10.30
32	4.613	0.00	0.00	0.33	2.27	4.34	2.70	4.10	5.60	7.60	9.70
33	0.000	0.00	0.00	0.00	0.00	0.00	2.90	4.60	6.40	8.00	9.70
34	6.963	0.00	0.00	0.00	0.72	2.42	2.90	4.60	6.40	7.90	9.50
35	12.071	0.00	0.00	0.00	0.00	0.00	2.60	3.90	5.30	7.20	9.40
36	0.000	0.00	0.00	0.00	0.00	0.00	2.80	4.50	6.20	7.90	10.30
37	5.020	0.00	0.00	0.72	2.38	4.24	2.80	4.50	6.20	7.90	10.30
38	4.760	0.00	0.00	1.56	2.91	4.30	2.80	4.50	6.30	7.70	9.10
39	0.000	0.00	0.00	0.00	0.00	0.00	2.50	3.70	5.20	7.20	8.80
40	14.615	0.00	0.00	0.00	0.00	0.00	2.70	4.20	5.90	7.60	9.20
41	0.000	0.00	0.00	0.00	0.00	0.00	2.60	4.00	5.60	7.30	8.90
42	0.000	0.00	0.00	0.00	0.00	0.00	2.60	4.00	5.60	7.30	8.90
43	0.000	0.00	0.00	0.00	0.00	0.00	2.50	4.00	5.60	7.20	8.70
44	0.000	0.00	0.00	0.00	0.00	0.00	2.30	3.70	5.30	6.80	8.50
45	0.000	0.00	0.00	0.00	0.00	0.00	2.30	3.60	5.20	6.70	8.30
46	0.000	0.00	0.00	0.00	0.00	0.00	2.30	3.60	5.20	6.70	8.30
47	8.060	0.00	0.00	0.00	0.00	0.00	1.90	2.80	4.10	5.70	7.90
48	3.277	0.00	0.00	1.11	3.24	4.77	2.21	3.65	4.70	7.40	8.60
49	4.370	0.00	0.00	0.90	3.33	4.50	2.21	3.65	4.70	7.40	8.60
50	3.905	0.00	0.13	2.74	4.10	5.31	2.41	4.10	6.60	8.00	9.40
51	4.269	0.00	0.00	2.23	3.31	4.38	2.57	4.00	6.50	7.90	9.00
52	4.092	0.00	0.85	2.66	3.43	4.10	2.53	5.00	6.70	7.50	8.20
53	5.112	0.00	0.00	1.37	3.00	3.45	2.00	4.70	7.10	8.00	8.70
54	4.713	0.00	0.59	2.67	4.61	5.88	2.90	4.40	6.50	8.30	9.80
55	5.707	0.00	0.00	1.94	4.53	5.38	3.10	4.50	6.50	9.40	9.90
56	2.932	0.00	1.19	3.11	4.90	6.14	3.50	4.70	6.50	8.40	9.80
57	3.096	0.00	1.37	3.18	4.73	5.82	2.80	4.60	6.40	7.60	8.60
58	2.645	0.25	1.69	3.37	4.99	5.82	2.90	4.10	5.40	8.10	8.70
59	3.660	0.00	0.61	2.42	3.20	4.52	3.30	4.50	6.40	7.20	8.30
60	5.364	0.00	0.00	0.00	0.80	2.69	2.20	3.50	4.40	6.20	7.90
61	3.563	0.00	0.00	0.97	2.68	4.58	2.20	3.40	5.00	6.70	8.60
62	7.959	0.00	0.00	0.00	0.00	0.28	2.60	4.10	5.80	7.40	8.80


Marker ID #	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
63	9.015	0.00	0.00	0.00	0.00	0.00	2.20	3.50	5.10	6.60	8.10
64	0.000	0.00	0.00	0.00	0.00	0.00	2.30	3.60	5.30	6.80	8.30
65	0.000	0.00	0.00	0.00	0.00	0.00	2.30	3.80	5.40	6.90	8.30
66	2.525	0.27	1.57	3.28	5.00	6.50	1.80	3.00	4.80	6.70	8.20
67	2.574	0.47	1.88	3.34	5.04	6.48	2.70	4.30	5.40	6.90	8.30
68	3.456	0.00	0.72	2.54	3.98	5.45	1.80	2.70	5.00	6.50	8.00
69	2.297	0.26	1.55	2.87	4.17	5.59	2.80	4.30	5.40	6.60	8.00
70	5.317	0.00	0.06	1.51	3.07	4.71	2.00	2.80	4.30	5.90	7.60
71	0.000	0.00	0.00	0.00	0.00	0.00	2.00	2.80	4.30	6.00	7.50
72	8.367	0.00	0.00	0.00	0.00	0.00	2.70	4.30	5.70	7.20	8.70
73	0.000	0.00	0.00	0.00	0.00	0.00	2.60	4.20	5.50	7.00	8.10
74	2.194	0.28	1.75	3.30	4.56	6.17	2.60	4.30	5.60	6.90	8.30
75	2.451	0.15	1.82	3.33	4.32	5.97	2.70	4.50	5.80	6.80	8.40
76	2.876	0.00	1.40	2.68	3.78	5.90	2.60	4.40	5.70	6.70	9.10
77	3.667	0.00	0.35	1.68	2.73	5.48	2.50	4.20	5.40	6.40	9.10
78	0.000	0.00	0.00	0.00	0.00	0.00	2.50	4.20	5.40	6.40	9.10
79	3.546	0.00	0.00	0.74	1.80	3.32	2.10	3.20	4.20	5.30	6.80
80	4.008	0.00	0.00	0.68	2.02	3.47	2.10	3.10	4.10	5.20	6.90
81	7.454	0.00	0.00	0.00	0.00	0.33	2.20	3.60	4.70	5.70	6.90
82	8.102	0.00	0.00	0.00	0.00	0.24	2.41	3.91	7.00	7.80	8.60
83	6.194	0.00	0.00	0.00	1.62	1.81	2.35	3.97	5.40	7.90	8.00
84	0.000	0.00	0.00	0.00	0.00	0.00	2.50	4.00	5.40	6.80	7.60
85	4.906	0.00	0.00	0.42	1.64	2.92	2.40	4.30	5.50	6.70	8.00
86	8.167	0.00	0.00	0.00	0.00	0.37	1.90	3.60	5.50	6.70	8.50
87	8.171	0.00	0.00	0.00	0.11	1.43	2.80	4.50	5.90	7.80	9.20
88	7.211	0.00	0.00	0.00	1.49	2.50	2.67	4.84	6.20	8.50	9.50
89	6.315	0.00	0.00	0.43	1.95	3.37	2.73	5.70	6.90	8.10	9.50
90	4.857	0.00	0.44	1.80	3.50	4.94	2.82	5.30	7.00	8.10	9.50
91	5.902	0.00	0.00	0.39	2.61	5.42	3.00	5.30	6.40	8.70	11.90
92	7.074	0.00	0.00	0.00	1.60	4.17	3.10	5.10	6.50	8.60	10.70
93	2.251	0.80	3.48	5.21	6.49	8.56	2.93	5.90	7.60	8.70	11.20
94	7.940	0.00	0.00	0.00	0.96	2.26	2.93	5.40	7.30	8.60	9.90
95	4.314	0.00	1.34	3.39	4.28	5.74	2.99	5.90	7.80	8.70	10.10
96	8.715	0.00	0.00	0.00	0.49	2.00	3.05	5.48	8.40	9.20	10.70

Marker ID #	Elevation	C1 Depth ¹	C2 Depth	C3 Depth	C4 Depth	C5 Depth	C1 Surge ²	C2 Surge	C3 Surge	C4 Surge	C5 Surge
97	9.549	0.00	0.00	0.00	0.00	1.26	3.04	5.48	7.90	9.40	10.70
98	9.138	0.00	0.00	0.00	0.59	1.71	3.06	5.47	8.20	9.70	10.90
99	9.345	0.00	0.00	0.00	0.57	1.66	3.01	5.58	8.30	9.90	11.00
100	8.373	0.00	0.00	0.09	1.76	2.89	3.15	5.62	8.40	10.10	11.20
101	10.942	0.00	0.00	0.00	0.00	0.27	3.35	5.73	8.50	10.10	11.20
102	11.087	0.00	0.00	0.00	0.00	0.54	3.80	5.80	8.50	10.10	11.20
103	11.512	0.00	0.00	0.00	0.00	0.25	3.50	5.80	7.90	9.80	12.00
104	11.428	0.00	0.00	0.00	0.16	0.84	3.31	5.79	8.09	11.40	11.50
105	9.875	0.00	0.00	0.00	0.00	1.41	3.23	6.20	8.50	10.00	11.60
106	10.171	0.00	0.00	0.00	0.00	2.93	3.31	5.81	8.40	9.80	12.90
107	0.000	0.00	0.00	0.00	0.00	0.00	3.18	6.30	8.50	10.10	13.70
108	0.000	2.23	4.72	7.27	8.64	9.86	3.10	5.70	8.30	9.70	11.10
109	-1.343	4.41	6.46	8.97	10.10	11.03	3.10	5.30	7.80	9.00	10.00
110	0.000	3.56	5.11	7.51	8.44	9.62	3.20	4.60	7.00	7.80	9.20
111	0.000	2.13	3.51	6.20	6.75	8.16	3.10	4.50	7.00	7.50	9.10
112	0.000	0.99	2.47	4.08	5.26	6.89	3.10	4.60	6.20	7.40	9.00

Figure 2 W-NW Atlas Map Index



This page intentionally left blank.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 5



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 13



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet

Map Plate 16





US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 17



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 18



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

Key West

US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet



Map Plate 23

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Map Plate 24



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5


W-NW Storm Tide
Monroe, 2015
Scale 1:24,000



Map Plate 25



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 26



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 28



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 29



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5


W-NW Storm Tide
Monroe, 2015
Scale 1:24,000



Map Plate 30



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 31



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet

Map Plate 32



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 33



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 34



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 35



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 36



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet



Map Plate 37

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet

Map Plate 38



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet



Map Plate 39

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 40



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet

Map Plate 41



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet



Map Plate 44



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 45



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 47



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 48



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 49



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 50



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 51



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 52



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 53



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 54



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 55



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 56



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 57



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 58



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 60



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 61



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 62



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 63



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 64



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 65



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 66



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet

Map Plate 67



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet

Map Plate 68



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 70



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 71



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet

Map Plate 72



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 73



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 74



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 75



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 76



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 77



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 78



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 79



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 80



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 81



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 82





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 83



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG





Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 84





US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 85



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 86



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 87





MONROE COUNTY

US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 88



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 89



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 90



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5


W-NW Storm Tide
Monroe, 2015
Scale 1:24,000



Map Plate 91



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 92



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 93



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet

Map Plate 94



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 95



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet

Map Plate 96



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 97



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 99



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 100



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet

Map Plate 101



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 102



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

Islamorada

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet



Map Plate 103

This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 104



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 105



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 106



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 107



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 108



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 109



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5


W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000



Map Plate 110



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 111



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5


W-NW Storm Tide
Monroe, 2015
Scale 1:24,000



Map Plate 112



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 115



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 116



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 117



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 118



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 119



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 120



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 121



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 127



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 128



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 129



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 130



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 131



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 132



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet

Map Plate 141



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 142



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 143



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 144



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 145



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 146





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 147



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 148



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 149



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 150



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 151



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 152



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 161



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 162



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000

Map Plate 163



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 164



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 165





US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 166



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 169



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 170



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 171



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 172



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 173



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 174



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5


W-NW Storm Tide
Monroe, 2015
Scale 1:24,000



Map Plate 175



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED MIAMI-DADE

MONROE COUNTY

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 176



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 177



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



UNINCORPORATED
MIAMI-DADE
MIAMI-DADE COUNTY

MONROE COUNTY

West Lake

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 178



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 179



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 180



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 181



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 182



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 183



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 184



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 185



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 186



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 187



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 188



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5


W-NW Storm Tide
Monroe, 2015
Scale 1:24,000



Map Plate 189



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 191



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 192



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 193



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 194



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 195



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 196



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 197



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 198



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 199



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 200



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 201



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 202



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 203



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 204



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 205



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 206



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 207



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 208



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 209



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 211



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 212



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 213



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 214



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 215



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 216



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 217



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 218



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 219



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 220



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet

Map Plate 221



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 222





US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 223



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 224



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND


- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 225





MONROE COUNTY

US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 227



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 228



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 229



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 230



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
MH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 231



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

Cutoff, The

US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 232



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 233



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 234



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 235



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 236



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 237



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NH
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 238



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NH
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG




Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 239



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 242



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 243



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 244



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 245



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes

Storm Tide Category


- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 246



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 247



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 248



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 249



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 250



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes


Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000



Map Plate 251





US National Grid
100,000-m Square ID
MJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 254



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 255



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
MJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 256



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 257



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 258



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 259



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MONROE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


- ATLAS LEGEND**
- HOSPITAL
 - Points of Reference
 - City Limits
 - Evacuation Route
 - NHD Lakes

- Storm Tide Category**
- Level 1
 - Level 2
 - Level 3
 - Level 4
 - Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 260



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



MIAMI-DADE COUNTY
UNINCORPORATED
MIAMI-DADE

MONROE COUNTY

US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 261



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 264



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 265



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 266



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
MJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.


ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000
 0 2,000 Feet
Map Plate 267



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
 100,000-m Square ID
NJ
 Grid Zone Designation
17R
 Datum = NAD 1983, 1,000-m USNG



Notes:
 1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
 2. Total Storm Tide limits were derived from Maximum of Maximum surge heights over LIDAR based digital elevation.
 3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes


Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
 Scale 1:24,000

Map Plate 268



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG



Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND

- HOSPITAL
- Points of Reference
- City Limits
- Evacuation Route
- NHD Lakes


Storm Tide Category

- Level 1
- Level 2
- Level 3
- Level 4
- Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 269



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
 HOSPITAL
 Points of Reference
 City Limits
 Evacuation Route
 NHD Lakes

Storm Tide Category
 Level 1
 Level 2
 Level 3
 Level 4
 Level 5


W-NW Storm Tide
Monroe, 2015
Scale 1:24,000



Map Plate 270



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



**UNINCORPORATED
MIAMI-DADE**

MIAMI-DADE COUNTY

MONROE COUNTY

US National Grid
100,000-m Square ID
NJ
Grid Zone Designation
17R
Datum = NAD 1983, 1,000-m USNG




Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

ATLAS LEGEND
HOSPITAL
Points of Reference
City Limits
Evacuation Route
NHD Lakes

Storm Tide Category
Level 1
Level 2
Level 3
Level 4
Level 5

W-NW Storm Tide
Monroe, 2015
Scale 1:24,000
0 2,000 Feet
Map Plate 271



This map is for emergency planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.



Funding was provided by the Florida Legislature with funding from the Federal Emergency Management Agency (FEMA) through the Florida Division of Emergency Management. Local match was provided by the South Florida Regional Council and the counties of Broward, Miami-Dade and Monroe.

Florida Division of Emergency Management
Bryan Koon, Director
2255 Shumard Oak Boulevard
Tallahassee, Florida 32399



Prepared and published by the
South Florida Regional Council, 3440 Hollywood Boulevard, Suite 140
Hollywood, Florida 33021
Tel: (954) 985-4416, Fax: (954) 985-4417, Website: www.sfregionalcouncil.org
Study Manager: Richard F. Ogburn; GIS: Manny Cela
Statewide Program Manager: Elizabeth Payne, Northeast Florida Regional Council